

56

Gov't Land Corner Ties

Muscatine County

DIETZGEN

76-2W

FIELD BOOK

Book # 6-

No. 403P

T 76 N R 2 W

Fruitland Township

99

76-2W
M2-91



Checked 7/1/39 E.A.D.

County Closed
July 1, 1942

8/7/41 Vant.

Index for Books #1-2 76-2W

(19)

6	5	4	3	2	1
21 7	8 17	9 18	10	11	12
22 1-8	30 19	(18) 1	16	15	13
2 14 13 17	24 19	27 20	31 21	28 22	23 24
3 30	1 29	2 28	3 27	4 26	5 25
4 30 31 27	15 32	6 33	16 11 34	35	36

7-28-42

E.A.D.
H.G.A. - 1439
VON 8-7-41
M J 7-28-42
E.V. 8-12-42

Book #1 Black (Plain)
Book #2 Red (Circle)

all information copied

Final Check
E.V. 8-12-42
Has been checked
five times

*H/A.

N $\frac{1}{4}$ CORNER - Sec. 30 - T. 76 N. - R. 2 - W

DUG - HOLE 5' X 3' X 3' Deep.

AND - FOUND - A - IRON - PIN -

1.6' X $\frac{1}{2}$ " AND - PLACED - BELOW

MONUMENT - MONUMENT -

SET - IN - $\frac{1}{4}$ OF N.E.S. COUNTY

ROAD "F" AND - E + W. ROAD.

35.9' S.E. OF XSPKS - IN - TEL. POLE

38.7' S.E. OF XSPKS - IN - HEDGE

38.0' N.E. OF XSPKS - IN - TEL. POLE

268.0' N.N.W. OF XSPKS - IN - TEL. POLE

235.7' N.N.W. OF XSPKS - IN - 8" EVER-GREEN

112.5' N.W. OF XSPKS - IN - TEL. POLE

110.8' S.W. OF XSPKS - IN - 24" CATALPA

41.3' S.W. OF XSPKS - IN - POWER POLE


200.5' S.S.E. OF XSPKS - IN - TEL. POLE

MONUMENT - BURIED - 12" Deep.

19

STAMPED - 30

8-9-39



W.V.

30-1
NE CORNER - Sec. 25-76N-R-3W

DUG - END - FOUND - A - GAS - PIPE
1/2" X 22" LONG - NO - OTHER - ORIG
EVIDENCE - FOUND - LOWERED
SAME - END - PLACED - MON. ABOVE
MON. SET - IN - 1/4 OF E/W - ROAD
IN - LINE - WITH - NTS, FENCES.

1194.6' E. OF 1/4 OF PAVEMENT - HWY #61

23.5' S. OF IRON - CORNER POST

22.5' N. OF XSPKS - IN - CORNER POST

110.3' NE. OF XSPKS - IN - TEL. POLE

231.6' SW. OF XSPKS - IN - POWER POLE

176.3' N. OF XSPKS - IN - POWER POLE

153.4' NW. OF XSPKS - IN - TEL. POLE


MONUMENT - BURIED - 12" DEEP

24 19

25 30

STAMPED -

8-9-39



Checked this
corner with map
re Sec 25-76-3W.

8-9-39

W 7/8 CORNER - Sec. 28 - T76N - R10E

DUG - AND - FOUND - A - IRON

1/2" X 24" LONG - AND - ALSO

LIME - STONE - 14" X 8" X 6" -

ALL - OF - THE - EVIDENCE

PLACED - MONUMENT -

SAME MON. SET - IN - 8' OF W. LINE

164.7' SE. OF SE. COR. OF FARM

173.4' SE. OF SE. COR. OF FARM

529.3' N. OF NE. COR. OF CORWIN

42.0' W. OF XSPKS - IN - 8" HEDGE

65.6' NW. OF XSPKS - IN - POWER


54.4' SE. OF XSPKS - IN - POWER

70.3' NE. OF XSPKS - IN - POWER

MONUMENT - BURIED - 12" DEEP

29 - 28

STAMPED -



N $\frac{1}{4}$ CORNER - SEC. 29 - T. 76 N. - R. 2 W.

DUG - AND - FOUND - A - RED -

GRANITE - STONE - 12" BELOW

SURFACE - OF - ROAD - STONE -

MEASURED - 26" X 18" X 12"

LOWERED - SAME - AND - PLACED

MONUMENT - ABOVE. MON. SET IN

8 OF E + W ROAD - IN - LINE - WITH - N.E.

84.4' SW. OF XSPKS - IN - TEL. POLE

48.5' SE. OF XSPKS - IN - TEL. POLE

101.7' NW. OF XSPKS - IN - POWER POLE

68.5' NE. OF XSPKS - IN - 18" PINE

18.3' S. OF XSPKS - IN - CORNER POST

17.6' N. OF IRON - FENCE POST

36.6' NW. OF XSPKS - IN - 3" CEDAR


MONUMENT - BURIED - 12" DEEP

20

STAMPED - 29

X

8-9-39



6
 NE. CORNER - Sec - 29-76N-R.2W
 DUG AND FOUND A SAND-STONE
 21" X 14" X 3" - LOWERED - SAME
 AND PLACED MONUMENT ABOVE
 MONUMENT SET IN 2' OF E.W.
 ROAD AND IN LINE WITH E-
 HANE - FENCE - NORTH.


17.0' N. OF XSPKS - IN - POWER POLE
 28.6' SE. OF XSPKS - IN - TEL. POLE
 153.7' E. SE. OF XSPKS - IN - TEL. POLE
 108.3' W. SW. OF XSPKS - IN - TEL. POLE
 71.8' NE. OF XSPKS - IN - 14" MULBERRY
 81.3' SE. OF XSPKS - IN - 12" MULBERRY
 58.8' W. NW. OF XSPKS - IN - 28" MAPLE
 110.6' W. NW. OF XSPKS - IN - 10" MULBERRY

MONUMENT BURIED - 12" D.C.P

20 21

29 28

STAMPED -



1
NE CORNER - Sec. 30 - T. 1 N. - R. 2 - W.

DUG AND FOUND 6" UNDER
SURFACE OF FTW. ROAD - 7'
WHITE LIME STONE - 15" X 10" X 5"
HOWEVER SAME END PLACED
MONUMENT ABOVE MON. SET IN
E. OF FTW. ROAD - END E. OF
S. FENCE LINE.

205.2' W. OF E. OF CRT & P. RR. TRACK
143.9' E. SE. OF XSPKS - IN. POWER POLE
102.3' SE. OF NE COR. OF E. WING OF RES.
338' SE. OF XSPKS - IN. CORNER POST
122.0' W. NW. OF XSPKS - IN. TEL. POLE
134.7' W. SW. OF XSPKS - IN. POWER POLE
19.4' NE. OF XSPKS - IN. TEL. POLE
101.5' SE. OF SW. COR. OF S. WING OF RES.


MONUMENT BURIED - 12" DEEP

19 20

STAMPED - 30 29

V

8-9-39



NE CORNER - Sec - 32 - T71N - R-2W

DUG - AND - FOUND - A - SAND -
STONE - 11" X 6" X 8" - NO - OTHER
ORIGINAL - EVIDENCE.

LOWERED - SAME - AND - PLACED
MON. ABOVE. MON. SET IN $\frac{1}{2}$
OF N.T.S. ROAD - IN - LINE - WITH
E+W - FENCES.

28.6' W. OF XSPKS - IN - CORNER POST

33.8' E. OF XSPKS - IN - CORNER POST

30.6' NE. OF XSPKS - IN - TEL. POLE

241.0' N. NE. OF XSPKS - IN - TEL. POLE

217.4' S. SE. OF XSPKS - IN - TEL. POLE

90.1' S.W. OF XSPKS - IN - RIVER POLE


MONUMENT - BURIED - 12" DEEP

29 28

32 33

STAMPED -

8-10-39



W⁴ CORNER - Sec - 29-77¹/₂N-R-7-W

DOG-AND-FOUND-F-IRON-PIPE

1¹/₂" X 26" LONG - NO OTHER ORIG.

EVIDENCE FOUND. PIPE WAS

SET ON N. SIDE OF E. W. ROAD

LOWELED - SAME END - PLACED

MONUMENT.

55.3' N.N.W. OF XSPKS - IN - 10" HEDGE

209.0' S.S.W. OF XSPKS - IN - 8" EVER-GREEN

34.3' S.W. OF XSPKS - IN - POWER POLE

166.8' S.W. OF S.W. COR. OF - F. BURCH - RES.

128.1' N.W. OF XSPKS - IN - TEL. POLE

108.8' N.E. OF XSPKS - IN - TEL. POLE


166.8' S.E. OF XSPKS - IN - POWER POLE

MONUMENT BURIED - 12" DEEP

50-29

STAMPED -

8-10-39




S⁴ CORNER - Sec. 32 - T76N - R. 2-W
 DUG-AND-FOUND-ORIGINAL
 EVIDENCE - 7- HARD-SAND-
 STONE - 22" X 11" X 11" - IN - GRASS
 W. OF COUNTY - ROAD - 11"
 LOWERED - SAME - AND - PLACED
 MONUMENT - ABOVE.

162.4' W. OF IRON PIN - IN - F. ROAD ROW L.C.
 187.4' SW. OF XSPKS - IN - FENCE POST
 180.4' NW. OF XSPKS - IN - FENCE POST

MONUMENT - BURIED - 12" DEEP
 32
 STAMPED

X

8-10-39



H
R
N
E

HOUSE - COUNTY #

W.D.

16
 W 1/4 CORNER-Sec-33-T16N-R-2-W
 DUG-IN- $\frac{3}{4}$ OF NTS, ROAD-IN-LINE
 WITH-F. FENCE-AND-FOUND
 A- IRON-PIN $\frac{3}{4}$ " X 2' LONG.
 LOWERED-SAME-AND-PLACED
 MONUMENT-ABOVE


- 49.39' W. OF XSPKS-IN- 24" ELM
 - 33.7' W. OF XSPKS-IN- CORNER POST
 - 35.2' W.N.W. OF XSPKS-IN- BRACE POST
 - 40.0' SW. OF XSPKS-IN- 6" HEDGE POST
 - 35.8' NE. OF XSPKS-IN- TEL. POLE
 - 148.4' SE. OF XSPKS-IN- TEL. POLE
 - 193.7' N.N.E. OF XSPKS-IN- TEL. POLE
- MONUMENT BURIED-12" DEEP

32-33

STAMPED -

X

8-10-39



NE CORNER - Sec. 31 - T. 76 N. - R. 2 - W.

DUG - AND - FOUND - A - RED - GRANITE

STONE - 14" X 8" X 6" - BURIED - 8"

BELOW - SURFACE - IN - OLD -

ABANDONED - ROAD - N. N.

LOWERED - SAME - AND - PLACED

MON. ABOVE.

9.1' SE. OF XSPKS - IN - 15" POST

12.7' SE. OF XSPKS - IN - 15" E. EVERGREEN

17.5' SE. OF XSPKS - IN - CENTER - EVERGREEN

27.5' SE. OF XSPKS - IN - W. EVERGREEN


MONUMENT - BURIED - 12" DEEP

30 29

31 32

STAMPED -

8-10-39



SW. CORNER - Sec-30-T16N-R-2-W
 DUG-IN. E. OF N.E.S. ROAD - AND
 FOUND - A SAND-STONE - 22" x 18" x
 ALSO - A IRON - PIN - 1" x 12" LONG.
 LOWERED - SAME AND - PLACED
 MON. MARK.

- 24.3' SE. OF ASPKS - IN. POWER POLE
- 47.5' S.S.W. OF EX. SPKS - IN. TEL. POLE
- 45.1' NE. OF ASPKS - IN. 30" COTTON WOOD
- 87.5' NE. OF NE. CORNER OF RES.
- 81.9' NE. OF ASPKS - IN. 24" MAPLE
- 165.2' NE. OF NE. CORNER OF BARN


MONUMENT - BURIED - 13" DEEP

25 30

36 31

STAMPED -

8-10-39



Res. 30" COTTON WOOD

24" MAPLE

W $\frac{1}{4}$ CORNER. Sec. 21-T $\frac{1}{2}$ N-R 2-W.
 DUG-AND-FOUND-A-BLUE-FLINT.
 STONE-10"X6"X5 $\frac{1}{2}$ ". ALSO-A-WOODEN
 HUB 2"X7" LONG. LOWERED-THE
 ABOVE-EVIDENCE-AND-PLACED
 MON. ABOVE-MON. SET-IN-S $\frac{1}{2}$ OF
 E+W ROAD.

- 34.8' SE. OF XSPKS-IN- 36" MAPLE
- 106.4' SE. OF SE. COR. OF WEBB-BROS. RES.
- 373.8' NE. OF XSPKS-IN- POWER POLE
- 153.6' NE. OF NE. COR. OF FARM-BARN
- 24.1' NW. OF XSPKS-IN- POWER POLE
- 40.2' SW. OF XSPKS-IN- 6" LOCUST.


MONUMENT-BURIED-12" DEEP

20--21

STAMPED-



8-11-39



W $\frac{1}{4}$ CORNER, P. Sec-16, T.6N-R.2-W
 DUG-AND-FOUND-A. SEND-STONE
 15" X 10" X 8" NO-OTHER-ORIG.
 EVIDENCE-LOWERED-SAME
 AND-PLACED-MON. ABOVE
 MON. SET-1/4 S. OF E-W-HAHN
 FARM-LANE-AND-E. OF U.S.#61


115.3' E. OF E. OF U.S.#61-PAVEMENT
 677.0' S. OF E. OF U.S.#61-PAVEMENT
 11.6' N. OF N. SPKS-IN-36" MAPLE

MONUMENT-BURIED-12" DEEP

17-16

STAMPED-

8-11-39



W $\frac{1}{4}$ CORNER. Sec-9-T11N-R-2-W
 DUG-PT-POINT-IN-FENCE-LINE.
 RUNNING-WEST-AND-FOUND
 ORIGINAL-SAND-STONE-10'x7"
 HOWEVED-SAME-AND-PLACED
 MON. ABOVE. MON. LN-LINE-WITH
 W. FENCE AND S OF E. FENCE.


393.2' S.E. OF SE. COR. OF Geo. HATTIG. RES.
 13.6' S. OF XSPKS-IN-CORNER POST
 208.9' W. SW. OF XSPKS-IN-18" ELM.
 330.5' W. NW. OF XSPKS-IN-POWER-POLE
 236.7' NNW. OF XSPKS-IN-POWER-POLE
 222.2' N. NW. OF NE. COR. DIST. #9. School. HOUSE
 63.0' E. OF XSPKS-IN-POWER-POLE
 1.8' E. OF XSPKS-IN-TEL. POLE

MONUMENT BURIED-12" DEEP

8-9

STAMPED-

8-11-39



E.V.


10
 W¹/₄ CORNER Sec-10-776 N. R. 1. W.
 DUG-AND-FOUND-ORIGINAL-SAND
 STONE 7'6" X 4". NO OTHER EVIDENCE
 LOWERED-SAME-AND-PLACED-MON.
 ABOVE MON. SET-IN-R.O.F.F.W.
 ROAD-IN-HOLE-WITH-N-FENCE.

91.1' SE. OF SE. COR. OF FARM-RESIDENCE
 143.7' NE. OF NE. COR. OF FARM-RESIDENCE
 47.9' NW. OF NW. COR. OF OLD-CANNING FACTORY
 59.5' NNW. OF XSPKS-IN-12" PINE-TREE
 129.9' E. NE. OF XSPKS-IN-POWER POLE
 32.9' S. OF XSPKS-IN-CORNER POST

MONUMENT-BURIED-12" DEEP

9-10

STAMPED -



17
 NE CORNER Sec-20-T76N-R-2-W
 DUG-AND-FOUND-A-CEMENT-
 STONE-11"X9"X4"-NO-OTHER-
 ORIGINAL-EVIDENCE-LOWEDED
 SAME-AND-PIECED-MON. ABOVE
 MON. SET-IN-POF E+W ROAD IN-
 LINE-WITH-LANE-SOUTH


184.3' E. OF P. OF CRT+P RR TRACK
 23.2' SE. OF XSPKS-IN-ANCHOR POWER PLE
 185.0' NW. OF XSPKS-IN-POWER PLE
 46.3' NE. OF XSPKS-IN-10" CATA PHE.
 41.0' N.N.W. OF XSPKS-IN-4" CEDAR
 37.5' N.N.E. OF XSPKS-IN-POWER PLE
 109.9' S. OF XSPKS-IN-RR WIRE PLE-214-20

MONUMENT BURIED-12" DEEP

17-16

STAMPED-20 21

8-11-39



W. 1/4 cor sec 17 - T76N R2W.

AT INTERSECTION OF E. E. W. &

- S. dug Hole 6' X 6' X 3' deep. No evidence Found. Corner Restored AT THIS POINT. No Better evidence APPEARING.

STAMPED

18-17


288.0' E. of 30" Blazed Twin Elm

286.9' S. of X SPKS IN Tel Pole

19.0' W. of X SPKS IN E. Post.

18-26-39

R. K. W. C. of P.



N.W. Cor sec 7 T76N R2W
 F.H. Co of Rd. on line with
 F.W. Found $\frac{1}{2}$ " Iron Rod 29"
 10 no. lowered SAME & PLACED
 C.M. ABOVE STAMPED

1	6
12	7

102.4 N.N.W. of Blazed 4" Group
 Cottonwood


38.2' E of XSPK517 Cot. Post

36.2' N.E. of XSPK517 S. Gate Post

61.3' N.N.E. of XSPK517 Fc. Post

88.2' S.S.E. of XSPK517 Fc. Post.

10-26-39
 A.N.W. Co of P.
 No Fc.




2nd

N.W. Cor. Sec 18. T76N - R2W
 7th E. of N & S. Road in line
 with Rd. W. Found Iron Pin 16"
 long. lowered same & placed c. in
 above stamped

17 | 7
 13 | 18

173.3' N. of Blazed 20" Maple
 67.7' W. of SW. Cor. of Foundation
 of C.H. DRAUBAUGH RES.
 48.6' S.E. of Blazed 18" Apple
 38.6' W.N.W. of X.S.P.K.S. in Cor Post
 175.0' N.N.W. of S.W. Cor. of Bridge



23

E 1/4 Corsec 15 T76N-R2W.

W 1/4 cor. of FRACTIONAL sec. 14

AT INTERSECTION of Fcs

N.S. & E. (Also Cedar wind Break N)

Found W Limestone 23" x 11" x 7" Buried

2 FT. deep. ABOVE THIS FOUND

Collection of 6 OTHER STONES RANGING

FROM 4" FOUND TO 12" x 6" FLAT

Also Two wood HUBBS. lowered ALL THE

ABOVE & PLACED C.M. ABOVE POINT

of large stone. Mon. Stamped

15-14

14.0'	S.	of 6" BLAZED Cedar
13.1'	S.	of XSPKS IN cor Post
20.9'	W.	of XSPKS IN Fc Post
93.2'	N.N.E.	of BLAZED 30" MAPLE
16.4'	N.	of XSPKS IN cor Post

X N

10-30-39

B.K.W. C. of P.

Blazed 6"
Cedar

XSPKS IN

COR POST

XSPKS IN
Fc Post

XSPKS IN

COR POST


Blazed 30" MAPLE

24

N. 1/4 Cor sec 20 T76N-R2W.

In C. of E. & W. Rd. Found Sandstone
 13 1/2" x 9" x 7" Buried 12" Deep. Corner
 Found By Proportionate Measurement
 Lowered Stone and Placed C.M.
 Above. STAMPED $\frac{17}{20}$

16.3' N.N.E. of Blazed 20" Catalpa.
 22.7' N.E. of Blazed 30" Catalpa.
 33.9' S.S.E. of XSPKSI17 Cor Post
 194.8' E.S.E. of XSPKSI17 Tel Pole
 82.8' W.S.W. of XSPKSI17 Tel Pole



W 1/4 Cor Sec 31 T76N. R2W.

AT E End of Row of Box-elder Tree, Dug Hole 6' X 5' X 3' deep Found 3" Harrow Tooth, No other evidence Found. lowered same and Placed c.m. Above

Stamped


36-31

- 14.8' S.S.E. of Blazed 28" Maple
- 4.7' E of Blazed 12" Boxelder
- 56.2' N.E. of N.E. Cor of STARKWEATHER Res.
- 27.2' N of Blazed 14" Cedar

X

N

11-6-39
R.K.W. C. of P.



W. 1/4 Cor sec 20 T76N-R2W.

Cor Restored on N&S line at
Proportional Distance. No evidence
original location available either
from on the ground or from
adjoining farmers

Mon stamped
Buried 12" deep 19-20


There are no fcs in any direction
and land on all sides owned by
same party.

522.6' W.N.W. of Blazed 20" Birch
512.4' N.W. of Blazed 12" Boxelder.

X

N

11-6-39
R.K.W. C. of P.



S. 1/4 Cor Sec 31 T76N. R2W.

Corner Restored on Twp line
AT PROPORTIONATE DISTANCE
BETWEEN sec Corners. No
evidence AT THIS POINT TO
INDICATE ANY PREVIOUS ATTEMPT
TO PERPETRATE CORNER.

Mon. STAMPED 

153.1' N.W. of Blazed 36" Group Maple

94.4' N.W. of Blazed 30" Group Maple

76.5' W. of XSPRS 17 S. Gate Post

99.1' W. of Geo. # 58-38

136.3' S.W. of XSPRS 17 E. Post.

11-7-39
R.R.W. C. of P.

LOCAL
ROAD


MUSCATINE Co.

FARM
LANE

COURT LINES

LOUISA Co.


XSPRS 17 GROUP MAPLE



N.E. Cor sec 22 T76N. R7W.
 ON levee on Right BANK
 OF MISSISSIPPI RIVER in line
 WITH local ROAD W. FOUND 2x6"
 wood HUB 30" long pointed #
 Guard STAKE over it READ "sec.
 Cor. 15/14 E. & W. section 39+57.9'
 N. & S section 52+42.6'" lowered
 HUB & PLACED C.M. ABOVE.
 STAMPED 15/14 Replaced guard
 STAKE 22/03

- 15.7' W. of XSPKS 17 6'x8' piling
- 16.7' W.N.W. of XSPKS 17 6'x8' piling
- 50.7' N.W. of XSPKS 17 6'x8' piling
- 105.9' E.S.E. of XSPKS 17 24" pine
- 54.0' S.S.E. of Blazed 22" WALNUT
- 108.8' S. of Blazed 24" WALNUT
- 170.9' S.S.E. of S.E. Cor of Res.

11-7-39
 B.N.W. Cas P.




29

N. 1/4 Corsec 22 T. 76. N. R. 2 W.

IN Q. of E. & W. ROAD AT POINT
INDICATED BY MEASURE FOUND
SANDSTONE 7" X 7" X 3" BURIED 10"
DEEP LOWERED SAME AND PLACED
C.M. ABOVE STAMPED 15" TOP
of MIN BURIED 15" DEEP 22

41.2'	N.W.	of BLAZED 12" Boxelder
28.85'	N	of BLAZED 28" Boxelder
41.8'	N.E.	of BLAZED 14" Boxelder
32.4'	S.	of BLAZED 10" Hedge
43.0'	S.E.	of BLAZED 8" Hedge
38.9'	S.W.	of BLAZED 12" Hedge


11

11-7-39
R.K.W. C. of P.

N 1/4 Sec 31 T76N-172W.

HT Point indicated by measure
 of Hole 6' x 5' x 2" Deep No evidence
 found. Cor Restored on line. Point to
 is 200' E. of a N+S. line of Tel Poles
 This coincides with testimony
 of Ben Nelson, an old resident
 who says a strip of ground 20ft
 wide w/ f.s left as a roadway off
 the E. end of land formerly owned
 by Hoopes this land is now
 owned by MapleCrest Turkey Farm
 Set C.M. stamped 30
 Mon. 12" Deep 31

55.3' S.E. of X Pks in Tel Pole
 168.1' NNE of X Pks in Tel Pole
 22.4' E. of f.s N+S. - Steel Posts
 255.7' E. of X Pks in Tel Pole



N.E. corner 21 T76A-R2W.


AT POINT INDICATED BY MEASURE
 dug Hole 6'x4'x3" deep. Found
 wood stake. No other evidence
 found. lowered stake & placed
 C.M. ABOVE STAMPED.

16 1/15
 21 1/22
 MAT 13" DEEP

177.7' E.N.E. of ASPKs in Fr. BRACE POST
 47.6' S.E. of BLAZED 6" GROUP HEDGE
 37.7' S.W. of BLAZED 6" TWIN HACK BERRY
 75.6' N.W. of BLAZED 5" COTTON WOOD
 43.8' S.W. of BLAZED 6" GROUP HEDGE

11-8-39

R.K.W. C. of P.



32

N 1/4 Cor sec 21 T76.N-R.2W.

AT Point INDICATED BY

MEASURE dug Hole 10' x 4' deep

No evidence Found. Cor Restored

AT PROPORTIONATE DISTANCE BETWEEN

SEC COR. Mon. STAMPED

$$\frac{16}{21}$$

Mark Buried 12" deep

244.9' E.S.E. of XSPKSLIN Tel Pole

20.2' S. of XSPKSLIN Tel Pole

218.7' W.S.W. of XSPKSLIN Tel Pole

442' N.W. of Blazed 3" locust

76.8' N.E. of Blazed 4" locust

11-8-39

R.H.W. C. of P.

