

3 Gov't Land Corner Ties

Muscatine County

DIETZGEN

76-4W

FIELD BOOK

Book 1

No. 403P

T 76N-R 4W

Orono Township

3

County Closed July 1, 1942

E.V.

Index for Books # 1-2

- 76-4W-

10	6	8	7	18				
	6		5	15	4	3	2	1
					25			
10	7		9	17				
9	7	25	8	16	9	10	11	12
6	5	3	14	4		12		
1	18	8	17	5	16	2	15	14
						21		
4	19		20	21		22	23	24
1	1	13						
2	30		29	28		27	26	25
22		11						
27	31		32	33		34	35	36
20	17							

Book # 1

Book # 2

Black

Red

For corners
not found in
this book
see old corners list
& Ch. book by
Ryan 1937.

Final check
E.V. 10.5.42
all information
taken out

7-10-42

8/28/41
Lee

M.L.


1
N.W. Cor. Sec. 30 T56N-R4W

In E of E. & W Rd. on line with
Fos. N. & S. Found limestone 12"x6"x6"
H. Below 5" Deep. No other evidence
Found however same & placed C.M. Above
STAMPED

24 | 19

25 | 30

121.6' S.E. of XSPHS in Tel Pole
104.8' S. of XSPHS in Cor Post
78.3' S.W. of XSPHS in Tel Pole
51.4' N.W. of Blazed 16' Elm.
26.4' N. of XSPHS in Cor Post
361.5' N. of Blazed 36" Cottonwood



2


E-16

✓ W. 1/4 Cor sec 15. T76N-R44W.

IN & OS Pds N, S & W found
Iron pin 35" long. No other evidence
found. however same + Placed C.M.
ABOVE STAMPED

16-15

41.7'	N.E.	of 20" BlAZed Pig Hickory
29.0'	S.E.	of X SPRS IN Cor Post
21.3'	S.W.	of X SPRS IN GATE Post
16.2'	W.	of X SPRS IN GATE Post
62.6'	N.W.	of BlAZed 12" WALNUT



3

✓ N.E. cot. sec 18 T76N-R4W.

11.0' E. of ϕ of Highway 76 117line with Fas ϕ W. Found Red
GRANITE 16" x 10" x 9" Buried 26" Deep.

No other evidence Found. lowered

same & placed C.M. ABOVE

STAMPed 7/8

18/17

110.3' E.S.E of SE cot. Res.

44.3' E. of Iron Rail MARKER

103.5' E.N.E. of N.E. cot. Res.


99.5' N.N.E. of XSPK5117 Pole

123.4' N.N.W. of XSPK5117 Tel Pole

29.3' W. of Iron Rail MARKER

88.9' W. of XSPK5117 cot. Post


107.6' S.W. of XSPK5117 Tel Pole



4
 N.E. Cor sec 17 T76N-R4W.
 AT INTERSECTION of Follies
 N & S. Found SANDSTONE 12" x 9" x 5" AT
 SURFACE LEVEL No OTHER evidence
 Found. However SAME PLACED
 C.M. ABOVE STAMPED

8 | 9
 +
 17 | 16

28.6'	S.	05 XSPKS IN Cor Post
11.8'	W.	05 XSPKS IN Cor Post
67.4'	W.	05 BLAZED 6" Elm
19.5'	N.N.W.	05 XSPKS IN Cor Post
39.6'	N.	05 BLAZED 4" Group Elm
13.8'	E.	05 XSPKS IN Cor Post



5

E-11

W 1/4 Cor sec 16 T76N. R4W.


NEAR S. side of E & W Rd. Found
Blue granite 17" x 11" x 9" Buried
9" Deep. No other evidence
Found lowerd same & placed
C.M. ABOVE STAMPED

17-16

- 23.5' N. of XSPK517 Cor Post
- 15.1' N.N.E. of Blazed 26" Oak
- 28.8' N.E. of XSPK517 BRACE Post
- 70.6' E.N.E. of Blazed 30" Sycamore
- 60.1' E.S.E. of Blazed 16" Elm
- 46.0' S.S.W. of XSPK517 E. GATE Post
- 459.2' W. of W. End of N. side of SPAN of Bridge
- 184.9' N.W. of Blazed 24" Oak

10-3-39

P.K.W. C. of P.



6

✓ N.W. cor sec 18 T76N-R4W.
 AT INTERSECTION OF Felines
 N. & E. Found Red GRANITE 11" x 9" x 7 1/2"
 6" deep No other evidence
 Found, however same & placed
 C.M. ABOVE STAMPED




- 7.4' S. 04 x 5 PINS IN BRACE POST
- 8.8' W 05 x SPKS 117. 6" "
- 116.8' W. 05 BLAZED 6" WILD CHERRY

10-3-39
 R.R.W. e. 05 P.

LOUISA
 County

MUSCATINE
 County



COUNTY LINE


8

E-10

W. 1/4 Cot. sec. 17. T7S. N - R4W.

T & of Highway #76 in line with
E. W. Found 1/2" Iron Rod 36" long
No other evidence Found. however
sd same & Placed C.M. Above

1386'	S.E.	of XSPKS 17	Power Pole
78.9'	E.	of XSPKS 17	Power Pole
141.5'	N.E.	of XSPKS 17	Power Pole
37.8'	W.N.W.	of XSPKS 17	Power Pole
113.5'	W.S.W.	of XSPKS 17	Tel. Pole
42.6'	N.W.	of Con. Rail	MARKER
77.4'	W.	of W. RAIL	of CRIP. R.R.
107.9'	W.S.W.	of IRON R.R.	Crossing sign Post.



9

W. 1/4 Cor Sec 7 T76N-R4W-

AT intersection of felines

W.A.S found 1" iron rod 36" long


No other evidence found

lowered SAME AND PLACED C.M.

ABOVE STAMPED

R-7

- 34.7' NNW. of geodetic #591
 31.7' W.N.W. of xspks in post pole
 32.5' S.E. of Blazed 36" Cotton wood
 33.7' N. of xspks in cor post.


9-14-39
R/RW-C of P.

✓ NW. cor sec 6 - T76N R4W -
 117' E of Rd S NS & W in line
 with ge. h. found 2 Hubs side by
 side 12" deep. No other evidence
 found lowered st. tie and placed
 C.M. ABOVE STAMPED

36-31
 1 | 6

- 63.7' S.W. of geodetic #12
- 64.1' W.S.W. of Blazed 30" Elm
- 19.8' W. of Steel Car Post
- 26.4' N.W. of XSPKS in Tel Pole
- 28.0' N.E. of XSPKS in Cor Post
- 30.3' S.E. of XSPKS in Cor Post
- 200.1' S.S.W. of Blazed 12' Elm

9-14-39
 B.H.W. Co of P



36-77-5

31-77-4


1-76-5

6-76-4

NE. cor sec 21 - T76N-R46W
 17' 4" of N4S rd in 4' of Rdw
 found Blue granite 12"x12"x9"
 Buried 24" deep No. There evidence
 found lowered same & placed
 C.I.T. Above STAMPED

30 29
 31 32

- 182.4' N.E. of NE cor Res.
- 43.5' N.E. of XSPKS 17 cor Post
- 130.3' S.E. of SW cor Port Ellen School
- 35.0' S.E. of XSPKS 17 Tel Pole
- 166.3' S.S.E. of Blazed 26" Maple
- 167.3' S.S.W. of XSPKS 17 Tel Pole
- 71.5' W. of W tail of C.R.I. & P.R.R.
- 351' N.W. of XSPKS 17 Tel Pole
- 97.7' N.N.W. of XSPKS 17 Tel Pole




12 ✓

NE. cor sec 16 - T76N-R4W -
 in intersection of rd 5 and
 on line with fcs N & W. 4 S side
 of Rd E found 3/4" Iron
 Rod 34" long no other evidence
 found lowered same & placed
 C.M. above stamped 9/10
 16/15

21.6'	S.	of xSPKSI 17' Cor Post
20.2'	E.	of xSPKSI 17' Cor Post
20.4'	W.	of xSPKSI 17' Cor Post
212.8'	SW.	of Blazed 13" Birch
202.8'	NW.	of Blazed 16" Tree


9-25-39
 N.W. cor of 16



N.E. corner of TOWN - ROW -
 17' E of Highway #76 and Rd
 E of W. fourth W. limestone
 17' x 8" Buried 4 FT under
 surface. No other evidence
 found. Pieces C.M. above
 stamped 1700
 30/29

312.9' SSE of S.E. corner
 141.3' SSE of x5PKS17 Tel Pole
 107.6' S.E. of x5PKS17 en-Post
 106.1' N.E. of x5PKS17 en-Post
 244.7' N.W. of x5PKS17 Tel Pole
 1171' W.S.W. of Iron RR Crossing
 sign Post
 80.8' W. of W. RAIL RR TRACK

9-27-39
 RRW-Cos P.




N $\frac{1}{4}$ Cor sec 17 - T76N-R44W -
 in E of N & S Rd on line with
 for E. found lime stone 24" x 12"
 x 10" Buried 16" under surface
 no other evidence found
 lowered same and place C. 17
 above stamped 8

17

30.4' W. of xSPKS 17 cor Post
 378.5' S.S.E. of xSPKS 17 Pwr Pole
 37.2' NE of xSPKS 17 Pwr Pole
 352.6' NNE. of xSPKS 17 Pwr Pole

9-27-39
 BKW = C. 17



15/

E-5

W 1/4 Cor sec 4 - T76N-R4W-


AT INTERSECTION of fcs E.W. 4

S. found Blue granite 12' x 7' x 5"
 Buried 5" under surface. No other
 evidence found lowered same and
 placed C.M. above stamped 5/4

7.5' N. of XSPK519 BRACE POST
 10.0' W. of XSPK519 BRACE POST
 48.6' E. of Steel Cor Post

9-27-39

R4W-C of P.




16 ✓

E-8.

W 1/4 corner 9-T76N-R4W-
 AT INTERSECTION of Pos E W +
 N. on line with fcs found 1/2"
 Iron rod 25" long Also wood HUB
 No other evidence found lowered
 same and place C.M. ABOVE
 STAMPED 8-9

53.5'	S.W.	of XSPKS117 cor Post
51.9'	S.E.	of XSPKS117 Pwr Pole
45.7'	N.E.	of XSPKS117 W Gate Post
39.9'	N.	of XSPKS117 cor Post
169.1'	N.	of Blazed 30" WALNUT
49.9'	N.W.	of XSPKS117 Tel Pole

9-27-39
 R.M.W. - Cas P.



17


NE Co-sec 8 - T76N-R4W-

At intersection of Roads N, S, + W
dug hole 5' x 5' x 2' deep. Found Blue
Granite 9" x 6" x 6" and 1/2" Iron rod
30" long, lowered both and placed
C.M. above stamped 5/4 buried
8/9 12" deep

117.9'	S.	of XSPKS 177 Tel Pole
98.8'	S.E.	of XSPKS 177 c/c Post
56.5'	N.E.	of XSPKS 177 BRACE POST
49.0'	N.E.	of XSPKS 177 Tel Pole
42.9'	N.W.	of XSPKS 177 BRACE POST
110.2'	W.	of Blazed 14" CEDAR
44.8'	W.S.W.	of XSPKS 177 Cor Post

9-29-34

R4W - Co. 5 P.



18 ✓

NK Corsec 5-T76 N-R4W-

HT Intersection of fcs E4W-
4 N found Nigger Head APPROX.36" x 14" x 12" - Too large To Handle
so drilled + capped same.Cap stamped. $\frac{32133}{514}$

60.4' E. of 4" Blazed group Elm
19.7' S. of XSPKSIW BRACE POST
2.0' W. of XSPKSIW cor. POST.

9-29-39

R4W-Cos P.

Blazed 4"
group Elm

60.4'

XSPKSIW

BRACE POST

20'

XSPKSIW

COR. POST

19


S. 1/4 cor. Sec. 31 - 76 - 4W

At intersection of E. + W. fc.
 + fc. N. dug hole 2' x 2' x 1' deep
 around cor. post. On E. side of
 post found Red Granite stone
 16" x 13" x 9" point up. Lowered
 same & placed C.M. above
 stamped $\frac{31}{-}$ buried at surface
 level.

28.8' E. of Blazed 4' Group Hedge.
 203.9' W. of Cor. post of fc. So.
 224.1' W. N. W. of Blazed 14" Triple Elm
 9.3' W. of Xsp. 1 1/2" brace post
 10.2' S. " " " " " "

12-21-39

R.K.M. - C.G.P.



20

S.W. cor. Sec. 31 - 76-4 W


In E. & W. County line fault line 53.3' W.
of f.c. so. found Red Granite stone
16" X 12" X 10" buried 2" under surface.
lowered same & placed C.M. above
stamped f³¹ buried at surface
level.

52.8' W. of X Spks. in cor. post

45.8' E.S.E. of Blazed 6" Elm

79.7' W. of X Spks. in f.c. post (5th S. of cor. post)

204.1' N.W. of Blazed 6" Wild Cherry

12-21-39 ✓
R.K.W. - C. of P.

22


N.W. cor. Sec. 31 - 76 - 4 N.

In $\frac{1}{4}$ of E. + W. rd. in line with fc. N. dug hole 5' x 5' x 2 $\frac{1}{2}$ ' deep. Found piece of old gate hinge and pieces of iron. No other evidence found. A farmer living E. of corner states the road once ended at this point and a gate once stood there. He did not know of a stone but identified the fc. N. as the section line. Accepted this and local evidence + set C.M. in $\frac{1}{4}$ of rd. in line with fc. N. Mon. stamped $\frac{30}{31}$ and buried 12" deep.

- 26.0' S. of X spks. in Cor. post
- 28.0' N.W. of " " " Gate "
- 27.1' N.E. of " " " " "
- 35.8' S.W. of Blazed 16" Mulberry
- 61.0' S.E. of X spks. in fc. post
- 122.1' E.N.E. of Blazed 12" Twin Mulberry

12-22-39

R.K.W. - C. of P.



28


E-1

W. 1/4 cor. Sec. 8 - 76-4-10.

In ϕ of Hwy #76 in line with ϕ of Hwy "C" dug hole 5'x4'x3' deep Found 1" Iron pin 12" long buried 2 1/2' deep. No other evidence found. Lowered same + placed C.M. above stamped 7/8 buried 12" deep

- 66.3' S.W. of X spks in Tel. pole
- 56.5' N.W. " " " " "
- 122.6' N.E. " " " " "
- 64.3' ll. of W. rail C.R.I. + P.R.R.
- 40.2' E.S.E. of Good #121
- 41.7' S.E. of X spks in Cor. Post
- 108.8' S.E. of S.E. cor. of Res.
- 93.5' S.S.E. of 12" Pine tree

12-20-39
P.K.W. - C. of P.



24

W. 1/4 cor. Sec. 31-76-4W

In N. & S. county line for at proportionate distance between sec. cor. N. & S. dug hole 10' x 3' x 3' dp. No evidence found. Corner restored at proportionate point. Set C.M. at surface level stamped f31


7.3'	S.S.W. of Blazed 4" Hedge
16.4'	N.N.W. " " 5" "
375.0'	N. of fence line west



can
N. 1/4 Sec. 31

10-2-40

R.K.W. - C. of P.



25 ✓

N $\frac{1}{2}$ COR. SEC. 9-76-4W

NO ORIG. EVID. FOUND OTHER THAN VERY OLD Hedge fence

Run Transit line between
SEC. CORNERS + chainedIntersection of sec. line and $\frac{1}{4}$
sec. line N $\frac{1}{2}$ S. Check as on true
line between sec. corners.Set monument intersection with
N $\frac{1}{2}$ S fence which is a very old
Hedge row. Stamped MON $\frac{1}{4}$

TIES

12.1' So. of (3) Hedge cluster

1.0' West of 24" Hedge Tree

9-9-41

SEC. 4-76-4

H

O

O

O

O

O

H

SEC. 9-76-4

Hedge cluster

1.0' 24" Hedge Tree

26

E 25
W. 1/4 Cor. Sec. 24-76-4W.

Found limestone 10" x 8" x 46"
on surface no other evidence
found

16.9 W. of XSPMS 12 Brace post
14.1 N. " " " " " Fast post
19.0 NE. " " " " " Tel. pole
15.9 E. of Fast post
15.1 S.E. of XSPMS 12 Tel. pole
170.6 S.E. of " " " " "

