

3936

77-1-11

77-1-11

77-1-11

77-1-11



EUGENE DIETZGEN CO.

DRAWING MATERIALS, MATHEMATICAL and SURVEYING INSTRUMENTS

Chicago New York San Francisco New Orleans Pittsburg Toronto

Distances from Center of Roadway for Cross-Sectioning
Roadway 16 feet wide. Side Slopes 1 on 1.
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	0
1	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	1
2	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	2
3	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	3
4	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	4
5	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	5
6	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	6
7	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	7
8	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	8
9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	9
10	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	10
11	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	11
12	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	12
13	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	13
14	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	14
15	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	15
16	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	16
17	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	17
18	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	18
19	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	19
20	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	20
21	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	21
22	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	22
23	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	23
24	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	24
25	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	25
26	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	26
27	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	27
28	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	28
29	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	29
30	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	30
31	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	31
32	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	32
33	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	33
34	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	34
35	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	35
36	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	36
37	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	37
38	46.0	46.1	46.2	46.3	46.4	46.5	46.6	46.7	46.8	46.9	38
39	47.0	47.1	47.2	47.3	47.4	47.5	47.6	47.7	47.8	47.9	39
40	48.0	48.1	48.2	48.3	48.4	48.5	48.6	48.7	48.8	48.9	40

Example—If point is 22.5 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 30 5. For same slopes but other widths of roadbed, correct above figures by one-half difference in width of roadbed; thus in example above, for 20 ft. roadbed distance will be $30.6 + (20 - 16) \div 2$ or 2 ft. added to 30.6 = 32.6. For slopes of 1 on 1 1/2 see inside of back cover.

Copyright, 1914, by Eugene Dietzgen Co.

County Closed

July 1, 1942

E.V.

all have some description
Something Page 6. sec 8 - (5) NE cor sec 7
Wrong. Page 25 sec 7. (7) + (8) NE cor sec 7 & SE cor sec 7.
Page 26 sec 18 - (7) NE cor sec 18

The paper stock of this book is made of a high grade 50% rag paper having a water resisting surface and is sewed with Bing Special Enamel Waterproof Thread.

Made in U. S. A.


Final Check
8-11-42
E.V.

7272
2555/

114-86-42

77-1.00

SECTION	PAGE	SECTION	PAGE
1	11	26	22
2	12	27	27
3	8	28	28
4	3	29	29
5	2	30	30
6	24		
7	25		
8	6		
9	4		
10	5		
11	16		
12	13		
13	17		
14	18		
15	9		
16	10		
17	7		
18	26		
19	31		
20	23		
21	14		
22	15		
23	19		
24	20		
25	21		



POINT 3/ FOUND STONE SET MONUMENT

37.8 NORTH TO 16" T.O.

51 N. TO FENCE
16.8 E TO TEL POLE

5/ SET MONUMENT - STONE

21.5 S. OF HERBES

23.5 S. TO W. LINES

1.4 N. OF FENCE

7/ SET MONUMENT

20.5 N. W. TO 18" BOX ELDER ✓

28.70 N. W. TO POWER POLE

2/ SET MONUMENT

45.3 S. TO 8" W. L. TREE

69.7 N. W. TO TEL POLE

58.5 N. E. TO TEL POLE N. OF FENCE

6/ SET MONUMENT - FENCE P.I. ✓

7.9 S. OF 12" DOUBLE HEDGE

8/ SET MONUMENT

2.61 S. W. TO POWER POLE


62.1 S. E. TO POWER POLE ✓

4/ SET MARKER - FOUND STONE

8.37 W. TO 12" DOUBLE WINE CHERRY

N. OF FENCE B. W. T. S.

77-1-20



①
 1110 S ON E = SET MONUMENT
 N. 27.5 TO TEL. POLE
 SW 47.4 TO BLAZED 24" ASH
 SE 80.9 TO " 30 "

② SET MONUMENT
 31.1 N TO COR. POST
 296.0 S TO " "
 74.0 N TO TEL. POLE
 27.1 W SE TO " "


③ SET MONUMENT Y.O.I.D.
 CONCRETE MARKER NE 42.0
 66.8 SE TO CON. MARKER
 43.4 E SW TO CONCRETE MARKER

⑦ *NE COR*
 SET MON 10.58 N TO SW COR. (PRESENT) PAS
 55.76 N METAL POLE
 57.7 E SET INTERRUPTED POWER POLE

③ SET MONUMENT
 128.1 E TO HEDGE
 22.4 NW TO TEL. POLE
 62.2 SE TO CRIPPLE MARKER
 7.78 N TO 6" BLAZED HEDGE

④ SET MONUMENT
 124.6 SW TO 36" ELM
 32.9 W TO NAIL IN POST
 51.3 NW TO TEL. POLE

77-1-W



⑧ FOUND STONE SET MONUMENT
AT FENCE INTERSECTION

FOUND STONE SET MONUMENT

⑦ N 27.5 TO TEL POLE
SW 47.4 TO BLAZ 24" ASK
SE 80.9 TO " 30" "

① STONE = SET MONUMENT

28 FT SOUTH TO FENCE POST
31 FT NORTH TO " "
44.4 FT SW TO 2" LIGN TREE

② STONE IN LINE WITH FENCE RUNNING NORTH
SET MONUMENT

32.0 N TO FENCE POST
30.8 S TO FENCE POST HEDGE
71.0 NE TO TEL POST
241.9 SW TO 12" WALNUT TREE


③ STONE SET MONUMENT

29.0 S TO FENCE POST
33.15 N TO " " IRON POST
34 FT SW TO TEL POLE
60.4 NE TO TEL POLE
61.5 NW TO 16" W LIGN TREE

④ SET MONUMENT STONE

13.3 W 8" PINE POST
10.1 N TO 5" W OAK POST

77-1-W




3) FOUND STONE - SET MARKER in NW of FENCE
 21.5 SOUTH TO HEDGE
 235 S TO 6" LOCUST

2 SET MONUMENT AT PT. NTS TO ETD FENCE
 19 SOUTH OF 12' DOUBLE HEDGE

4 STONE = SET MARKER
 6.9 NE TO 20" TLE = 30 MAPLE
 61.8 E TO 24 " "

8) SET MONUMENT
 89.4 NW TO 18" HICKORY BLAZED
 179.5 NE TO POWER POLE

1) SET MONUMENT - HUB
 80.5 NW TO 12" BOX ELDER
 28.7 NW TO POWER POLE



④ FOUND STONE = SET MONUMENT
 81.9 TO HEDGE CLUSTER
 1.0 W. TO FENCE CORNER POST

③ SET MONUMENT
 FOUND STONE SPT. SO. OF CEMETERY FENCE
 37.8 N. TO 16" BUR OAK
 16.8 E TO TEL POLE
 5.1 N. TO FENCE


③ SET MONUMENT IN HEDGE ROW
 241.3 SOUTH AS CORNER ELEMENT CEMETERY

⑥ SET MONUMENT
 45.3 S TO 8" ELM. ✓
 67.7 NW TO TEL POLE
 58.5 NE TO TEL POLE N OF FENCE

④ SET MONUMENT FOUND STONE ✓
 81.9 NE TO SW COR SAUER TIES
 109.3 SE TO NW COR SCHOOL HOUSE

② SET MONUMENT
 77.4 S. TO CAR POST S. SIDE POLE
 95.0 SW TO PIN EAST END N. TRUSS BR.

77-1-00- ✓



SET MONUMENT

(8) Found Stone 6" E of CORNER POST
81 E TO HEDG CLUSTER
1.0 W TO FFNC COR POST


(1) SET MONUMENT
241.3 SOUTH TO S. ETC OF CONCRETE POST

(7) STONE SET MONUMENT
37.8 N TO 16" B. OAK
16.8 E TO TEL. POLE
5.1 N. TO FENCE.

(2) SET MONUMENT
40.5 SW TO POWER POLE
45.1 NW TO TEL. POLE
41.0 ~~22.7~~ NE TO TEL. POLE

(3) SET MONUMENT
28' S TO FENCE POST
31' N " " "
44.4 SW TO 20" LINN TREE

(5) SET MONUMENT - STONE
27.5 N TO TEL POLE
47.4 SW TO BLRZ 24" ASH
80.9 SE TO " 30" "



- ⑦ MONUMENT SET
 80.7 FF SW TO NAIL IN TEL POLE
 117.2 " NW TO NAIL " " "
 95.3 " NE TO POWER POLE
 92.0 " SW TO POWER POLE
 506.2 " WEST TREE MON No 298
 527.7 " NE TO WIND MILL SW POST


- ⑥ MONUMENT SET E/W ROAD ON N/S FENCE
 469.5 " SW TO BAZZED S HEDGE
 26.1 " SO TO NAIL IN HEDGE FENCE
 118.1 " SE TO POWER POLE
 76.1 " NORTH TO BLAZED WILLOW
 612.5 " EAST TO MON No 397

- ⑤ MONUMENT SET CENTER W/ ROAD ON LINES
 68.3 NW TO NAIL IN 36" APPLE
 35.0 SW TO NAIL IN FENCE POST

- ② FOUND STONE OUTSIDE FENCE CORNER
 West side Hedge Track 12" diam

⑦ ✓ STONE

- ① 899 SET T31 POLE
 687 SW TO POWER POLE



2651.6
 2646
 2657.4
 2669.7
 2668.5
 1327.5
 5209
 3124.5

5369.7
 2668.5
 2667.5

2651.6
 2646
 2657.4
 2669.7
 2668.5
 1327.5
 5209
 3124.5

2651.6
 2646
 2657.4
 2669.7
 2668.5
 1327.5
 5209
 3124.5

Esther

①

FOUND STONE ✓

②

COR. SAUGHT

④

FOUND STONE IN CREEK ✓

⑦

890 SE TO TEL. POLE
68.7 SW TO POWER POLE

⑧


520 W TO POWER POLE
943 SE TO TEL. POLE

①

36 FT W TO TEL. POLE

③

SET MONUMENT
65.0 SW TO POWER POLE
139.0 NW TO CORNER QUAD & MAIN
26.0 SE TO CORNER
22.7 NE TO POWER POLE




⑤ SET MONUMENT HEGEROW
241.3 S TO SEAPE OF CEMENT GATE POST

⑥ SET MONUMENT
77.4 S TO COR POST SOUTHSIDE ROAD ✓
96.6 SW TO PIN EAST END OF N BR TRUSS

⑦ SET MONUMENT ✓
30.7 SE TO 30" ELM
21.0 SW TO TRIP POLE
21.1 E TO COR POST
26.1 NE TO 14" LOCUST

⑧ SET MONUMENT FURNACE STONE
16.9 E TO COR POST
10.3 NE TO 6" ELM
25.8 NW TO 8" "

⑨ SET MONUMENT
65.4 S.E. TO 12" HICKORY
184.9 S.W. TO 8" CEDAR



⑥ FOUND STONE 1.3 South of Found Ring ✓


⑤ SET MONUMENT - FOUND HNTS
80.85 NW TO 18" BOX ELDER
28.7 NW TO POWER POLE

⑦ STONE ✓

④ SET MONUMENT
26.1 SW TO POWER POLE
32.1 SE TO POWER POLE

③ SET MONUMENT FOUND STONE
81.9 NE TO SW COR OF SAVER RES.
109.3 SE TO NW COR SCHOOL HOUSE

② SET MONUMENT
37.8 NW TO TEL POLE
32.7 N TO COR POST
33.5 SW TO TEL POLE
30.9 S TO 30" MAPLE



⑤ SET MONUMENT 198.0' N. W. of N.W. Cor.

30.7 SE TO 30" ELM farm 1950

21.0 SW TO TEL. POLE

21.1 EAST TO COR. POST

26.1 NE TO 14" LOCUST

82.0' W. of X spk. on tel. pole

③ SET-MONUMENT-STAKE


IN DITCH - E. SIDE OF CREEK

26.0 SE. TO 14" WALNUT

7.3 SW. TO 16" RED ELM


21.3 NE. TO 16" ELM

125.4 E. TO CORNER POST




7 FOUND STONE

2 SET 1 1/2" IRON SHEET
103-4 W TO OGDEN FENCE -



5 SET MONUMENT POINT STAKE
 ONLINE WITH FENCE POST
 IN DITCH EAST SIDE OF CREEK.
 260 SET 1 1/4" WALNUT
 7.3 SET 1 1/4" 16" RED ELM
 21.3 SET 1 1/4" 16" ELM
 12.54 SET 1 1/4" CIP POST



(8) SET-MONUMENT

124.6 SW TO 36" ELM ✓
32.9 NW OF NAIL IN FENC. POST.
51.3 NW TO TEL POLE

(3) SET MONUMENT

51.5 NE TO 12" BLAZ WILLAW
23.6 SE TO COW FENC POST

(1) SET MONUMENT

62.7 SE TO TEL CABLE MARKER
✓ 67.9 NE TO 8" BLAZED HEDG
✓ 28.9 NW TO TEL POLE
75.8 NE TO 6" BLAZED HEDG


(2) SET MONUMENT

139.5 N TO FENC COR POST.
20.0" S TO NAIL IN FENC COR POST.

✓ (4) SET-MONUMENT

79.0 NW TO REF-M

(6) See page 48 for ties ✓
(7) " " 49 " ?



① SET MONUMENT
 290 S TO FENC POST
 33.75 N " " IRON POST
 34 SE TO TEL POLE
 60.4 NE " " " "
 61.5 SW " 16" WALNUT TREE

② 34.40 SE TO IRON COR POST
 34.45 SW TO COR POST
 67.1 N TO POWER POLE
 172.5 NE TO SW. CIPRES FOUNDATION


③ STONE = SET MONUMENT
 13.3 W 8" Pine Post
 10.7 N TO 5" W Gate Pin X

④ SET MONUMENT
 51.5 NE TO 12" WILLOW
 93.6 SE TO COR POST

⑤ SET MONUMENT
 18.9 N TO NAIL IN COR POST
 90.5 TO COR POST


⑥ SET MONUMENT
 62.7 SE TO TEL CABLE MARKER
 67.9 NE TO BLAZED WEDGE
 93.9 NW TO NAIL IN TEL POLE
 95.8 NE TO 6" BLAZED WEDGE

Survey
 for
 the
 location
 of
 the
 NE corner



⑦ SET-MONUMENT-
 29.0 S. TO FENCE POST.
 33.15 N. TO IRON FENCE POST.
 60.4 NE. TO TELEPHONE POLE
 61.5 NW. TO 16" WALNUT-

⑧ SET-MONUMENT-STONE
 38.8 SE TO 18" WHITE OAK.
 46.8 NE. TO 14" WHITE OAK
 44.0 E. TO 16" WHITE OAK



52

S.E. Cor Sec-2-77-1W

52 + 93.0 To Cement Mon
also for East + West.

39 + 40.0 for E

39 + 31.0 for W

26 + 50.5 To Stone also for East


0+00: N.E. Cor Sec-2-77-1W
(South)

↓
N

3-20-40
Chain

Hoyt
Martin

↑ Billiland



331

N, W, Cor Sec-13-77-1 W.

53+01.0 To Cement Mark
line 9.9 west of C.M.

39+70.0 to E-W

26+40.0 Drove HUB on line

26+24.0 to E

19+23.0 to W

16+19.0 to E


11+15.0 to E

Started 5ft offset

0+00 = N, E, Cor Sec-11-77-1 W
(South)

↓
N

Chaitz
Hoyt
Mardian



x Bibleland

34 1

NW Cor Sec 11-77-1W

53+32.0 To Cement Mott

40+23.0 to S

39+98.0 to N

35+23.0 to S


26+60.6 To Stone to N
Gray Granite

13+27.0 to N

0+00 = NE, Cor Sec-11-77-1W

(west)

S-20-40
Chait
Hoyt
Martin
Kerleland



35

53+51.0 N, W, Cor Sec-13-77-1W
wide Hft Not Cement Mon
53+48.0 HUB in fence

46+65.0 fc N+S

41+67.0 fc S

26+92.5 fc N

26+62.0 Stone


13+39.0 Hedge Row S

13+16.0 Jo Stone

0+00 = N.E. Cor Sec-13-77-1W
(west)

3-22-40

chain
Hoyt
Mth
Mthellard



36 1

53+05: 0 N, W Cor Sec-13-77-1 W
52+76.5 Drive HUB on line
line 9 to North of Cement Mon

39+69.0 to N+S


26+48.5 To Cement Mon
also to South

13+29.0 to N+S

0+00: N. W Cor Sec-14-77-1 W
(East)

3-22-40

Chain
Hay
Mardin
Gilleland



37

line 19.8 West of C.M.

52+98.2 N.W. Cor Sec-13-77-1 W

To Cement Man

52+400 CR Rd E + W

38+07.5 to E + W

26+52.0 to E also Stone

2.5' offset E

13+06.5 CR rd E + W


0+00 = S.W. Cor Sec-13-77-1 W

(North)



3-22-40
Chain
Hoyt

Meridian
Pillared



38 /

62+96.5 N, W, Cor Sec-6-77-1 W

line 60.8 West of Cement Mon

72+33.5 to E+W

96+50.0 to E+W

line 31.4 West of Corner Post

14+14.5 to W


Started 5ft offset west

0+00 = S, W, Cor Sec-6-77-1 W
(North)

5-25-70

chain
Hoyt

148 ft
+ 111 ft
= 259 ft



39

54+23.7 N. W. Cor. Sec-1-77-2W

To Cement Men

53+10.6 Cr Hwy 38

39+95.5 fc S

39+78.1 fc N


26+59.8 fc N+S

13+39.0 fc N

0+00 = N, W. Cor. Sec-6-77-1W

(West)

3-26-40
Chait
Hoyt
Martin
Gilleland



40

S. E. Cor. Sec. 2 - 77 - 2 W

52+97.0. Ct rd. E + W

39+65.0 fc West


26+41.0 fc E + W

Line 4.5 ft E of W Side Pavement

0+00 = N, W, Cor Sec. 1 - 77 - 2 W
(South)

3-26-40
chain
Hoyt
Martin

N
↓



42

5385 SECOR 22-77-1W MON.


2662 fc NTS.

1328 fc NO. 2-3

0100 SWCOR. 22-77-1W MON.

11-13-41

INST: Martin
Clandon
Chadwick
E. A. G. to ke
N 1 H



43

- 10
chain
Hoyt
Maffin

Ngilalano


1053


$$\begin{array}{r}
 1053 \\
 75 \\
 \hline
 2150.3 \\
 902 \\
 75 \\
 \hline
 1512
 \end{array}$$

1512

80'

75' 5"



10-852

STA.	Dist.	B.S.	I.S.	Diff. Elev.	Temp.
70-544		0.00			
1		0.00	4.98	4.98	48
	70	0.00	9.62	9.62	
	75	0.00	9.25	9.25	
2		9.47	12.00	12.00	48
	91	0.00	3.15	4.32	
	T.P.	0.00	12.00		
3		12.00	5.98	17.98	48
	T.P.	6.94	0.00		
	70	5.45	2.74	16.20	
70-851	98.77		0.00	5.45	
	604.77				
70-851		0.00			
1		0.00	11.18	11.18	48
2		0.00	8.25	8.25	48
3		0.00	10.48	10.48	48
4		0.00	12.75	12.75	50
5		0.00	12.83	12.83	50
6		0.00	8.83	8.83	50
	48	0.00	4.10	4.10	
7		0.00	13.58	13.58	50
8		0.00	9.69	9.69	50
9		0.00	4.75	4.75	50
10		0.00	3.52	3.52	52

1.37
5.35
4.6

52.5
2.6
10.5
2.0
2.0

70
Chait
Hoyt
Martin
Gilliland

TRANSFERRED TO
CHAIT'S NOTE BOOK #16

551 B


554

Sta.	Dist	B.S	I.S	Diff	Temp
47					
11		0.00	2.73		52
12		0.00	2.64	2.64	54
13		3.17	2.20	2.20	54
4		5.72	4.13	0.96	54
15		8.25	5.13	0.59	56
16		4.00	3.92	4.33	50
70-850	10.63		4.02	0.02	
	1658.63				
70-850		4.15			
1		2.55	3.30	0.85	52
2		3.18	3.10	0.65	52
3		3.62	2.77	0.41	52
4		5.52	2.06	1.56	52
5		6.45	0.77	4.75	52
6		6.88	0.00	6.45	52
7		6.95	0.00	6.88	52
8		6.82	0.00	6.95	52
9		6.45	0.00	6.82	52
10		5.84	0.00	6.45	52
11		6.80	0.00	5.84	52
12		5.10	0.00	6.80	50
13		3.25	1.65	3.45	50
70-152	47.98		2.35	0.90	
	1347.98				

- 40
chain
Hoyt

Martin
K. Gilleland

2700
1659
1348
2603
6512
11




49

NE COR. 6-77-1W

Mon Originally set by
 Williamson at request of
 Co. Eng. Resett from 2' East + 0.5' N
 where 2" iron pipe was found
 Mon Stamped $\frac{31}{65}$

630'S W. of Bell Tel. Co. Cable Marker
 39.1 NW. of Power Pole
 57.5 NE of \pm G.S. BM #285
 48.4 NE of Cor. Post.

4-28-72
 Feb



- 40
chain
Hoyt
Martin
R. Gillett and

- 40
chain
Hoyt
Martin
*Gilliland


⑤ SET MONUMENT - IRON PILE
 236 N. TO COR. POST
 231 S. TO FENCE POST
 281 SE TO IRON COR. POST

⑥ SET MONUMENT - STONE
 452 NW TO 2" MAPLE
 457 NE TO 30" MAPLE
 386 SW TO POWER POLE ANCHOR
 328 SE TO 11 POLE

8 SET MONUMENT - STONE HUB
 199 W TO COR. POST
 99 SW TO POWER POLE
 1029 NW TO " "

① SET MONUMENT - STONE
 427 SE TO TEL. POLE
 200 W TO IRON COR. POST
 205 E TO COR. POST

③ SET MONUMENT
 2.8 N. TO GATE POST
 14.1 S. TO COR. POST
 31.8 E. TO COR. POST WITH BRACE



② SET MONUMENT AT STONE EAST SIDE RD
 412 W TO COR. POST
 495 NW TO COR. POST
 187 NORTH TO POWER POLE
 06 SOUTH TO COR. POST

⑦ SET MONUMENT
 320 NW TO POWER POLE
 270 SW TO " "
 387 SE TO COR. POST
 445 NW TO COR. POST

④ SET MONUMENT ON NORTH SIDE COR. POST - NO OTHER TIES

- ③ SET MONUMENT
 236 N TO CAR POST
 231 S TO FENCE POST
 281 SE TO IRON CAR POST


- ① SET MONUMENT
 320 NW TO POWER POLE
 270 SW TO
 39.7 SE TO CAR POST
 446 NW TO CAR POST

- ② SET MONUMENT STONE
 45.2 NW TO 20" MAPLE
 45.7 NE TO 30" POWER POLE ANCHOR
 38.6 SW TO POWER POLE
 32.8 SE TO POWER POLE

- ⑧ SET MONUMENT
 294 S TO ^{North end of} Bridge
 194 SW TO NW Corner of NW wing of Bridge
 197 SE to NE corner of NE "B"

- ④ SET MONUMENT - ON FENCE LINE
 180.8 South TO CAR POST PART OF FENCE
 367.5 WEST TO NTS FENCE

78-1-E



- ⑤ CROSS IN PAVEMENT
 AT INTERSECTION OF HIGHWAY MARKERS
 28.8 SW TO POWER POLE
 121.0 SE TO "LINE" OF FENCE GOING NORTH
 160.0 EAST TO "LINE" OF FENCE GOING NORTH
- ⑦ CROSS IN PAVEMENT
 AT INTERSECTION OF HIGHWAY MARKERS
- ⑥ CROSS IN PAVEMENT
 427 SW TO POWER POLE
 977 SE TO " " "
 132.0 E TO LINE WEST SIDE OF FARM ENT

⑧ SET MONUMENT
 190.4 NW TO POWER POLE
 218.7 NE TO TEL POLE
 23.4 E TO FENCE
 260 NW TO " "
 89.5 SW TO TEL POLE

① SET MONUMENT - STONE
 389 SE TO HUB AT FENCE COR
 55.9 NE TO COR POST
 39.9 W TO POWER POLE

③ SET MONUMENT - ROUND STONE
 40.2 SW TO POWER POLE
 74.4 SE TO TEL POLE
 32.9 E TO COR POST

② SET MONUMENT - STONE
 23.0 SOUTH TO POWER POLE
 21.4 E TO POWER POLE
 0.4 W TO COR POST

⑤ CROSS IN PAVEMENT
 REFERENCE BY INTERSECTION OF
 HWAY MARKERS

④ SET MONUMENT IRON ROD
 52.7 SW TO POWER POLE
 33.4 W TO COR POST TO SOUTH
 108.1 NE TO 5" BUILT FENCE

