

35 Land Corner Ties

Muscatine County

77-1W
DIETZGEN

77-1E ✓
S.F.M.
-0-

FIELD BOOK
Book 3

No. 403P

T77N-R1W + R1E

Sweetland & Montrose

Townships

35

County Closed July 15, 1942
 Index for Book #1 77-1W

See also Book 1-77-1E

			32		
	6	5	4	3	2 23 1
29	7	8	9	10	11 22 14 2
	18	17	16	15	14 13 5
	12	19	20	21	22 23 7 24
	30	29	28	27	26 25
	31	32	33	34	35 36

Book #1 plain


77-1W Pages 1 to & including
 Page 26.
 77-1E (Page 8- NE-23-77-1E)
 From Page 27 to
 end of Book.

ML

E. 1/4 Cor. Sec 12 T77N-R1W.

Int. of Highway R. Dug Hole
4'x4'x3'. No Evidence Found. Corner
Restored by Proportionate Measurements
on 5th Principal Meridian

68.9'	N.E.	of 8 S.P.K.S. 17	Power Pole
78.7'	N.W.	of 8 S.P.K.S. 17	Tel. Pole
59.8'	S.W.	of 8 S.P.K.S. 17	Tel. Pole
97.4'	S.E.	of 8 S.P.K.S. 17	Power Pole



N. 1/4 Cot. sec. 17 T7N. - R1W


AT INTERSECTION of E. & S.
found limestone 9" x 8" x 4" AT
SURFACE level. Stone AT BASE
of 26" Twin Hedge on W. side
No other Evidence Found
lowered same & placed c.m.
ABOVE STAMPED



32.3'
12.5'

S. 0.5 x 5 PK 517 N. GATE Post
N. 0.5 x 5 PK 517 Hedge Fe. Post

10-9-39
R.M.W. Co. of P.



N.E. Corner 30 T77N - R1W

AT Intersection of E & W

Fo. & Fe S. 50 no 2" square STAKE

Painted ORANGE. Presumed to be

GOVERNMENT SURVEYERS STAKE.

STAKE WAS DRIVEN IN OVER HANG ON

BACK of Creek. No suitable place to

set monument. Therefore set 2

WITNESS CORNERS. one 50' W. of

Cor. & one 60' S. of Cor. STAMPED

"WIT. C + N.E. 30 50' E." "WIT. N.E. 30. 60'

NORTH. PLANT DISTURB STAKE.

13.5' N. of BLAZED 50" ELM

100.7' N.W. of BLAZED 14" ELM

101.0' E.S.E. of BLAZED 34" ELM

95.5' S.W. of BLAZED 30" ELM

50.0' E. of WITNESS COR.

60.0' N. of WITNESS COR.

WITNESS COR. SO.

105.0' N. of BLAZED 16" ELM

67.9' N.W. of BLAZED 38" ELM

72.9' W. of BLAZED 14" ELM

130.7' S.W. of BLAZED 30" ELM

60.0' S. of 2" WOOD STAKE

41.9' S.S.E. of BLAZED 50" ELM

79.6' S.E. of W. WITNESS COR.

WITNESS COR. WEST

55.2' E. of BLAZED 34" ELM

50.0' W. of 2" Sq. WOOD STAKE

47.1' W.N.W. of BLAZED 50" ELM

79.6' N.W. of WITNESS COR. SO.

170.3' N.N.W. of BLAZED 16" ELM

DRAWING ON NEXT PAGE


E. 1/4 Cor sec 13 T72N-R1W.
 AT INTERSECTION of Fcs N.S.
 9 W. Found sandstone 18" x 12" x 4"
 AT surface level. No other evi-
 dence found lowered SAM - & Plac-
 ed C.M ABOVE STAMPED

13

- 3.7' W. of XSPKS in Pur Pole
- 148.4' N. of XSPKS in Pur Pole
- 21' N. of XSPKS in 14' Cor Post
- 71.0' S. of Feline E.
- 24.6' S. of Blazed 4" Group Hedge

10-6-39
 R.K.W. C. of P.

SEC. 13 - 77 - 1W



6

N.E. Cor. sec 26 - T77N-R1W

17' @ of E+W. Rd. on line
 with F.C.S. N+S. Dug Hole 6' x 5' x 3'
 Deep. No evidence Found. Corner
 Restored. local evidence is
 very strong and farmer living
 W. of cor. says this point consid-
 ered as corner

Mott STAMPED

23 | 24

26 | 25


216.4' E.N.E. of N.E. Cor at Res.

312.6' E. of Cor. Post to E. AT R.M.O
of Rd.

145.7' E.N.E. of Cor Post

19.7' N. of XSPK517 Cor. Post

23.0' S. of XSPK517 Cor. Post.




7

W. 1/4 Cor. Sec 24 T79N-R1W.

AT INTERSECTION OF Fwy HIGHWAYS
 FOUND SANDSTONE 3" x 6" x 3" Buried
 6" deep. No other evidence Found
 lowered same & PLACED C.M.
 ABOVE STAMPED


73-24

1.8'	S.	of x PK 117 Cor. Post
67.1'	N.E.	of Blazed 40" Group Hedge
73.0'	N.E.	of Blazed 40" Group Hedge
130.5'	W.	of Blazed 12" W. OAK
73.9'	S.S.W.	of Blazed 16" W. OAK.



N.E. Cor sec 23 T27N-R1E

42.2'	S.W.	of	BLAZED 16" BURROAK
40.7'	W.	of	BLAZED 16" BURROAK
11.3'	N.	of	BLAZED 30" Willow.
65.5'	E.	of	BLAZED 8" GROUP Hedge
2.4'	N.	of	XSPKS 177 Cor Post



N¹/₄ Cor. Sec. 30 T7N-R-1-W


17 line with ϕ of N. 17 ϕ of
 Ed W Rd dug Hole 8' x 6' x 3' deep
 No evidence Found, Cor. Restaked
 on True Ed W line between 17 sec.
 Cors 17 line with ϕ of Rd. N. Being
 Best evidence of location of
 Cor. Man. Stamped 19
 Mon. Buried 12" Deep 30

79.3'	W.N.W.	of N.W. Cor. Res.
15.5'	N.N.E.	of Blazed 48" Elm
21.4'	N.E.	of XSPKS 17 Cor Post
55.4'	S.E.	of XSPKS 17 Tel Pole
78.7'	S.W.	of XSPKS 17 Cor Post
52.1'	S.S.E.	of XSPKS 17 Tel Pole
54.1'	N.W.	of 12" Cedar

11-8-39

R.R.W. E. of P.

No. 9.




W 1/4 Cor sec 30 T77 N-F 1W-
 Near ϕ of E & W Rd. in line
 with line N. Fauna Building Tile
 16" under surface of Rd. No other
 evidence found, lowered same &
 placed C.M. above stamped

25-30

33.0' S of XSPKSI17 cor post
 160.2' WNW. of XSPKSI17 cor post of fo. S.
 25.7' N. of XSPKSI17 fc post
 171.0' E.N.E. of steel cor post
 52.6' E.S.E. of 2" Mulberry

10-13-39

P.K.W.C. of P.




N $\frac{1}{4}$ Cor sec 19. T77N-R-1-W

17' of E & W Rd. in line with
w. fc of Rd. dug Hole 5' x 5' x 3' deep
No evidence found Corner Restored
AT THE TIME OF SURVEY OF HIGHWAY
#22 A Stone WAS FOUND AT THIS
POINT. THIS STONE WAS TIED INTO
A P.I. AT STA. 108+64.6 AND THE
DISTANCE GIVEN WAS 136.2'
FOUND SAID P.I. & MEASURED SAID
136.2' THIS POINT AGREES WITH
fc. SO, ESTABLISHED COR AT SAID
POINT. Mon. STAMPED 18
19

30.0'	N.	of xSPKS IN Cor Post
50.0'	N.W.	of Steel Cor Post
47.9'	S.W.	of xSPKS IN Tel Pole
187.5'	S.W.	of S.W. cor of IRWIN RES.
78.5'	S.	of xSPKS IN CABLE MARKER POST
57.9'	S.E.	of xSPKS IN PWR Pole
118.3'	E.N.E.	of Conc. REF. MARKER


10-16-39
ARKW-C. of P.



W. $\frac{1}{4}$ Cor sec 23 T77N-R-1-W
 17' ϕ of 17' ϕ S. Rd. on line
 with Hedge fc E. found Remains
 of wood Hub. No other evidence
 found, lowered SAMS & Placed
 C. 17. ABOVE STAMPED

92-95

23.2' W. of X5PKS17 Cor Post
 28.0' N.N.W. of X5PKS17 S. GATE Post
 135.9' N.W. of Blazed 60" Triple Cottonwood
 118.5' N.N.E. of X5PKS17 S GATE Post
 82.6' S.S.W. of X5PKS17 fc Post
 171.4' S.S.E. of X5PKS17 Cor Post fc W.




N.E. Cor sec 11 - T77N - R1W -
 AT intersection of fcs K-WAS
 AT Base of 5 ft. Triple Elm (or W.)
 de found Red granite Boulder
 2' x 16' x 18" AT Surface level. No
 other evidence of lowered
 SAM and PL and CM above
 STAMPED 2'

11/17

89.7' W.S.W. of Blazed 36" Oak
 65.5' S. of Blazed 4" Group Hedge
 65.0' ESE of Blazed 24" Boulder
 57.4' ENE. of Blazed 8" Walnut
 134.5' NNE. of Blazed 8" Walnut
 58.1' NNW. of Blazed 16" Willow

10-6-39

R1W C of P



S.E. cor. Sec. 27-77-1 W

In E. & W. fc. line in line with old
fc. line N. found Blue Flint 6" x 4" x 4"
at surface level on N. side of old cor. post.
lowered same & placed C.M. above

stamped 27 26

34 35

30.0' E. of Blazed 18" Elm

53.7' N.E. " " 40" Bl. Oak


68.2' N.W. " " 20" Red Elm

24.9' W. " " 14" Triple "

69.2' S.W. " " 10" W. Oak

3-7-40

R.K. Williamson - C. of P.



16


W. 1/4 cor. Sec. 26-77-11V

In Est. W. line in line with old fc. line
 N. dug hole 5'x4'x3' deep. Found butt of old
 14" White Oak cor. post. No other evidence
 found. Accepted this as corner & placed C.M.
 Stamped 27/26

94.6'	W	of	Blazed 30" Bl. Oak
84.0'	N.E.	"	10" Elm
123.8'	E.	"	30" Twin Oak
999'	S.E.	"	10" Group Hedge
144.2'	S.E.	"	20" W. Oak
113.8'	S.S.E.	"	" " "

3-7-40

R.D. Williamson - C.G.P.



17


S.E. cor. Sec. 26-77-11N

In N. & S. fc. at point indicated by
 measure from N. dug hole 4' x 3' x 2' deep Found
 Red Granite stone 6" x 5" x 3" buried 3" deep
 No other evidence found. Point 15 on top of
 high hill above Miss. River. Lowered stone
 & placed C.M. above stamped $\frac{24}{35}$
 $\frac{35}{36}$

41.0' N. of X spks. in Gate post
 112.2' N.E. of Blazed 16" Elm
 45.5' E.N.E. " " 8" locust
 129.7' S.S.E. " " 24" W. Oak

3-8-40

R.K. Williamson - C. of P.



✓ S.W. cor. Sec. 22-77-1W

In E. + W. fc. line 17 ft. W. of cor. with fc. N.
found 2 Sandstones - 15" x 11" x 4" and 10" x 7" x 5".

Also 2" sq. wood stake, top painted orange.

Lowered all the above evidence + placed

G.M. above stamped $\frac{21}{25} \frac{22}{27}$

329.3' N. of N.W. cor. Stock barn

46.0' E. of Blazed 10" Elm


26.0' SSE " " 8" "

19.5' SSW " " 10" "

16.9' W. of cor. post

3-15-40

R. K. Williamson - Geol. F.



W 1/4 cor. Sec. 27-77-1W

In N. + S. sec. line from W. side of
farm lane N. + S. found Red Granite
stone 17" x 13" x 8" in line with Hedge
line E. No. of W. Stone identified as
corner by Mr. O. Decker, a farmer
living N. of corner lowered stone &
placed C.M. above stamped 28/27

148.1' S. of Blazed 8" Cedar

113.0' S.E. " 12" Elm

82.4' N.E. " 26" "


94.6' N.N.W. of " 14" Oak

79.7' N.W. " 30" Elm

48.3' W. of " 10" Hickory

3-16-40

P.K. Williams - C.F.P.



S. 1/4 cor Sec 25-77-11N

In N. + S. 1/4 sec line found on bank of old creek bed found sandstone 15" x 10" x 9" protruding 4" from surface of ground. Continued with digging found 3 waterheads and 4 flat sandstones surrounding a pointed sandstone 15" x 10" x 5" which was upright and buried 12" deep. Accepted the latter stone as the corner, lowered all the above stones around the pointed sandstone and placed C.M. above stamped $\frac{25}{36}$ at surface level.

438.7' N. of $\frac{1}{2}$ of Hiway #61


90.1' W. of S.W. cor. of road bridge

29.5' E. of Blazed 20" Oak

36.8' N.E. " " "

28.3' N.W. " " 24" Sycamore

297.9' S. of Good. Mn. #654




N. 1/4 con. Sec. 11-77-1W

To E. + W. fr. in line with old fe. line.
N. found hard Sandstone 14" x 8" x 7"
buried 2" under surface. Hewered same
& placed C. M. above stamped $\frac{2}{11}$ at surface
level.

20.1' N.E. of Blazed 36" Elm
27.8' N.W. " " 20" Bl. Oak
42.8' S.W. " " 12" Hickory
96.3' S.S.W. " " 26" W. Oak
97.3' E.S.E. " " 24" Burr Oak
73.0' E. of $\frac{1}{2}$ of creek

3-25-48

R.K. Williamson - C.G.P.



W. 1/4 cor. Sec. 1-77-1W

In N. & S. fc. line in line with fc. E. found
Red Granite 7" X 6" X 4" buried 2" deep.
No other evidence found. Lowered same
& placed C.M. above stamped 2/1 at
Surface level.

85.8' S. of 3" Hedge.

20.8' N. of X spks. in Gate post

No other ties available

3-25-40

R.K. Williamson - Chief P.

Mixed
3" Hedge

85.8'

20.8'

X spks. in
Gate post


24

NE COR. SEC. 25-77-1W

No EVIDENCE of orig. corner found.
 corner reestablished at intersection
 of N line of sec. 25-77-1W with
 5th prim.

STAMPED $\frac{24}{25} \frac{10}{3}$ 10" DEEP

76.2" WEST of XSPK 177 20" Elm
 61.8" S.W. of " " " " GROUP HAW TREE
 51.5" S.E. of " " " " GROUP HAW TREE
 133.8" N.N.E. of " " " " 14" Elm TREE
 2,079' N.E. of + 177 ROCK CLIFF




T10 WEST LOT SEC 30-77-1-W

16.2' S.S.E. of X SPR in 8" W. Oak
 21.7" East of no Plumb Bob 10" " "
 30.5' West of no Plumb Bob 8" Twitt W Oak
 20.0' North of " " 10" W Oak
 7.4" No view " " 8" " "

N
↑

June 20-41



East $\frac{1}{4}$ COR SEC 25-77-1-W

found ^{some} STONE 18+10+4 ON FENCE
 LINE TO 850 177 LINE WITH
 FENCE WEST, LOWERED
 SAME T SET C. 77. ON TOP
 FLUSH WITH SURF.
 STAMPED 85+

69.4' S.E. of Old SISTER

44.2' E.S.E. of XSPK 177 24" Hickory TREE

10.5' South of XSPK 177 GATE POST

.6" N.W. of COR POST

Sec 20-41

Old SISTER



XSPK 177 24" Hickory

XSPK 177 GATE POST

CETTERY

74.77

77.77

77.77




29

SW COR. 6-77-1E

MON. SET BY J. J. RYAN, WHOSE NOTES
SHOW PIN FOUND.

TIPS

- 175' SE of Hi Line Pole (xspk)
- 266.4' SW of Geod. Mon #837
- 62.7' NW of TEL. POLE (xspk)
- 38.8' NE of TEL. POLE (BRACE)

1-20-11
F.E.G. C.J.P.

N¹/₄ COR. SEC. 7-77-1E

SEC. 6-77-1E

SEC. 7-77-1E

✓ NE COR. of SEC. 7-77-1E

Mon. located from J.S. Ryan's notes

Retied by EEG.

Now Bericed 2' below surface

79.8 SE of Geod. BM. #840


✓ 161.6 west of west end of Dr. Floor

50.8' NE of xspas in Tel. Pole

50.0' NW of Tel. Brace Pole

137.7 NW of Tel. Pole (xspas.)


(All Measurements Horizontal)



78-1-E
W 1/2 COR. 34-78-1E

Mon. originally set by J. Ryan
on fence line E. and East side of road.
Retied (8-26-41) by E.E. Gartzke
Mon. stamped 33+34

28.5' W of I.G.S. BM #902
32.0' East of x spk. in cor. post on W side
of road



N $\frac{1}{2}$ Cor. 15-77-1E

Mon. original set by Williams 100' So

Found original stone 2' x 11" x 6"

painted red granite on fence
line N + S.

Lowered same and reset

Mon. at new location:

Mon. stamped




21.6' So of I.G.S. BM # 70-929

240.6' NE of 30" oak

8.2' NW of 3" wildcherry blazed

R.E. Gartzke Corp

SEC. 10-77-1E



No. $\frac{1}{4}$ COR. 20-77-1E

At Point indicated by Transit
line and chaining, showed all
orig. evidence, if any, destroyed by
road construction. Point falls in
5' road cut. Set men in line
with fence line north.

Stamp $\frac{17}{20}$

- 6.6' So. Pipe Cor. Post
- 3.1' SW of 36" oak
- 6.53' NE of Power Pole
- 55.9' W. of I.G.S. BM. #871

