

37

77-2W

✓  
S. 1000  
1000

XIX

77-2W

1911

3

- △ Stone
- gas pipe
- rod.
- Wood hub.
- ▣
- ▤

T 78-  
Sec. 31

9/20/41 van

SW 1/4 Sec. 31 2 ch. long

Sec. cors. = N.E. Cor.

1/4 " " = North or East.

Govt Land Corner Ties  
 T-77-N-R-2-W,  
Muscatine County  
Iowa ↓

ml 8 - 42

Page	Corner	Sec
24	NE	23
25	N $\frac{1}{4}$	23
26	NE	27
27	N $\frac{1}{4}$	27
28	E $\frac{1}{4}$	28
29	NE	28
30	E $\frac{1}{4}$	33
31	SW	33
32	SE	33
33	S $\frac{1}{4}$	32
34	E $\frac{1}{4}$	12
35	NE	24
36	E $\frac{1}{4}$	13
37	E $\frac{1}{4}$	24
38	NE	25
39	NE	26
40	N $\frac{1}{4}$	17
41	SW	6
42	W $\frac{1}{4}$	7
43	SW	7
44	NE	20
45	NE	18
46	W $\frac{1}{4}$	17
47	NE	7
48	N $\frac{1}{4}$	17
49	NE	16
50	N $\frac{1}{4}$	9
51	W $\frac{1}{4}$	8
52	W $\frac{1}{4}$	8
53	stone in SW $\frac{1}{4}$	29
54	NE	33
55	N $\frac{1}{4}$	33

Page	Cor	Sec.
56	S $\frac{1}{4}$	31
57	N $\frac{1}{4}$	24
58	W $\frac{1}{4}$	26
59	N $\frac{1}{4}$	34
60	NE	31
61	W $\frac{1}{4}$	29
62	N $\frac{1}{4}$	26
63	E $\frac{1}{4}$	17
64	W $\frac{1}{4}$	-6
65	NW	-16
66	N $\frac{1}{4}$	-25
67	NW	-12
68	W $\frac{1}{4}$	-12
69	<del>W</del>	
70	W $\frac{1}{4}$	-1
71	SW	-36
72	S $\frac{1}{4}$	-26
73	SE	-34
74	SE	-26
75	E $\frac{1}{4}$	-34
76	S $\frac{1}{4}$	-25
77	W $\frac{1}{4}$	-25

County Closed  
July 1-1942

Page	Corner	Section
1	NE	33-77-2W
2	N $\frac{1}{4}$	33 "
3	NE	32 "
4	E $\frac{1}{4}$	32 "
5	NE	19 "
6	N $\frac{1}{4}$	11 "
7	N $\frac{1}{4}$	10 "
8	NE	10 "
9	NE	9 "
10	E $\frac{1}{4}$	3 "
11	E $\frac{1}{4}$	4 "
12	NE	22 "
13	N $\frac{1}{4}$	20 "
14	NE	20 "
15	N $\frac{1}{4}$	19 "
16	NE	16 "
17	NE	14 "
18	N $\frac{1}{4}$	15 "
19	E $\frac{1}{4}$	21 "
20	NE	29 "
21	N $\frac{1}{4}$	28 "
22	E $\frac{1}{4}$	14 "
23	N $\frac{1}{4}$	13 "

1  
 28 | 27  
 33 | 34

TR ✓


N.E. Cor. Sec. 33 T77N R2W.

- 46.6' NE. OF IRON CORNER LEADS POST
- 56.2' SW. OF X SPKS IN CORNER POST
- 55.3' NW. OF X SPKS - IN TELEPHONE PILE
- 43.2' SE. OF X SPKS - IN 14" ELM
- 46.9' SE. OF X SPKS - IN 70" ELM
- 213.6' SE. OF SE. COR. OF FARM RESIDENCE.
- 60.4' SW. OF X SPKS - IN POWER PILE
- 67.5' NE. OF X SPKS - IN POWER PILE.

Dug at intersection of E's of House 1 St. + Cedar St. Found limestone 10" X 10" X 8" point up. Also found 2' iron rod <sup>against st. 105.</sup> however both the above + placed C.M. above. Man buried 8 in. below surface of road. Corner stone identified as corner by Mr. Brei, a farmer living on farm adjoining N.W. cor. of intersection.


See P. 54 for plat

3-27-39  
 R.K. Williams  
 Chief of Party



Sec. 33


2



N. 1/4 Cor. Sec. 33 T77N R2W

3-28-39

- 1770' SE OF NE COR. OF J.O. FRIZZELL Res.
- 30.1' N. OF XSPKS-IN COR FENCE Post
- 21.2' S OF XSPKS-IN ANCHOR Power Pole
- 30.8' N OF XSPKS-IN R.E.A Power Pole #125
- 141.5' S W OF XSPKS-IN-30" OAK TREE
- 68.4' SE OF XSPKS-IN- Power Pole



Found Monument previously set by J.T. Ryan.

See P. 55

Used Trip as shown on P 55 this look

3


29	28
32	33

N.E. cor. Sec. 32 T77N R2W

- 78.0' S. of Iron P.O.W. Marker
- 32.9' N. of XSPKS-IN. Power Pole
- 184.6' N.E. of XSPKS-IN. 14" OAK Tree
- 146.9' S.W. of Conc. Ref. Mon.
- 247.3' N.E. of N.E. COR. OF CEMENT-HOUSE
- 338.8' N. of N.W. COR. OF G.M. NEYENS. RES.
- 126.5' S.E. of Conc. Ref. Mon.
- Found. Monument previously set by J.J. Ryan.


- 48.4' N.W. of Conc. Ref. Mon.
- 86.7' N.E. of Iron P.O.W. Marker

This plat is  
 shown in BR 48 p 1



3-28-39

R.K. Williamson  
Chief of Party



Sec. 29

Sec. 28

Sec. 32

Sec. 33

4

33

E. 1/4 cor. Sec 32 T77N R2W.

Found flat limestone 12"x8"x4"

Lowered same &amp; placed C.M. above.

Farmer named Arthur Timm identified  
Stone as accepted corner. Merion on f.c. line

N. + S. + 5.8' N. of f.c. E.\*

719.75' E. OF SW. COR. OF ARTHUR TIMM RES.


373.3' SE. OF SE. COR. OF TILE CHICKEN HOUSE.

11.6' S. OF XSPKS-IN 4" WILD CHERRY

1.3' S. OF XSPKS-IN CONF. FENCE POST

16.5' NW. OF XSPKS-IN GATE POST

5.8' N. OF COR. GATE POST

\* f.c. E. set over S. because of old Hedge  
line on 1/4 line. Stumps still appearing.


5

18	17
19	20

N.E. cor. Sec. 19 - 77-2

Dug in  $\frac{1}{2}$  of E + W rd. in line with farm N. +  $\frac{1}{2}$  of farm lane S. Found 1" iron Rod 18" long, lowered same + placed C.M. above. Corner agrees with all local evidence, Mon. buried 10" under surface.

55.8' SE of X SPKS-IN-TELEPHONE Pole  
 30.1' NE of X SPKS-IN-CORNER Post  
 31.5' NW of X SPKS-IN-CORNER Post  
 83.8' SW of X SPKS-IN-TELEPHONE Pole  
 1127.8' NE of NE COR. OF EARL ZIMMERMAN-RES.  
 134.7' W.N.W. of X SPKS-IN-PWR. Pole  
 119.5' E.N.E. " " " " " "

 4-12-39  
 R.K.W.-C.of P.


N. 1/4 cor. Sec. 11 T77N R2W

Dug in E of E. + W. rd. in line with fcs.  
N. + S. Found granite stone  $15\frac{1}{2} \times 11 \times 9\frac{1}{2}$   
3ft. under surface. lowered same + placed  
C.M. above. Man buried 10ft. under surface  
of rd. Man. agrees with all local evidence.

Stamped  $\frac{7}{11}$

25.5' S. OF XSPKS-IN CORNER Post

28.4' N. OF XSPKS-IN CORNER Post


89.6' N. NW. OF XSPKS-IN POWER POLE

23.9' NE. OF BENCH-MARK-IN-CONCRETE CULVERT

50.0' N. OF Hub on fcs line S.


50.0' S. OF Hub on fcs line N.

2769.8' NE. OF NE. COR. OF EMMA-FREYERMUTH Res.



4-13-39


R.K. Williamson  
Chief of Party



N. 1/4 cor. sec. 10 T77N R2W.

Dug in E. of E + W rd. and in line with  
fcs. N. + S. Found flat sandstone 13" x 7" x 3"  
on end, lowered same + placed C.M.  
above. Mon. agrees with local evidence.  
Mon. buried 1 ft. under surface of rd.

32.9' N. OF XSPKS-IN CORNER Post  
32.5' S. OF XSPKS-IN CORNER Post  
97.2' NW. OF XSPKS-IN Power Pole  
1181.8' NE. OF BASE OF CHIMNEY OF  
SCHOOL HOUSE - "SHILOH DISTRICT #4"  
190.3' NE. OF XSPKS-IN - Power Pole



8

3	2
10	11

N.E. cor. sec. 10-77-2

Dug in  $\frac{1}{2}$  of rd. N. +  $\frac{1}{2}$  of rds. E. + W.

Found black boulder 24" x 16" x 12" point up, lowered same + placed C.M. above.

Stone identified by Mr. Welk, a farmer living on farm adjoining N.E. cor. of intersection.

Mon. is approx. 8.0 ft. W. of  $\frac{1}{2}$  of rd. S. + buried approx. 14" under rd. surface.

47.0' SE. OF XSPKS-IN-CORNER POST

46.1' NW. OF XSPKS-IN REA. POW. POLE #257


344.0' SW. OF SW. COR. OF E.F. WELK RES.

498' NE. OF XSPKS-IN TELEPHONE POLE

77.3' SW. OF XSPKS-IN 20" MAPLE

40.5' SW. OF STEEL CORNER POST

N ↑



9

4	3
9	10

N. E. cor. Sec. 9 T27N R2W


Dug in  $\frac{1}{2}$  of E. + W. ld. and in line with  
 for S. Found nigger head 19" x 12" x 9" point  
 up. lowered same + placed C.M. above.  
 Mon. agrees with local evidence. Mon. buried  
 10" under surface of ld.

- 211.2' SW. OF SW. COR. OF FARM RES.
- 30.6' N OF XSPKS-IN POWER Pole
- 39.5' SE. OF XSPKS-IN TELEPHONE Pole
- 93.0' SW. OF XSPKS-IN TELEPHONE Pole
- 39.9' SE. OF XSPKS-IN CORNER Post
- 251.7' NW. OF Geodetic Monument #10

19 x 12 x 9 N.H.



4-14-39  
 P.K.W.  
 C. of Party




3

E $\frac{1}{4}$  cor. Sec. 3 T77NR2W

Quarter cor. between Secs. 2 + 3 is a black granite boulder approx. 24" x 16" x 12" held fast in roots of 12" Elm. + 10" Ash grown together. Found stone, which is exposed approx. 8", and capped same as it agrees with all local evidence and single proportionate measure between known corners N. + S.

182.8' SE. OF SE. COR. OF - D.M. STAPP. RES  
 1.8' E. OF XSPKS-IN-CORNER POST  
 1.8' W. OF XSPKS-IN-SOUTH. ASH TREE  
 65.6' W. OF XSPKS-IN-CORNER POST  
 188.6' N.W. of XSPKS-IN Power Pole  
 64.3' E. of Blazed 6" Hedge  
 167.8' S.W. of N.W. cor. of Stock Barn



E. 1/4 cor. sec. 4 T 77N R 2W

Dug in  $\frac{1}{2}$  of N. + S. rd. and in line  
with f.c. E. Found granite boulder  
27" x 18" x 12" one foot under surface  
of road. Lowered same and placed C.M.  
above. Man. buried 14" f.c. W. is. approx.  
1 ft. N. of Man.

33.2' E. OF XSPKS-IN CORNER POST


33.7' N. OF XSPKS-IN CORNER POST

27.3' E. OF XSPKS-IN-18" WALNUT TREE

115.7' NE. OF NE. CONCRETE COR. OF FARM SHED

4-18-39

P.R. W. N. C. of P.



W.V.

12

15 | 14

22 | 23


N.E. cor. Sec. 22-77-2

Dug in  $\frac{1}{2}$  of E+W rd. and in line  
with fcs. N+S. Found granite boulder  
20" x 16" x 9", four inches below surface  
of road. lowered same + placed C.M.  
above. Mon. buried 18 in

22.2' S. OF XSPKS-IN CORNER POST  
26.3' N. OF XSPKS-IN CORNER POST  
43.9' SE. OF XSPKS-IN 34" BLACK OAK  
44.5' NE. OF XSPKS-IN R.E.A. Pole #43-8  
157.4' NE. OF NE. COR. OF GODDARD EST. RES.  
144.1' NE. OF NW COR. OF GODDARD ES. RES.  
35.4' N. OF XSPKS-IN 24" OAK TREE  
62.6' S. OF XSPKS-IN 30" OAK TREE

4-19-39

R.K. Williamson  
Chief of Party









N.E. Cor. Sec. 16 T77N R2W.

Dug hole 2' x 2' x 18" in E. & W. rd. +  
12' line with fcs. N. & S. Found red granite  
boulder 16" x 14" x 10" buried 8". Stone identified  
as correct by Mr. Tietzsch, a farmer residing N. side of  
rd. lowered same + placed C.M. above, buried  
14" under surface.

18.3' N. OF XSPKS-IN Power Pole

18.6' S. OF XSPKS-IN-ANCHOR Pole

475.6' S. SE. OF SE. COR. HENRY TEITSCH RES.


24.8' SE. OF XSPKS-IN CORNER GATE POST

250.0' SE OF 24" MAPLE TREE

MR.  
TEITSCH  
RES.

4-21-39

R. K. Williamson  
Chief of Party



N.E. cor. Sec. 14 T22N R2W.

Dug hole 3'x3' x 3.0" deep. Found conc. slab 18"x 8"x 6" with cross chiseled in the flat top. No other evidence found. Powered same & placed c.m. above. Man buried 12" under surface.

18.4' N. OF N. TWIN TELEPHONE POLE

170.3' W. OF CENTER OF PAVEMENT HIWAY 38

328.6' S.W. OF N.W. COR. OF PASTOR MANSE RES

110.1' S.S.E. OF IRON ROW MARKER


32.7' S.E. OF IRON PIN

34.2' S.W. OF IRON PIN

54.7' N.N.W. OF XSPKS - IN 24" OAK

225.5' N.W. OF N.E. COR. OF BLOOMINGTON-FRIENDS CHURCH.

260.5' N.W. OF PAVEMENT - STA. # 136





EAST  $\frac{1}{4}$  CORNER Sec 21. T-77N- R-2-W

Dug hole 2'x3'x18" at intersection of  
fcs. E.W. + N. Found red granite stone  
12" x 10" x 8". No other evidence found however  
same + placed C.M. above.


66.1' SE OF XSPKS-IN- 24" ELM TREE

72.1' SW. OF XSPKS-IN 20" OAK TREE

1.1' W. OF XSPKS-IN CORNER GATE POST

12.1' E. OF XSPKS-IN 8" BOX ELDER TREE

1458.8' NW OF NW COR. OF Joe. Res.



N.E. Cor. Sec. 29 T77N R2W

Dug hole 8' x 4' x 3' in E. + W. rd. 122

line with fcs. N. + S. Found Blue Flint 17' x 10' x 11"  
buried 3" deep. No other evidence found. Lowered  
same & placed C.M. above stamped  $\frac{20}{21}$   
 $\frac{29}{28}$

21.0' N. OF XSPKS-IN CORNER POST


20.8' S. OF XSPKS-IN CORNER POST

61.3' SE. OF XSPKS-IN 12" ELM TREE

2008.6' NW. OF NW. COR. OF H.F. BLOOMER RES.

124.4' N. OF WILLOW GROUP

4-25-39  
R.K. Williamson  
Chief of Party




21

NORTH 1/4 CORNER. Sec 28 T. 77 N. R. 2 W

Dug hole 4' x 3' x 2' in E. + W. rd. at proportional dist. between sec. cors. A short fc. approx 500' long. South. No other fc. near. Found granite stone 18" x 13" x 8" at 2ft. deep. No other evidence found. Lowered same + placed C.M. above.

- 67.9' NW. OF XSPKS-IN-6" APPLE TREE
- 534.9' NW. OF SW. COR. OF H. HOCKSEMA-RES
- 21.6' N. OF XSPKS-IN CORNER POST
- 55.4' SE. OF XSPKS-IN-TELEPHONE POLE
- 630.1' SW. OF SW. COR. OF FARM-RESIDENCE





N. 1/4 cor. Sec. 13-77-2

Dug hole 5' x 3' x 2' in E. of E. & W. rd. and  
in line with fcs. N. & S. Found Blue Flint  
stone 12" x 8" x 8". No other evidence found.  
Lowered same & placed C.M. above.

- 28.2' N. OF XSPKS-IN CORNER Post
- 24.4' S. OF XSPKS-IN CORNER Post
- 482.0' SW. OF SW. COR. OF W. GREINER RES
- 111.9' SW. OF XSPKS-IN TELEPHONE Pole
- 111.4' NW. OF XSPKS-IN POWER Pole
- 26.4' S.E. OF XSPKS-IN TELEPHONE Pole #9


4-27-39

R. K. Williamson

C. of P.

W. GREINER  
RES.

SW. COR. OF  
RES.



24

N.E. Cor. Sec. 23 T77N R2W  
 At intersection of E. + W. fc. +  
 Hedge line N. found Blue Granite 2"  
 point exposed. Stone is 13" X 8" X 7". Fe. S. is  
 2.5' W. of stone. Lowered stone + placed  
 C.M. above.

Mon. Stamped


14	13
23	24

17.2' E. OF XSPKS-IN-6" HEDGE TREE  
 40.4' W. OF XSPKS-IN-TWIN CHERRY TREE  
 2.5' E. OF XSPKS-IN CORNER POST  
 123.47' NW. OF NW. COR. OF FARM BARN

5-9-39

R.K. Williamson

C. of P.



25

N. 1/4 cor. Sec. 23 T77N R2W.

In barn lot of G. C. Carter  
found Red granite 11" x 8" x 8" with point  
exposed. Immediately under this stone found  
quantity of flaked sandstone which could  
probably have been in one piece, the size of  
which could not be determined. However  
all the above evidence placed C.M. above.  
marked

14


Moist. buried 13" deep. 23

194.2' N. OF NW COR. OF G.C. CARTER RES.  
109.0' N.E. OF XSPKS IN CORNER POST  
58.2' N.W. OF NW COR. OF BARN.  
3.8' W. OF XSPKS-IN GATE POST  
89.2' S.W. OF SW CORNER OF FARM SHED

11 x 8 x 8

5-9-39

R.K. W. - C. of P.




26

N.E. Cor. Sec. 27 T77N R2W

Found Iron pipe 1 1/4" x 2' on line with fcs.  
 W. + S. + private rd. N. Guard stake 6" W  
 Lowered the above evidence + placed C.M.  
 above. Man. exposed 1" Stamped

22	23
27	26

711.4' S.S.E. OF SE CORNER OF Peterson Res.  
 3.9' SW. OF XSPKS IN 12" OAK TREE  
 18.0' N. OF XSPKS IN 16" BURR OAK  
 14.8' E. OF XSPKS IN CORNER POST



N. 1/4 cor. Sec. 27 T77N R2W.

In E. & W. fc. line found Red Granite stone 12" x 8" x 7" buried 8" deep. No N.T.S. fc. line near this corner. Lowered the above evidence & placed C.M. above. Mon. buried 3" below surface.

Mon. stamped


22  
27

532.7' NE. OF NW COR. OF BRUGMAN Res  
60.8' S. OF XSPKS-IN 24" WHITE OAK  
67.6' W. OF XSPKS-IN 28" BLACK OAK  
47.6' W. OF XSPKS-IN CORNER POST  
92.3' SE. OF XSPKS-IN 30" BLACK OAK

5-10-39

R.K. Williamson

C. of P.



28

E. 1/4 cor. Sec. 28 T77N R2W

Dug in E of Road "H" (also known as Houser St.)  
 in line with f.c. W. Found Red Granite  
 stone 16" X 12" X 9" point up, buried 12"  
 under surface. No other evidence found.  
 lowered same & placed C.M. above.


stamped 28/27

33.0' E. OF XSPKS-IN CORNER POST  
 284.5' SE. OF SE CORNER OF G. THOMAS RES  
 30.7' NE. OF XSPKS-IN 36" OAK TREE  
 73.2' E. OF XSPKS-IN 24" OAK TREE  
 171.7' S. SW OF XSPKS-IN POWER POLE  
 109.9' N. NW OF XSPKS-IN POWER POLE  
 74.1' NE. OF XSPKS-IN 36" OAK TREE

G. THOMAS  
Res

4-10-39

R. K. W. - C. of P.


MEMORIAL  
CEMETARY

N.E. cor. Sec. 28 T77NR2W

Dug hole 10'x8'x2' deep. Found  $\frac{3}{4}$ " machine bolt with 2" sq. head, 18" long, buried 12" under surface. No other evidence found. This pin identified by Lloyd Shield, a farmer living on farm adjoining to W. Buried pin + placed C.M. above.

Stamped  $\frac{21}{22}$   
 $\frac{28}{29}$

2.3' NW. OF XSPKS-IN CORNER Post  
151.0' NE. OF XSPKS-IN 24" WHITE OAK  
2146.3' E. OF NE. COR. OF H-HOCKSEMA-RES.  
55.6' SW. OF XSPKS-IN 36" BLACK OAK  
9.2' SE. OF XSPKS-IN COR. GATE Post  
123.5' W. OF XSPKS-IN 18" OAK TREE  
242.6' E. OF XSPKS-IN 18" OAK TREE







32

S.E. cor. Sec. 33 T77N R2W

In E. + W. fc. found Red Granite stone  
 12" X 10" X 7" point exposed 4" No  
 other evidence found. Lowered same +  
 placed C.M. above stamped  $\frac{33}{4} | \frac{34}{3}$

38.8' S. OF XSPKS-IN SOUTH TWIN HICKORY TREE

24.9' S.S.E. OF XSPKS-IN 10" BASSWOOD TREE

50.2' E. OF XSPKS-IN 12" RED ELM TREE

14.1' N.N.W. OF XSPKS-IN 14" WHITE OAK

13.5' N. OF XSPKS-IN 10" HICKORY TREE

72.4' W. OF XSPKS-IN 30" WHITE OAK

782.7' S. OF EDGE OF TILE SILO

39.1' N. OF XSPKS-IN 20" WHITE OAK

BARN

BARN


TILE  
SILO

5-11-39

R.K.W. - C. of P.

Sec. 33

Sec. 34



Sec. 4

Sec. 3


S. 1/4 cor. Sec. 32 T97N R2W  
 At intersection of fcs. N. + S. and E. + W.  
 found Blue Flint stone 12" x 8" x 7" at  
 surface of ground. No other evidence found.  
 lowered same & placed C.M. above.

Mon. stamped  $\frac{32}{5}$

- 123.5' E OF XSPKS-IN Power Pole
- 127.0' W OF XSPKS-IN Power Pole
- 34.9' S OF XSPKS-IN-14" ELM TREE
- 28.2' N OF XSPKS-IN 8" HICKORY TREE
- 26.3' NW OF XSPKS-IN 10" HICKORY TREE
- 1349.3' E OF SEC. COR. OF F-G-HANKS-RES.
- 51.3' NW OF XSPKS-IN-36" WHITE OAK
- .04' W OF XSPKS-IN CORNER POST

5-11-39

R. K. Williamson  
Chief of Party




E. 1/4 cor. Sec. 12-77-2

5.0' E. of cor. post. Found triangular shaped Sandstone 14" x 12" x 10" x 18" long. Quantity of smaller stones surrounding. Stub of 9" post immediately S. of stone lowered all the stones & placed C.M. above. Mon. buried 4" deep stamped 12 | 7

98.1' E. of Blazed 12" twin Oak  
 86.7' S.E. of " 20" Oak  
 165.4' S. of Blazed 12" Hackberry  
 412.5' S.S.W. of Blazed 16" Oak  
 152.8' S.W. of Blazed 14" Oak  
 5.0' E.N.E. of Cor. post  
 6.0' ft. W. of creek bank

5-15-39

R.K.W. - C. of R.



S.W.

N.E. Cor. Sec. 24-77-2

At intersection of N. + S. fc. 27d fc. E.  
found Red Granite stone 10" x 7" x 7"  
one inch under surface. No other  
evidence found. lowered same & placed  
C.M. above stamped  $\frac{13}{24} | \frac{18}{19}$


43.9' N. of X spks. in power pole  
18.2' N. of Blazed 16" Hackberry  
49.6' W. of X spks. in power pole  
53.2' N.E. of Blazed 30" W. Oak  
127.2' S.E. of Blazed 20" W. Oak

5-16-39

R.K.M. - C. of P.

Sec. 13  
77-2

Sec. 18  
77-1



Sec. 24  
77-2

Sec. 19  
77-1

E.  $\frac{1}{4}$  con Sec. 13 T7?N R2W

In N. & S. sec. line f.c. at proportionate  
measure found Red Granite stone

8" x 8" x 5 $\frac{1}{2}$ " buried 2" under surface.

Stone identified as can by \*farmer whose  
land adjoins on East. No E. & W. f.c.s.  
at this point. No other evidence  
found. Moved stone & placed C.M.  
above stamped 13 | 18

\*Farmer's name Lloyd Taylor

1003.1' N. N. E. of N. W. cor. of Old Res.

72.0' N. E. of Blazed 26" W. Oak


58.5' E. N. E. of Blazed 30" Twin W. Oak

85.2' S. E. of Blazed 26" Burr Oak

135.8' S. S. E. of Blazed 26" W. Oak

8.6' S. of Blazed 6" Box Elder

40.2' N. N. W. of Blazed 14" Cottonwood



37

E. 1/4 cor. Sec. 24 T77N R2W.


In E. & W. fc. 4.0' W. of N. & S. fc. Found  
Blue Granite 13" x 11" x 7" point exposed  
with cross chiseled in point. Stone identified  
by Mr. Geo. Taylor who lives W. of Cor. He states  
that the fc. at this point is E. of Sec. line.  
Stone lines up with fc. on N. side of Hwy #22  
and fc. approx. 500ft. South.

This above stone was lowered & C.M.  
placed above stamped 24 | 19

- 425.0' E. N. E. of S. E. cor. Geo. Taylor Res.
- 50.3' S. of Blazed 24" Burr Oak
- 106.0' S. W. of X spikes in fc. cor. post
- 375.3' S. of E. of Hwy #22
- 2.5' W. of Blazed 24" Elm.

5-17-39

R. K. Williamson  
Chief of Party



38

N.E. Cor, Sec, 25 T77N R2W

In E. + W. fc. inline with fc. N. found  
flat sandstone 11" x 6" x 2 1/2" point up  
3' under surface. No other evidence found  
lowered same & placed C.M. above stamped  
No fc. South.

24 | 19

25 | 30

911.2' S.W. of S.W. cor. of Jack Pace Res.

103.5' E of Blazed 50" Elm


234.4' N.W. of Blazed 8" Elm

2.6' W. of Blazed 26" Wild Cherry

55.4' W. of Blazed 14" Hackberry

5-17-39

R.K.W. - C. of P.



N.E. Cor. Sec. 26 T77N R2W

In N. + S. fc. 2ft. S. of E. + W. fc. found:  
two limestone rocks, One: 15" x 8" x 4"  
broken into two, Other: 10" x 9" x 5" both side  
by side buried 24" deep. No other evidence  
found. Lowered all the above <sup>evidence</sup> placed C.M.  
above. Stamped  $\begin{array}{c|c} 23 & 24 \\ \hline 26 & 25 \end{array}$

$\begin{array}{c|c} 23 & 24 \\ \hline 26 & 25 \end{array}$


413.8' E. of E. Hd. wall of conc. culv.

327.0' E.N.E. of N.E. cor. of Rickheim Res.

153.2' N. of X spks. in tie fc. post.

85.2' S.W. of Blazed 24" twin cottonwood

1.5' S. of cor. post.



N. 1/4 cor. Sec. 17 T77N R2W

At intersection of N + S. fc. and fc. W

Dug hole 3' x 3' x 2' deep. \* Found sandstone  
9" x 6" x 5" point up. Also fragment of Red  
Granite 7" x 6" x 3" immediately adjacent  
to E. Also 3 pcs. Wood Hut. Lowered all the  
above evidence & placed C.M. above,  
stamped  $\frac{8}{17}$

\* stones 2.3' N.E. of Cor. post

1823.6' S. S.E. of S.E. cor. of E.C. Rowland Res.  
557.8' S. of X spks. in Gate Post  
2.3' N.E. of X spks. in Cor. post

E.C.  
Rowland  
Res.

S.E. cor.  
100'

Sec. 8

X spks. in  
Gate post

1823.6'

557.8'

Sec. 17

5-18-39

R.K.W. - C. of P.


S.W. cor Sec. 6 T77N R2W  
 In E. & W. Sec. line fc. found chunk of  
 conc. 15" x 10" x 4" paint exposed. No other  
 evidence found. Lowered same & placed  
 C.M. above stamped  $\frac{1}{16}$   
 $\frac{12}{7}$

There is no N. & S. Sec. line fc. at this cor.

- 2.9' E. OF XSPKS-IN-24" BLACK-OAK
- 32.0' W. OF XSPKS-IN-36" HACK BERRY
- 30.8' E. OF XSPKS-IN-26" BLACK OAK
- 59.0' NW. OF XSPKS-IN-12" ELM
- 197.0' SW. OF SW. COR. OF ED-LINDLE-TENANT-RES.
- 105.2' S. SW. OF XSPKS-IN-18" BLACK-OAK
- 301.0' W. of E. of N. & S. rd.



5-20-39  
 R.K. W.-C. of P.




Sec. 12  
 77-3

Sec. 7  
 77-2

W. 1/4 cor. Sec. 7 T77N R2W.  
 In E. of E+W. rd. "W" in line with  
 fc. S. found 1" iron rod 24" long, portion  
 of 2x2" wood hub and flat sandstone  
 11" x 8" x 3" with a wrap of #9 wire around  
 it. Pin was 2" E. + 1" N. of stone. Hub immediately  
 S. of pin. Hammered all the above evidence  
 at position of stone + placed C.M. above  
 stamped 12 + 7

27.6' N. OF XSPKS-IN-36" MULBERRY TREE  
 220.6 SW. OF XSPKS-IN POWER Pole  
 52.5' SE. OF XSPKS-IN POWER Pole  
 638.6' NE. OF NE. COR. OF A.H. MILLER RES.  
 1127.1 SE. OF SE. COR. OF ROY VANCE RES.




5-20-39  
 R.K.W. - C. of P.

E.W.

S.W. Cor. Sec. 7 T77N R2W  
 At intersection of N. + S. fc + fc. E + W  
 found flat sandstone 10" x 7" x 3" buried  
 4" under surface. No other evidence  
 found, lowered same + placed C.M. above  
 stamped  $\frac{12}{13/18}$   
 412.3' S.E. OF XSPKS-IN 10" Box Elder  
 156.4' E. OF XSPKS-IN TRIPLE MULBERRY  
 418.9' N.E. OF XSPKS-IN 12" MULBERRY  
 280.3' N.W. OF XSPKS-IN 12" TWIN COTTON WOOD  
 40.4' N.E. OF XSPKS-IN 6" CRAB APPLE



5-20-59  
 R.K.W.-G. of P.



N. E. Cor. Sec. 30 - 77 - 2 W.

At intersection of fcs. N. + S. and E. + W.  
dug hole 8' x 8' x 3' deep. No staves or stakes found.  
The corner post is 14" in diameter. Fcs. are good  
and straight in all four directions. Corner  
restored at post. Mon. set on N. W. side  
of post and adjacent thereto.


Mon. stamped  $\frac{19}{30} | \frac{20}{29}$

110.5' W. of stump of 12" Wild Cherry

10.3' N. of X spks. in brace post

11-14-39

P.K.W. - C. of P.



N.E. cor. Sec. 18-77-2W

At intersection of fcs. E., W. & N.  
Jug hole 6' x 6' x 3' deep around cor. post.  
No evidence found. Cor. restored.

Mon. placed on S. side of cor. post. sec. 7

Mr. Toyne, a farmer living in S.W. 1/4 of approx.  
1/2 mile W. of corner, who owns land N.W. of  
corner, states that the fcs. at this point  
have been there for fifty years and  
the intersection of these fcs. has always  
been considered the sec. cor.


Mon. stamped 7/8  
18/17

Mon. at surface level.

- 118.2' E. of Blazed 50" Group Maple
- 263.2' N.E. of N.E. cor. of Stack Barn
- 32.0' N. of Blazed 26" Maple
- 31.9' W. of " 4" Group Hedge

11-14-39

R.K.W. - C. of P.



W. 1/4 con Sec. 17-77-2W

At intersection of N. + S. fc. + fc. W. dug  
hole 5' x 5' x 3' deep. No evidence found.  
Corner restored at intersection of fcs.  
Position of corner has been maintained  
by acts of adjacent landowners.

Mon. stamped 18-17 at surface level

11-14-39

R.K.W. - C. of P.

189.0' N. of X spks in con post fc. E.  
20.6' S. of " " " " " "  
11.5' W. of " Blazed 12" Hedge  
23.8' N.N.W. of " 38" Maple  
99.8' E. of Blazed 20" Wild Cherry

Blazed 20"  
wild cherry

99.8'

Blazed  
12" Hedge

Blazed  
38" Maple

189.0'

X spks in  
con post

X spks in  
con post

120.6'

N.E. cor. Sec. 7-77-2W


At intersection of E. & W. f.c. & f.c. S.  
Jug hole 6' x 6' x 2' deep. No evidence  
found. Corner restored at intersection.  
Mon. placed on N. side of cor. post.

Mon. stamped  $\frac{6}{7} \frac{5}{8}$  at surface level.

177.5' E.S.E. of Blazed 10" locust  
114.3' S.W. " " 30" Yellow Oak  
53.5' W.S.W. " " " " "  
103.6' N.N.E. " " 26" W. Oak.  
115.0' N.E. " " 26" Butt Oak

11-14-39

R.K.W. - C. of P.




N. 1/4 cor. Sec. 7-77-2W

At intersection of fcs. N. & S. and E. & W.  
dug hole 5' x 4' x 3' deep around cor. post.  
No evidence found. Corner restored.  
Proportionate measurements between  
known corners E. & W. indicates this  
location to be the 1/4 sec. cor. No better  
evidence appearing set C.M. on S.W. side  
of corner post and adjacent thereto.  
C.B.P.  
Mon. stamped  $\frac{7}{7}$

5.1' S.W. of Blazed 6" Hickory	
6.5' N.E. " " 34" Bl. oak	
13.5' S.S.W. " " 4" Hickory	
18.9' N.E. " " 10" Bl. Oak	
27.9' S.W. " " 10" Hickory	

11-14-39

R.K.W. - C. of P.




G.V.



N. 1/4 cor. Sec. 16-77-2W  
 In 1/2 of E. + W. rd. at point indicated  
 by measure dug hole 8'x8'x3' deep. No  
 evidence found. Corner restored at  
 proportionate distance between sec.  
 corners E. + W. No N. + S. fcs. at this corner.  
 Mon. stamped  $\frac{9}{16}$  buried 12" deep

- 295.5' N.E. of N.E. cor. of Stock barn
- 67.5' E.N.E. of cross <sup>center</sup> in So. Headwall conc. Culvert
- 171.7' E.N.E. of X spks. in Pwr. Pole
- 191.0' E.S.E. " " " " Tel. "
- 74.8' E.S.E. of cross in center No. Headwall conc. Culvert
- 43.1' S.E. of X spks. in Tel. pole
- 122.7' W.S.W. " " " " " "
- 116.5' W.N.W. " " " " Pwr. Pole

11-15-39  
 R.K.W. - C. of P.





W. 1/4 cor. Sec. 8-77-2W

At point indicated by measure dug hole 8' x 3' x 3' deep. No evidence found. It is apparent that the E. & W. rd. does not run on the 1/4 sec. line at this point. Mr. A. Toyne, a farmer living in the S.W. 1/4 of Sec. 7, states that there was a stone marking the corner, on the S. side of the road, approx. where the present ditch is. This point is 3 ft. N. of the proportioned distance for the mile. On testimony of Mr. Toyne established corner in ditch S. side of rd.

Mon. stamped 7+8 + buried 12" deep

210.3' S.E. of Blazed

87.2' E.S.E. of X spks. in W. Gate post

115.4' E. of " " " Tel. pole


6.3' N. of " " " Cor. post

95.5' W. of " " " Tel. pole

82.4' S.W. of " " " fc. post


11-16-39

R.K.W. - C. of P.



A stone in S.W.  $\frac{1}{4}$  of Sec. 29-77-2W  
 In  $\frac{1}{2}$  of Hiway #22 in line with  
 Twp. rd. S. Probably the center of the  
 S.W.  $\frac{1}{4}$  of Sec. 29-77-2.


In N. R.O.W. for line  
 59.0' S. of  $\frac{3}{4}$ " Iron Pipe, in line with  $\frac{1}{2}$  of rd. S  
 59.5' N.E. of Iron R.O.W. Marker  
 63.0' N.W. of " " "  
 214.5' W. of " " "  
 217.9' E.S.E. " " "



N. E. cor. Sec. 33-77-2W.

Farm Res  
Mn. Brei.


9-16-40  
R.K.W. - C. of P.



See also  
this book

N. 1/4 Cor. Sec. 33-77-2W

9-16-40  
R.K.W. - Crof P.




See also  
p 2 this book

S. 1/4 cor. Sec. 31-77-2 W

In N. & S. 1/4 sec. line fc., at point indicated by line E. & W. dug hole 10' x 3' x 2' along fc. line. A farmer living about 1/4 mi. S.W. of this corner stated that this fc. line had been in place for at least 60 yrs. and that a wood stake placed by Mr. Bumgardner, co. surveyor for Mus. county, once stood at point where Man. was placed. Set c.m. at surface level stamped  $\frac{31}{6}$


- 38.6' S.S.E. of Blazed 16" W. Oak
- 40.5' S.S.W. " " 12" Twin Walnut
- 23.8' N.W. " " 6" Elm
- 29.2' N.E. " " 10" W. Oak
- 6.7' E. " " 24" Red Oak

E. 1/4 Cor. Sec 31-77-2



3-20-41

R.K.W. - C. of P.



N. 1/4 cor. Sec. 24-27-2W


In E. & W. Sec. line on E. bank of  
cut made for the old C.R.I. & P. R.R.  
Wilton plug (abandoned) found Gray  
Granite 14" x 9" x 5" with cross in top. This  
stone exposed about 2". Under this stone  
found Gray Granite stone 11" x 8" x 6".  
Accepted this as corner. Hammered both  
the above and set S.C.M. stamped  $\frac{49}{27}$   
2" exposed.

102.4' N. of XSPK5. in Pur. Pole

349' N. " " " " Cor. post

19.4' W. " " " " " "

78.7' W. S.W. of " " " Pur. Pole




W. 1/4 cor. Sec. 26-77-2W

In N. + S. Sec. line found 3/4" Iron pipe  
26" long and 2" square wood stake. Lowered  
both & set s.c.m. above stamped 27-26  
at surface level

34.6' S. of Blazed Group Mulberry  
7.0' N. " " " "  
175.5' E. of " 30" Burr Oak  
121.0' N.E. " " 40" Elm  
42.9' N. of f.c. W.

4-24-41

R.K.W. - C. of P.



N. 1/4 cor. Sec. 34-77-2W.

In E. + W. rd. (Hiway #22) in line with  
f.c. line N. Restored the above corner. A deep  
fill forbids digging for this corner. The fence  
line N. more nearly fits the proportionate  
measurements of old survey records as found  
in BK. 1 P. 69 + 194 and BK. 2 P. 133 and 266 of  
Surveyor's Records in Co. Auditor's office  
Set S.G.M. on bank of fill stamped  $\frac{27}{34}$  and  
buried 10" deep. A E.c. line S. is 14' W. of f.c. N.


75.4' S. of XSPKS. in Pwr. Pole

33.7' N.N.E. of Iron P.O.W. Marker

50.3' N.W. of XSPKS. in Tel. pole

122.8' E.N.E. " " " " " "

298.6' S.W. " " " " Pwr. "



N.E. Cor. Sec. 31-77-2 W.


Monument in E & W. fence 2 lines in  
line with E of Road S.

- 20.3' E of XSPKS in tel. pole
- 32.9 N.E. " " " " brace post
- 40.3 N.E. " " " " tel. pole
- 315.4' N. of E. end of 14" Corrugated Pipe
- 794.1' N.N.E. of N.W. Cor. of Residence
- 54.3' N.W. of XSPKS in Cor. post.

MONUMENT 12" Deep stamped  $\frac{30}{31}$  29 32

Same as BR 48 pile

4-28-41  
R.K.W. Co. of P.



W. 1/4 Cor. Sec. 29-77-2W.

W 1/4 Cor. 29-77-2




311.2/112  
- 8

- 545.5' W.N.W. of Blazed 30" Burr Oak.
- 465.6 S.W. of XSPKS in Cor post fence.
- 469.5' N. " " " " " " fence.
- 838.9' N. " E of HWY #22.
- 37' S. of XSPKS in BRACE post.

MONUMENT STAMPED 30 | 29

Same as  
BK 48 p 15



N $\frac{1}{4}$  Cor. Sec. 26-77-2W.

At intersection of Sec. 2 line  
fence line and  $\frac{1}{4}$  sec. line S. dug hole  
4'x4'x2' deep around Cor. post. No  
evidence found: Cor. restored.


Set S.C.M. stamped  $\frac{23}{26}$ . Surface level

45.0' W. of Blazed 3" Wild Cherry

No other ties available

R.K.W. C. of P.

Entered  
5/6/41  
S.F.M.  
-0-



Entered 5/24/41

S.F.M.  
H




E 1/4 cor. of Sec. 17, - 77-2 W.

Dug for stone but found no original evidence. Set S.C.M. in E. & W. fence line.

- 3.0 E. of X spks in 18" Wild Cherry
- 70.1 N.NE. of X spks in 14" Mulberry
- 13.3 N.E. " " " " brace post

Monument surface level and stamped 17 | 16




W $\frac{1}{4}$  COR. 6-77-2W

No original evidence found  
 set MON on line between SEC. CORNERS  
 at proportional distance. This point  
 was identified by owner as the  
 approx. correct location  
 CAP  
~~MON~~ stamped 1/6

86.2' NO of 24" Catalpa on E ROW fc.  
 70' SE of TEL. POLE on W side of Road  
 9.7' E. of XSPK. in fc. Post of E ROW. fc

4-14-42  
 J.E.V.



65

NW COR. 16-77-2W  
 MON set. by R.K.W.  
 Retied by F.E.H. 4-20-42  
 ducto road construction.


Monument sets in E. of road E.  
 66.6' S.E. of Nail in tel. pole,  
 76.4' N.W. of " " " "  
 102.3' W. of Iron Pin (Ties shown in drawing).

Hartzke

4-20-42

F.E.H.

SEC. 9





67

NW COR. 12-77-2W

Road Paved.

According to plat of Iowa Pri Road #39 on file in the office of County Auditor. Sec. Cor. Stone is located under Pavement at Station 190+82.9

on R

Cap. set at this point in Shb.

Cap. Stamped  $\frac{2}{11} \frac{1}{12}$

66.6 SE. of pin in CONC. MON.

46.85 SW " " " "

62.1' NE of " " " "

65.7' NW of " " " "

68.6 NE of I.G.S. B.M. #518 at SUCOR. inter.

62.9 SE of U.S. Geolog. Mon. at NW Cor. of int.


5-11-42

Fes

N  
A  
S

2

1




11

12

1/4 COR. 12-77-2W


According to Paving Plans of  
towne Pri. Road #38 on file in office  
of County Auditor an iron pin was  
found over stone at P.I. location  
at station 164+312. This pin was used  
as P.I. curve with an EXT. of 0.6 feet.  
COR. located at this point and  
cap was placed in pavement.



- 67.2' NW of pin in CONC. MON. 4.
- 71.0' SW " " " "
- 40.2' NE of " " " "
- 40.4' SE " " " "

FEL


SEC. 11-77-2W



SEC. 12-77-2W

69.

SE. COR. 35-78-2W



70


W 1/4 COR. 1-77-2W

According to plans of Pri. Road #38 on file in office of County Auditor, Cor. Stone was found at STA 217+39.2 and is identical with P.I. of curve at that STA. found + in pavement at this point and place cap. marked 2 + 1

- 49.0' E of CONC. MARKER
- 60.2' SE of " "
- 57.6' W of " "
- 55.8' SW of I.G.S. #362

5-20-42  
FEB.

SEC. 2-77-2W




E.V.

71.

SW COR. 36-78-2W

Plans of Highway #38 as file in Auditor's office show Sec. COR at P.T. of curve with 3.1' E at Sta. 243499.0. found + in pavement at this pt. and place cap. Marked 35|36

3-20-42





S.E. Cor. Sec. 34 T77N-R2W

Information found on city plat of survey of City of Muscatine. It was learned that Cor. was designated by an iron pin approximately 2400 S. of Climer St. and 400.0' West of W. Eighth St. in the City of Muscatine. In wooded area in line with fence N. the above evidence was found and C.M. was set.

Man stamped  $\frac{34}{312}$   
Buried 6" Deep

- 30.0' S.S.W. of x spks in 8" Black locust
- 0.4' S. " " " " Car post
- 10.6' N. " " " " 6" Locust
- 18.3' S. " " " " 14" "

Cor. Set by  
H. H. Fitzgerald  
6-16-42


6-16-42

S.F. Mills



34-77-2W

35-77-2W



3-76-2W

2-76-2W



74)  
S.E. Cor. Sec. 26 T77N-R2W

From information found in  
P. 10 in City Engineer's office it  
was learned that the corner was  
designated by an iron rod. This  
point was found to have been  
used for at least 20 years as the  
section cor. This evidence was  
accepted as correct and C.M. was  
set and rod buried beneath it.


Man stamped  $\frac{26.25}{35.36}$   
Buried

140.0' N. of N. edge of Dale Street  
95.0' S. of 10" Hickory tree.  
113.9' S.W. " 12" " "  
104.4' N.N.E. " N.E. cor. of Residence.

Cor. Set by H.H. Fitzgerald  
6.

6-16-42

S.F. Mills




Dale Street

$\frac{1}{4}$  Cox, between Sec 34 @ 35<sup>77</sup> R 2 W  
 Found Gas Pipe. From Information on  
 Plats on File in Cit Engineers Office:  
 $\frac{1}{4}$  Cox is on North Line of Lorenz Addition  
 on E-W & North Fences. This Gas Pipe  
 has been recognized as  $\frac{1}{4}$  Cox for a long  
 period of years. Monument set and  
 marked 34|35

140.0 N of N Line of Lorenz St.  
 89.5 N E of NE Cor of Residence.  
 25.2 N E of Cox Fence Post  
 63.0 W of Fence Post.

Cox set by H H Fitzgerald

6-18-1942



S 1/4 Coy Sec 25 .77 N 2 W

Set Brass Cap in Paving <sup>25</sup> / 36. From Information on Plans on File in City Engineers Office


2914 S.E. of Traffic Post.

308 S.W. " " "

295 N.E. " " "

400 N.W. " " "

At intersection of Park Ave. and Washington St. East on Washington St. is Hwy #6 and N. on Park Ave. is Hwy #38.




W $\frac{1}{4}$  Sec 25 - 77 N. R 2 W

Stone was found at east <sup>corner</sup> of ~~the~~ <sup>the</sup> ~~vacation~~ <sup>vacation</sup> Co. Yard  
 Information furnished by Co. Engineers Office  
 Men set a stone buried beneath it.  
 Mon. stamped 26/25

- 56.4 S E of Power Pole x Spikes in Pole
- 36.8 N E of Telephone Pole
- 67.8 N N E of N E Cor. Dynamite Warehouse

6-19-42


H. H. Fitzgerald





628

33



N.W. COR

House


1/4 1/4 Sec LINE

SEC

1/4 Sec LINE

7. 77-1W

TWP Rd  
Sec LINE



U.S. Coast & Geodetic  
Marker  
Sec LINE

IRON PIN = POT

U.S. Coast & Geodetic  
Marker

1/4 Sec LINE

TWP Rd  
Sec LINE

N


Sec 6 - 77-1W

NW Cor Sec -  
20-77-1W



1/4 Sec Line

1/4 Sec Line



31.7  
32.1

25.3

31.2  
32.9  
STONE

IRON PIN & POINT

1/4 Sec Line

IP = POT

TWP Rd  
1/4 Sec Line

20-77-1

TWP Rd  
1/4 Sec Line

TWP Rd  
1/4 Sec Line

N 1/4 Sec  
13-77  
1W

TWP Rd  
1/4 Sec Line

1/4 Sec Line

Sec Line

Sec Line

1/4 Sec Line  
27.013  
STONE

26.78.6

29.4

20.6  
23.557

IRON PIN



IRON PIN & POINT

IRON PIN

IRON PIN  
POT


N 1/4 Sec 24-77-1W

Boat 9-R21

1/4 Sec Line

Found HUB

Edge



3E 1/4 Sec 17-77 1/4 W

1/4 Sec LINE

N

1/4 1/4 Sec LINE

IP POINT

TWP Rd  
1/4 1/4 Sec LINE

Sec LINE

31.2  
STONE

TWP Rd  
Sec LINE

32" H Maple Nail in Blk 22  
STONE TWP Rd  
Sec LINE

N

1/4 Sec LINE

N 1/4 Sec 4-77-1W

TWP Sec

HUB

31'

32" H Nail in 2nd Post Top  
1/4 Sec LINE

31' N.S.  
CENTER

STONE  
Porch

Sweetland  
Stone

100'  
STONE

# 22


TWP Rd  
Sec LINE

31.2

STONE  
N PIN

Sec LINE





Remainder of the book is  
77-3-W

Lake Twp.

Have been transposed

— S. F. Mills


W. 1/4 cor. Sec. 12 T77N R.3W

At point indicated by measure dug hole 4'x4'x3' deep Found Red Granite boulder 17" x 15" x 12" 1ft. deep. No other evidence found. Lowered same & placed C.M. above. Stamped 11-12. Top of Mon. 12" under surface of road.

133.8' NW. OF XSPKS-IN-6" Box ELDER  
217.3' SE. OF XSPKS-IN 6" Hedge Tree  
30.7' E. OF XSPKS-IN-CORNER Post  
724.2' N. OF N. END OF W. GUARD RAIL.  
33.7' NE. OF XSPKS-IN GATE Post

6-2-39

R.K.W. -  
C. of P.




13x15x8" R.G.

N.E. Cor. Sec. 11 T77N R3W.

At fc. cor. found Red Granite boulder.  
13"x15"x8" point exposed. No other evidence  
found. lowered same & placed C.M. above  
stamped  $\frac{211}{1112}$

182.6' N. OF XSPKS-IN-E. TWIN 8" BIRCH.  
50.8' E. OF XSPKS-IN- 18" WHITE OAK  
66.3' NE. OF XSPKS-IN- 20" WHITE OAK  
87.3' E. OF XSPKS-IN- 30" WHITE OAK  
2.0' N. OF XSPKS-IN- CORNER POST

6-2-39



N.E. Cor. Sec. 10 T77N R3W

Neat point indicated by random  
line + approx. measure across Cedar  
River found niggerhead 12" X 10" X 8 1/2"  
Surrounded by four bricks. Stone exposed  
2" above surface. No other evidence  
found. Labeled same + placed C.M.  
above. Stamped 3/2  
10/11

258.7' NW. OF XSPKS-IN- 36" ELM

91.2' N. OF XSPKS-IN 18" WALNUT-

286.1' N. NE OF NE. COR. OF COTTAGE

1768.8' S. OF S. SIDE-OF E. END-OF SALSBURY BR


142.9' SE. OF XSPKS-IN 24" OAK

138.3' W. OF XSPKS-IN- 24" W. OAK

116.3' NE. OF NE. COR. OF ALL-IN COTTAGE

67-39

R.K.W.-C. of P.



N $\frac{1}{4}$  COR. OF NW $\frac{1}{4}$  OF Sec 10-T77-R3W

6-1-39

95.6' N NW. OF NW. COR. OF E.T. JEWETT-RES.


50.0' SE. OF WOODEN HUB

131.5' SW. OF XSPKS-IN-POWER POLE

100.9' SE. OF XSPKS-IN POWER POLE

36.9' N OF XSPKS-IN-16" ELM

50.0' SW. OF WOODEN HUB



✓  
N 1/4 CORNER - Sec 10 - T. 77N - R. 3W.

At proportionate distance E. of NE. cor. Sec. 9, dug hole 4' x 4' x 3' deep in E. of E. + W. rd. No N. + S. fcs. at this point. Found crumbling limestone approx 6" x 8" x 10" with cross mark on top. Also found rotting hub adjacent to it, powered all the above evidence + placed G.M. above.

33.6' N. OF XSPKS-IN TELEPHONE Pole


157.5' SW. OF XSPKS-IN - Power Pole

146.7' SE. OF XSPKS-IN Power Pole

1292.3' E. OF NE. COR. OF E. T. JEWETT - Res.

55.0' SW. OF WOODEN HUB

6-1-39  
R. K. W. - C. of P.



✓  
S.W. cor. Sec. 3-77-3

Mon. set previously by J.J. Ryan

6-1-39

R.K.W. - C. of P.

