

5939

77-4  
= -3

77-3W  
77-4W

77-3W  
77-4W

77-3+4



# EUGENE DIETZGEN CO.

DRAWING MATERIALS, MATHEMATICAL and SURVEYING INSTRUMENTS

Chicago New York San Francisco New Orleans Pittsburg Toronto

Distances from Center of Roadway for Cross-Sectioning  
Roadway 16 feet wide. Side Slopes 1 on 1.  
For Single Track Embankment.

H	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	H
0	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	0
1	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	1
2	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	2
3	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	3
4	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	4
5	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	5
6	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	6
7	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	7
8	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	8
9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	9
10	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	10
11	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	11
12	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	12
13	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	13
14	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	14
15	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	15
16	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	16
17	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	17
18	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	18
19	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	19
20	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	20
21	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	21
22	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	22
23	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	23
24	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	24
25	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	25
26	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	26
27	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	27
28	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	28
29	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	29
30	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	30
31	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	31
32	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	32
33	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	33
34	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	34
35	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	35
36	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	36
37	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	37
38	46.0	46.1	46.2	46.3	46.4	46.5	46.6	46.7	46.8	46.9	38
39	47.0	47.1	47.2	47.3	47.4	47.5	47.6	47.7	47.8	47.9	39
40	48.0	48.1	48.2	48.3	48.4	48.5	48.6	48.7	48.8	48.9	40

Example--If point is 22.6 ft. above grade, how far should it be from center line to be a slope stake point? Ans. from Table 30.6. For same slopes but other widths of roadbed, correct above figures by one-half difference in width of roadbed; thus in example above, for 20 ft. roadbed distance will be 30.6 + (20-16) + 2 or 2 ft. added to 30.6 = 32.6. For slopes of 1 on 1 1/4 see inside of back cover.

Copyright, 1914, by Eugene Dietzgen Co.

County Cloud

July 1, 1942

E.V.

The paper stock of this book is made of a high grade 50% rag paper having a water resisting surface and is sewed with Bing Special Enamel Waterproof Thread.

Made in U. S. A.

*All information taken out.*

*Final Check E.V.  
9-2 + 1-2  
8-3-42*

77-R-4-W.

INDEX


SEC.	PAGE	SEC.	PAGE
1	23	24	35
2	22	25	36
3	19	26	32
4	18	27	28
5	15	28	5
6	14	29	4
7	12	30	7
8	13	31	2
9	16	32	3
10	20	33	30
11	21	34	31
12	24	35	37
13	26	36	34
14	25		
15	33		
16	17		
17	11		
18	10		
19	8		
20	9		
21	6		
22	27		
23	29		

INDEX TO 77-3 SEE PAGE 38

A large empty grid on the right page of the notebook, intended for an index. The grid consists of approximately 20 columns and 30 rows of small squares.

(2)

TWP - 7 - 4 W



10

TRN 77-4a

13270 26739 40210 5951

5000

5750

2

4450 30

10000

10000

$\sqrt{24971} \sqrt{500}$ 
 $\sqrt{5356.0}$ 


27

 $\sqrt{24971}$ 
 $\sqrt{24971} \sqrt{500} = 6551$ 

527.0

409.0





6 IRON PIN

P.R.

1217 2644.5 3971.4 5308.9

2616.

2681.8

5276.5

30

5336.1

2571


5127

11


5291.5

2611.4

11



77N.R4W.



5353.2

53638 2641 14523

06115 5311  
S 1000  
R


53419

18

10642  
10642


2687 53322

53797



77N 14W

5359.2"



3887

5383

5389

5389

Kash  
B.R. Fines

17

13524 2706

5393

N 1/4


194

5376

53802  
26554

13524  
2706

5380.9



5273.4

Survey 92077 abattoir 1946

1911 26-117

5349.8


K. 4th

2887

5394.7

17500  
2000


X  
V  
C  
1



(6) SET MONUMENT  
 282 S. TO COR POST  
 260 N. TO FENCE

(6A) 417 NW TO TEL POLE  
 SET MONUMENT 1293 W OF COR SEC 6  
 256 S TO FENCE  
 267 N TO FENCE  
 750 SW TO SW COR CEMENT POST  
 962 NW TO NE COR END WAL COPING

(7) SET MONUMENT STONE  
 310 NE TO 12" WALNUT  
 280 SE TO TEL POLE  
 995 NW TO POWER POLE  
 1310 W TO MONUMENT SEC LINE NORTH



12/

(6) SET MONUMENT STONE

232 S To Cap Post

245 N To FENCE

49.3 NE To 50" MARK

31.5 NW To 30" "

(6A) SET MONUMENT - S 1/4 COR SEC 22 T9 N


37.9 N To 30" MARK

60.5 NE 2" "

26.2 N To 30" To Cap Post


50.3 S To TEL. POLE

77 N P 40.



1 SET IRON BAR  
 67.9 FT. SW TO MARSH TREE  
 112.3 FT SW TO NW CORNER  
 54.7 FT. S TO CENTER MAIN RR TRACK  
 533.

3 STONE WEST OF N.E. SITCH  
 18.7 FT WEST OF FENCE POST IN  
 LINE WITH N. EDGE OF TITCHE -  
 RUNNING EAST



17

714 R 7 W

5279

16

76.83

2.9792 12.006

5280

5.505

2.014

1.315


SLING MACHINE

5 SET MONUMENT  
 368 S.E. TO TEL. POLE  
 960 S.E. TO 14" MAPLE  
 217 N. TO FENCE  
 344 S.W. TO CORNER POST  
 1100 W. TO MONUMENT SECTION N.

POINT 3 SEC 33 SET MONUMENT  
 337 N.W. TO 14" MAPLE  
 SA 303 S.W. TO TEL. POLE  
 429 N.E. TO POWER POLE  
 323 N.E. TO CORNER POST


6 SET MONUMENT  
 1172 W. TO 1/4 CORNER MON. SEC. 33-78-44  
 521 S.E. TO TEL. POLE  
 299 N. TO FENCE  
 248 S. TO FENCE  
 1327 N.E. TO END OF NEXT WALL CONCRETE

6A SET MONUMENT 3795 E. OF E. FENCE BRIDGE  
 - 5/4 COR SEC 33-78-44  
 307 S.W. TO TEL. POLE  
 304 N. TO FENCE  
 308 S. TO FENCE





① SET MONUMENT - STONE  
 15.3 FT SE TO TEL POLE  
 187.5 TO ECEN RR TRACK  
 99.4 FT NE TO SIG. POST  
 132.5 N TO COR POST FENCE RUNNING NORTH




② SET MONUMENT - STONE  
 54.5 NW TO TEL. POLE  
 36.4 N. TO CEN. RR TRACK  
 45.9 EAST TO COR. POST  
 142.3 NW TO COR. POST

3 MONUM. 18 SET SOUTH OF CEN. RR TRACK  
 15.3 SE TO TEL. POLE  
 99.4 NE TO SIGNAL POST  
 132.5 N TO COR. POST FENCE R. WINDING N. E.


① SET MONUMENT STONE  
 121.9 S. W. TO BLAZE IN 20" RED LUM  
 135.4 S. W. " " " 30" " "  
 29.5 S TO CEN. POST  
 26.9 W " " "

⑦ SET-MONUMENT-STONE  
 14.8 NW TO SE. CORNER OF HOUSE  
 23.8 S. TO E & W FENCE LINE  
 25.6 N TO CORNER POST



① SET-MONUMENT- STONE  
 64.8 NW TO SE CORNER OF HOUSE  
 23.8 S. TO E & W FENCE LINE  
 25.6 N. TO CORNER POST.

⑤ SET MONUMENT- FOUND STONE  
 1.0 E TO FENCE RUNNING SOUTH  
 3.0 N TO S ROAD FENCE  
 51.2 N TO FENCE LINE N SIDE RD  
 27.1 W TO MONUMENT SEC LINE N.



⑤


① SET-MONUMENT- IRON PIN  
 67.3 NE TO POWER POLE  
 40.7 SE TO CORNER POST  
 67.5 SW TO CORNER POST  
 44.8 NW TO CORNER POST.

③ SET-MONUMENT- STONE  
 64.8 NW TO SE CORNER OF HOUSE  
 23.8 S. TO E&W FENCE LINE  
 25.6 N. TO CORNER POST.

② SET-MONUMENT  
 16.5 E. OF N&S FENCE.  
 131.9 NW TO TELEPHONE POLE  
 30.6 SW TO CORNER POST  
 29.4 NW TO CORNER POST

④

77N P 4 W



⑧ SET-MONUMENT NTS PD LINE OF FENCE  
 77.6 NE TO POWER POLE  
 39.7 E TO CORNER POST  
 40.0 W TO CORNER POST

⑦ SET-MONUMENT  
 47.0 SW TO FERRETIC MARKER  
 49.7 SW TO TEL POLE  
 0.4 SE TO  
 95.3 NE TO POWER POLE

⑥




⑥ SET MONUMENT STONE  
 36.4 E. TO N. TR. RR TRACK  
 54.5 N.W. TO TEL POLE  
 36.7 SW TO COR POST TR  
 45.9 EAST TO COR POST  
 142.3 N.W. TO COR POST

③ SET MONUMENT  
 32.9 E. TO N.W. CORNER OF SHED  
 80.5 S.W. TO BLAZE IN 30" MAPLE  
 132.5 N.W. TO NE COR SCHOOL FOUNDATION

⊗ SET MONUMENT - CENTER OF SECTION 14  
 96.5 SE TO S.W. CORNER HOUSE FOUNDATION  
 51.6 E. TO BLAZE IN 24" MAPLE  
 31.9 E. TO CORNER POST  
 26.9 W. TO CORNER POST

⑤ SET MONUMENT STONE  
 188 N. TO CEN RR TRACK  
 153 SE TO TEL POLE  
 132 E. TO COR POST FENCE RUNNING NORTH  
 99.4 NE TO SIG POST

⑦ SET MONUMENT - STONE  
 121.9 SW TO BLAZE IN 20" RED ELM  
 12.5.4 SW " " " 30" " "  
 29.5 S TO COR POST  
 26.9 W. " " " "




26

⑤ SET MONUMENT STONE  
 121.9 S.W. TO 20" RED ELM BLAZED  
 125.4 S.W. TO BUZZE IN 30" RED ELM  
 29.5 S. TO COR. POST  
 26.9 W. TO " "

⑦ SET MONUMENT STONE  
 31.7 SOUTH TO MOST SOUTHERLY COR. POST  
 29.3 N. TO COR. POST  
 183.0 N.E. TO SW COR. SCHOOL HOUSE

⑥ SET MONUMENT FOUND IRON PILE  
 26.8 SOUTH TO W GATE POST  
 52.4 S.E. TO TEL. PILE  
 35.8 N. TO COR. POST  
 37.1 S.E. TO 5" RED OAK TREE

11/11/11





2

1 = NE. QUARTER BY FENCE CORNER POST

5930.5

1111700






③ = NE COR. PROTECTIVE FENCE (OR POST)

④ SET MONUMENT W

32.8 FT. TO NW CORNER DESHD  
80.5 SW. TO BLAZE IN 30" MAPLE  
130.5 N.W. TO NE COR. SCHOOL FOUNDATION

5255.5





11/11/74

5270.1

2648

1076.3 2854.8

31

5280

5

3.2

5230

2600

9

19 25 2650

5900

1700 2600

5235,5


15

⑦ SET-MONUMENT-STONE  
18.8 N TO CENTER-OF-RR TRACK  
15.3 SE TO TELEPHONE POLE  
99.4 NE TO RR SIGNAL POST-




35

5293.7



2636.7




$$\begin{array}{r} 13.2 \\ 11.5 \\ \hline 16.2 \\ 19.1 \\ \hline 8 \frac{1}{2} \end{array}$$





2100

NEED P. 24  
 10.6 effect



$$\begin{array}{r} 21 \\ 37 \\ \hline 176 \end{array}$$

$$\begin{array}{r} 16 \\ 25 \\ \hline 8 \frac{1}{2} \end{array}$$



25






7) SET MONUMENT AT FENCE INTERSECTION  
22 E TO 14" HEDGE

8) SET MONUMENT  
3825 SE TO 16" CALTAPA  
361 SW TO 12" POST  
468 NW TO TEL POLE  
704 SE TO " "

4) SET MONUMENT  
347 SE TO COR POST  
352 SW TO " "  
328 NW TO " "  
425 NE TO POST N SIDE FARM ENTRANCE

5) SET MONUMENT  
191 W TO STONE  
163 W TO FENCE POST  
9.3 E TO EAST DRIVEWAY FENCE  
58.5 NW TO TEL POLE

2) SET MONUMENTS P.I. FENCE N+S+W  
5.6 S TO 6" WILD CHERRY



6) SET MONUMENT ON W SIDE COR POST  
71.1 E TO 18" WALNUT  
144 N TO 14" W OAK GATE POST

1) SET MONUMENT - CORNER SIDE OF  
COR. POST INTERSECTION N+S-E+W FENCE

3) SET MONUMENT -  
112.1 SE TO 10" HICKORY  
24.9 W. TO STONE  
24.8 E TO COR. FENCE POST

⑥ SET MONUMENT ENT  
 ON FENCE PI N+ST+W.  
 5.6 S. To 6" W. DOG HARRY


⑤ SET MONUMENT CENT. P  
 112.1 SE To 10" H C C R  
 24.9 W. To ST. 1 =  
 24.8 E. To COR GATE POST

⑦ SET MONUMENT - ON EAST SIDE  
 OF COR POST - No 0 1 2 3 4

⑧ SET MONUMENT - STONE  
 35.5 SE. To POLE OR POLE  
 42.9 S. To 3" DIA 16" MAPLE  
 55.7 SW. To 18" BLAZED MAPLE  
 33.2 N. To CONCRETE POST

① SET MONUMENT FOUND STONE  
 89.2 N. To 36" COTTONWOOD  
 1.0 N. To COR POST  
 54.0 W. To NWC. P. SEC 2-76-30

④ SET MONUMENT - IRON PIN  
 103.2 W. To 2 1/4" N. PILE  
 156.1 NW. To 36" COTTONWOOD  
 28.8 NE. To COR. POST  
 51.2 SE " "  
 69.0 SW. To " "








① SET MONUMENT - FOUND STONE  
 32.0 NW To 14" BLAZED APPLE  
 78.8 E. TO EVERGREEN GROUP  
 1.0 W TO CORNER POST.

⑧ SET MONUMENT - FOUND OLD OAK STAKE  
 31.1 N To STEEL CORNER POST  
 45.1 NW To CORNER POST  
 38.9 NE To 12" PINE TREE  
 30.15 S To CORNER POST.

⑦ SET MONUMENT - E. SIDE OF RD.  
 32.7 W. To CORNER POST  
 16.6 N. To CORNER POST  
 16.7 S. To CORNER POST

⑥ SET MONUMENT  
 16.15 W To W Gate Post  
 0.9 E To C. R. Post

④ SET MONUMENT - HUB  
 29.9 N. To CORNER POST.  
 30.9 S. To CORNER POST.  
 38.3 SE To TELEPHONE POLE  
 42.8 NW. To FENCE POST.



③ SET MONUMENT - INTERSECTION WITH FENCE  
 70 N. To 1/2 BRACKET POST

⑤ SET MONUMENT -  
 W. W. E. FENCE LINE  
 No - OTHER - TIES  
 24.8 To 12" PINE TREE  
 14.6 S To 12" PINE TREE

② SET MONUMENT FENCE BOUNDARY LINE  
 60.1 W To 14" ELM  
 88.7 N To 12" HICKORY  
 96.2 NE To 14" BUR OAK




① SET-MONUMENT-E. SIDE-OF-ROAD  
 32.7 W. TO CORNER POST  
 16.6 N. TO N. FARM ENTR. POST  
 16.7 S. TO S. FATE POST.

② SET-MONUMENT-  
 N+W+E FENCE LINES  
 NO-OTHER-TIES.

③ SET MONUMENT - STONE  
 28.1 SE. to 8" WILD CHERRY  
 39.7 S. to COR POST  
 29.2 N. to " "  
 96.75 NE. to TREE POLE.

④ SET MONUMENT  
 26.3 N. to 6" BOX ELDER  
 2.8 S. to 8" HEDGE

⑤ SET MONUMENT - IRON PIN  
 30.8 S. to COR POST  
 44.4 S. W. to " "  
 36.5 N. to " "  
 128.2 NE. to 30" PLAZED MAPLE  
 113.1 SW. to 10" " CEDAR



⑥ SET MONUMENT  
 72 N. TO N. END OF BRIDGE  
 144 NE. TO NE. COR. BRIDGE  
 28.5 W. TO COR POST  
 141.6 SE. TO 12" 14" COR. BRIDGE


⑦ SET MONUMENT - FOUND STONE  
 0.5 S. TO COR POST  
 1.7 N. TO " "

⑧ SET-MONUMENT-  
 161.5 W. TO W. FATE POST  
 09 E. TO CORNER POST

- ⑧ SET MONUMENT  
 347 SE TO COR POST  
 352 SW TO " "  
 328 NW TO " "  
 425 NE TO POST N. S. D. E. & ENTRANCE

- ⑦ S. MONUMENT  
 191 W TO STONE  
 16.3 W TO ENC. POST  
 E. O. DR. E. W. I. E.  
 58. - N. N. 1. EL POLE

- ① S. MONUMENT CENT. R. O. F. ROAD  
 1121 SE 0 10' W. ROAD,  
 240 N TO STONE  
 248 E TO COR POST & GATE POST






(3) SET MONUMENT CEN. EDWARD FENCE  
 31.5 N TO 30" IRONED P.M.  
 71.8 SW TO TEL. POLE  
 101.7 E. TO WEST END OF S. HAND TRAIL BRIDGE

(2) SET MONUMENT IRON PIN  
 46.2 N TO 16 HACKBERRY  
 84.7 N TO SW COR SCHOOL HOUSE  
 33.5 N TO CAR POST  
 33.1 S TO CAR POST

(1) SET MONUMENT - UNDER BRIDGE  
 7.2 N TO END OF BRIDGE  
 14.4 N TO NE COR BRIDGE  
 28.5 W TO CAR POST  
 141.6 SE TO 12" HACKBERRY

(8) SET MONUMENT STONE  
 30.0 E TO POST  
 29.8 W TO CAR POST  
 10.51 SW TO TEL POLE



5252.2


29

5276.8 2693 1350

5244.3

① SET-MONUMENT-  
 22.5 E. To 6" CORNER Post.  
 27.1 NE. To 12" W. OAK Post  
 48.2 W. To 14" W. OAK Post

② SET-MONUMENT-  
 5.71 W. To 5 1/2" OAK Post






(7) SET MONUMENT - STONE  
 55.1 SE 5" BLAZED ELM  
 43.7 SE TO CORNER POST  
 45.6 SW TO CORNER POST  
 43.5 NW TO CORNER POST

(1) SET - MONUMENT - IRON PIN  
 33.8 S. TO CORNER POST  
 161.9 SE TO 10" PINE TREE  
 62.8 NE TO CORNER POST  
 72.1 NW TO 8" LOCUST TREE

(8) SET - MONUMENT -  
 27.1 E. TO CORNER POST  
 32.4 W. TO CORNER POST

(3) SET MONUMENT - STONE  
 31.7 S. TO COR. POST 10 FT SOUTHERLY  
 29.7 N. TO COR. POST  
 183.0 NE TO SW COR. OF School House

(2) SET MONUMENT = STONE -  
 27.95 NE TO TELEPHONE POLE  
 71.0 NE TO GUY WIRE POLE  
 40.0 SE TO TELEPHONE POLE  
 45.6 SW TO FENCE POST.




③ SET MONUMENT - STONE  
 55.1 SE. TO 5" BLAZED ELM  
 43.3 SE TO CORNER POST  
 45.6 SW TO CORNER POST  
 43.5 NW TO CORNER POST.

④ SET MONUMENT - IRON PIN  
 68.7 SW TO 18" BOVELDER  
 59.8 SW TO 16" "  
 77.6 SW TO NE COR. RESIDENCE  
 41.8 NW TO COR. POST

⑤ SET MONUMENT - ON LINE WITH FENCE S.  
 22.3 NE. TO 46" BLAZED COTTON WOOD  
 22.3 S. TO CORNER POST  
 26.4 S. TO 10" BLAZED ELM  
 22.7 N. TO FENCE LINE

⑥ SET MONUMENT  
 52.5 N.E. TO 24" ELM.  
 50.5 NW TO 20" ELM.  
 134.6 E. TO S.E. COR. SEC 32-78-3W

⑦ SET MONUMENT  
 47.0 SW TO GROUND MARKER  
 49.7 SW TO TEL POLE  
 62.7 S. TO TEL POLE  
 95.3 N.E. TO POWER POLE




⑤ SET-MONUMENT - STONE  
 55.1 SE TO 5" BLAZED ELM  
 43.3 SE TO CORNER POST  
 45.6 SW TO CORNER POST  
 43.5 NW TO CORNER POST.

③ SET-MONUMENT - IRON PIN  
 33.8 S. TO CORNER POST  
 161.9 SE TO 10" PINE  
 62.8 NE TO CORNER POST  
 72.1 NW TO 8" BLAZED LOCUST.

④ SET-MONUMENT  
 27.1 E. TO CORNER POST  
 32.4 W. TO CORNER POST

① SET MONUMENT - IRON PIN  
 199.6 SE TO NW COR. POPEH  
 37.5 NW TO 50" W. ELM


7 SET MONUMENT - IRON PIN  
 682 SW TO 18" BOX ELDER  
 578 SW TO 16" "  
 776 SW TO NE COR. RESIDENCE  
 418 NW TO COR POST



⑧ SET MONUMENT - FOUND STONE  
 117.1 NE TO 20" BLAZED RED OAK  
 50.9 SE TO 8" " HEDGE  
 33.15 E TO COR POST  
 33.15 W TO " "

⑥ SET MONUMENT - ON LINE WITH FENCE SOUTH  
 229.3 NE TO 40" BLAZED CATTAN WOOD  
 22.3 S. TO CORNER POST  
 26.4 S. TO 10" BLAZED ELM  
 22.7 N TO FENCE LINE

② LOCATED IN PINE TRAIL



## ① SET MONUMENT - STONE

28.6 SE to 8" WIND CHERRY

29.7 S. to COR POST

29.2 N to " "

96.95 NE to TEL POLE

## ② SET MONUMENT - IRON PIN

30.8 S to COR POST

44.4 S. N to " "

30.5 N to " "

128.2 N.E. to 30" BARBED WIRE

113.1 S.W. to 10" " CORN

## ③ SET MONUMENT - UNDER BRIDGE

7.2 N. to EN<sup>N</sup> OF BRIDGE

14.4 N.E. to NE COR BRIDGE

28.5 W to COR POST

141.6 SW to 12" HICK BERRY

## ④ SET MONUMENT FOUND STONE

30.0 T. Post

29.8 W. to COR POST

105.1 SW to TEL POLE

(59.21.5)

5347 5347 1246 26926 4047 5294

5246 139668

46534


13467 26768 40824

5336.47

(13)

(5318.9)

- ③ SET-MONUMENT-STONE  
 34.0 N. TO CORNER POST.  
 38.8 SW. TO CORNER POST  
 42.0 SE. TO CORNER POST  
 58.9 NW. TO POWER POLE




- ③ SET MONUMENT IRON PIN  
 682 SW TO 18" BOX ENDER  
 598 SW TO 16" "  
 776 SW TO HECOR RESIDENCE  
 414 NW TO COR POST

- ① SET MONUMENT - FOUND STONE  
 340 N. TO COR POST  
 388 SW TO " "  
 420 SE TO " "  
 589 N.W. TO POWER POLE

- ② SET MONUMENT - FOUND STONE  
 601 NE TO POWER POLE  
 330 N TO FENCE LINE  
 330 S. TO COR POST


- ⑤ SET MONUMENT.  
 52.5 NE TO 2 1/2" ELM  
 50.5 NW TO 2 1/2" ELM  
 1346 E. TO S.E. COR SEC. 32-78-3W



- ⑦ SET-MONUMENT-IRON PIN  
 33.8 S. TO CORNER POST.  
 161.9 SE. TO 10" PINE TREE  
 62.8 NE. TO CORNER POST.  
 72.1 NW. TO 8" LOCUST TREE.

- ⑧ SET-MONUMENT STONE  
 317 SE TO NE. SOUTHERLY CORNER POST  
 193 N. to CORNER POST  
 183.0 NE TO SW. CORNER SCHOOL HOUSE

- ⑨ SET-MONUMENT - STONE  
 27.95 NE. to TEL. POLE  
 71.0 NE. to GUY WIRE POLE  
 40.0 SE. to TEL. POLE  
 45.6 SW. to FENCE POST



10/

⑤ SET-MONUMENT-IRON PIN

33.8 S. TO CORNER POST

161.9 SE. TO 10" PINE

62.8 NE TO CORNER POST.


72.1 NW. TO 8" LOCUST TREE

⑦ SET MONUMENT IRON PIN


199.6 SE TO NW COR. PATCH

37.5 NW TO 5" W. ELM

⑥ N. MONUMENT 1/4 AC IN PINE RUN




- ③ SET MONUMENT IRON PIN  
199.6 SE TO NW COR POST  
37.5 S TO 50" W.P.M
- ④ SET MONUMENT STONE  
1171 E TO BLAZED 0" POST ORN  
509 SE 0 8" W H.P.E  
33.15 E TO COR POST  
33.15 W 1 1/2" TO
- ⑤ SET MONUMENT IRON PIN  
68.2 SW TO 18" BOLL D.I.P  
598 S TO 16" " "  
77.6 SW TO N.F.COR P.E.S.I.T.H.
- ⑦ SET MONUMENT FOUND STONE  
34.0 N TO COR POST  
38.8 SW TO " "  
42.0 SE TO " "  
58.9 NW TO POWER PILE
- ⑥ SET MONUMENT FOUND STONE  
60.4 NE TO POWER PILE  
33.0 N TO FENCE LINE  
33.0 S TO COR POST



⑤ SET MONUMENT - IRON PIN.  
 199.6 SE TO NW COR PORCH  
 37.5 NW TO 50' W ELM

① SET MONUMENT FOUND STAKE  
 2799 EAST TO 40" HAZELBERRY  
 589 SE TO 8" RED HORN  
 129 EAST TO EAST GATE POST



① SET MONUMENT  
 30.0 N. 112.0 W. 100.0  
 38.4 E. 75.0  
 30.15

② SET MONUMENT  
 30.0 N. 112.0 W. 100.0  
 38.4 E. 75.0  
 30.15

30


64

① SET-MONUMENT-STONE  
 32.0 NW TO 14" BLAZED APPLE  
 78.8 E. TO EVERGREEN GROUP  
 1.0 W. TO CORNER POST

② SET MONUMENT AT INTERSECTION OF E-W. N. FENCE.  
 7.0 N TO N BRACE POST

③ SET MONUMENT (FENCE S-E-W)  
 60.1 W. TO 14" ELM  
 98.7 N. TO 17" HICKORY  
 96.2 N.E. TO 14" BUR OAK

4 SET MONUMENT @ PROPERTY ONLINE  
 WITH HEDGE S-E-W.  
 41.0 S. TO 6" BRIDGED HEDGE  
 55.9 S.E. TO POWER POLE  
 68.5 N.W. TO TEL POLE






① SET MONUMENT - CEN E + W RD. FENCE NORTH  
 31.5 N. TO 30" BLAZED 30" ELM  
 71.8 SW. TOTAL POLE  
 101.7 E TO W. END OF SOUTH HAND RAIL TRIPIDG =

② SET MONUMENT - FOUR STONE  
 29.6 S. TO 14" COR. POST  
 53.1 NW. TOTAL POLE  
 44.5 NE TO COR. POST  
 40.4 SE TO TOTAL POLE =


③ SET MONUMENT FOUR STONE  
 27.9.9 EAST TO 40" HOOKED END  
 58.9 SE TO 8" RED HAW  
 12.9 EAST TO EAST GATE POST



61  
⑦ SET MONUMENT FOUND STONE  
279.9 EAST TO 40 HICK BERRY  
58.7 SE TO 8" RED HAW  
12.9 E TO EAST GATE POST


① SET MONUMENT  
19.1 W TO STONE  
16.3 W TO POST  
9.3 E TO EAST DRIVEWAY FENCE  
58.5 NW TO TEL POLE

⑧ SET MONUMENT  
22.5 N TO 30" WALNUT  
108.4 S TO 36" ELM  
16.8 SE TO 8" ELM







⑦ SET MONUMENT  
 112.1 SE TO 10" HICKORY  
 249 W TO STONE  
 249 E TO CORNER POST



⑧ SET-MONUMENT-IRON PIN  
 103.2 W. TO 24" MAPLE  
 156.1 NW. TO 36" COTTON WOOD  
 28.8 NE. TO CORNER POST  
 69.0 SW. TO CORNER POST.





69








72




73


19



74



20





CEN SEC SET MONUMENT = FOUND STONE

1558 SE TO 24" PINE TREE

24.45 So To COR POST

26.6 N. To FILE CONCRETE POST


91.7 SW To 18" ELM

SET MONUMENT

4 12.04 SE TO 24" OAK TREE

33.85 W. To COR POST

40.70 NE COR POST



5199.2	52206	52501	52574	52791	52791
18	17	16	15	14	13
5198.8	52516	52470	52510	52859	52437
19	20	21	22	23	24
5198.1	51558	52658	52483	52500	52966
20	29	28	27	26	25
5197.4	52173	51988	52051	53024	52866
21	22	23	24	25	26
51678	5280	5280	5280	5282	52502

13258 5319

5321.  
~~2641.8~~  
~~26000~~  
~~13048~~  
~~26522~~

5293.6  
 5321.0  
 10614.6  
 5307.3

2663  
~~2655~~

118  
 72

53210  
 53073  
 13.7

2663  
 26418  
 53048  
 22524  
 41.8  
 10.6

26490  
 1324

