

4 FOUR-CORNER

MUSCATINE-COUNTY

DIETZGEN

77-3W

FIELD BOOK

Book 1

No. 403P

LAKE-TOWNSHIP

77-N-R-3-W

Checked 10/4/39 - E.A.O.

(A)

County Closed July 1, 1942

Index for Books # 1-2-3 77-362

| | | | | | |
|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| ⁽²⁾ 6 | ⁽¹⁷⁾ 5 | ⁽¹⁾ 4 | ⁽³⁾ 3 | 2 | ⁽¹⁾ 1 |
| ⁽⁷⁾ 7 | ⁽⁸⁾ 8 | ⁽⁹⁾ 9 | 10 | 11 | ⁽²⁰⁾ 12 |
| ⁽⁷⁾ 18 | ⁽¹⁶⁾ 17 | ⁽¹⁵⁾ 16 | 15 | ⁽²²⁾ 14 | ⁽¹³⁾ 13 |
| ⁽¹⁹⁾ 19 | 20 | ⁽²¹⁾ 21 | 22 | ⁽²⁴⁾ 23 | ⁽²⁴⁾ 24 |
| 30 | 27 | ⁽¹⁸⁾ 28 | ⁽¹⁶⁾ 27 | ⁽²¹⁾ 26 | ⁽¹⁴⁾ 25 |
| ⁽¹³⁾ 31 | 32 | ⁽¹²⁾ 33 | ⁽¹⁸⁾ 34 | ⁽¹⁷⁾ 35 | ⁽¹⁴⁾ 36 |

Books # 1 plain
 Book # 2 ○
 Book # 3 □

7-17-42

Final check
 9-21-42

*HVA

E. Co. Sec. 11 - 77-5W
 W¹/₄ CORNER - Sec-12-T77N-R-3-111
 AT-Point-INDICATED-BY-MEASURE
 DUG-AND-FOUND-A-RED-GRANITE
 STONE-17"X15"X12". NO-OTHER-
 EVIDENCE-FOUND-LOVERED-
 SAME-AND-PLACED-MONUMENT
 MON-SET-IN-CORNER-ROAD-IN-LINE
 WITH-W-FENCE-LINE.


30.7' E. OF X SPKS-IN-CORNER POST
 724.2' ^{NNE} N. OF N. END-OF W. GUARD-RAIL-BRIDGE
 33.7' NE. OF X SPKS-IN-S. GATE POST
 133.8' NW. OF X SPKS-IN-6" BOX ELDER
 217.3' SE. OF X SPKS-IN-6" HEDGE

MONUMENT BORED-12" DEEP

11-12

STAMPED

16-1-39



N. END OF
 W. RAIL. BRIDGE

NE CORNER - Sec - 11 - T12N - R - 3 - W

AT FENCE - CORNER - FOUND - A -
RED - GRANITE - STONE - 13" X 15" X 8"
POINT - EXPOSED - NO - OTHER -
EVIDENCE - FOUND - LOWERED -
SAME - END - PLACED - MON. BY KE
MON. SET - IN - LINE - WITH - S.
FENCE - AND - N. OF W - FENCE.

182.6' N. OF X SPKS - W. E. TWIN 8" BIRCH
50.8' E. OF X SPKS - IN - 18" W. OAK
66.3' NE. OF X SPKS - IN - 20" W. OAK
87.3' E. NE. OF X SPKS - IN - 30" W. OAK
2.0' N. OF X SPKS - IN - CORNER POST


MONUMENT SURFACE LEVEL

$\frac{2}{11}$
 $\frac{1}{12}$

STAMPED -

X

6-2-39




3
 NE CORNER - Sec - 10 - T11N - R. 3 - W
 NEAR POINT INDICATED BY
 RANDOM LINE AND APPROX. MEAS.
 LINE ACROSS CEDAR RIVER
 FOUND A NIGGER HEAD 12" X 10" X
 9" EXPOSED 2" ABOVE SURFACE
 LOWERED SAME AND PLACED
 MON. ABOVE

258.7' NW OF XSPKS - IN 36" ELM
 91.2' N OF XSPKS - IN 18" WALNUT
 286.1' N^{NE} OF NE COR. OF COTTAGE
 176.2' S OF S. SIDE OF E. END OF SALSBURY BR.
 142.9' SE OF XSPKS - IN 24" OAK
 138.3' W OF XSPKS - IN 24" W. OAK
 116.3' NE OF NE COR. OF "ALL INN" COTTAGE

MONUMENT SURFACE - LEVEL -

3
 2
 10 H

STAMPED -



N⁴ CORNER - Sec - 10 - T T N - R 3 - W

AT PRO PORTIONATE - DISTANCE -

FRAM E. OF NW COR. Sec - 9 - 1N -

20 E. + W. ROAD - FOUND - A - LIME

STONE - 6" X 8" X 10" WITH CROSS -

MARK. ON TOP ALSO - E. WOODEN HUB

LOVERED - SAME - AND - PLACED -

MON. ABOVE.

33.6' N. OF XSPKS - IN - TEL. PILE

157.5' SW. OF XSPKS - IN - POWER PILE

146.7' SE. OF XSPKS - IN - POWER PILE

1292.3' E. OF NE COR. OF E - T - JEWETT - RES.

55.0' SW. OF WOODEN - HUB


55.0' SE. OF WOODEN - HUB

MONUMENT - BURIED - 12" DEEP

3

STAMPED - 10

6-1-39




E. T.
JEWETT
RES.

5
 NE CORNER SEC-49-T77N-R3-W
 MONUMENT- PREVIOUSLY SET BY A.T.
 RYEN- WHOSE NOTES SHOW A
 STONE WAS FOUND MON SET
 IN 2 OF E+W. S. ROAD AND IN
 LINE WITH N. FENCE LINE

~~32.8' NE OF XSPKS IN CORNER POST~~
 58.8' NE OF U.S. Geol. Man. TT 45
 42.1' NW OF XSPKS IN CORNER POST
 58.9' S. OF I.A. Geodetic # 613
~~34.0' S. OF XSPKS IN CORNER POST~~
~~58.9' SE OF XSPKS IN RIVER TAIL~~

Duplicate of R. 3. 2
 Same as BK 42 pⁿ

6-1-39



Reset Sec.
 Cor Monument
 1' below rd.
 Elev. May 2,
 1969
 McFadden
 Miller
 Fuegen

W⁶⁴ CORNER - Sec - 7 T77N - R 3 - W
 MONUMENT - PREVIOUSLY - SET BY
 F. T. RYAN. WHOSE - NOTES - SHOW
 A - STONE - WAS - FOUND. MON.
 SET - ON - E. SIDE - OF - LINE #16
 IN - LINE - WITH - E + W - FENCE LINES.

*Some
 as found
 in Book 2
 page 35*

- 154.2' W. SW. OF SW COR OF CORN CRIB
- 60.4' SW. OF SW. COR OF FARM BARN
- 13.7' W. OF V. SPKS. IN - CORNER POST
- 12.3' W. OF V. SPKS. IN - TEL. POLE
- 56.4' E. SE. OF V. SPKS. IN - TEL. POLE
- 63.6' E. OF V. SPKS. IN - CORNER POST
- 140.6' S. OF TA. GEODETIC # 70-47

MONUMENT - BURIED - 12" DEEP


12-7

(STAMPED)

*Retired 10-16-40
 has almost the same*

*See Book 2
 page 35*

8-15-39




N⁷/₄ CORNER Sec-18-T77-N-R-3-W

MONUMENT PREVIOUSLY SET REL. TO IT
BY AN UNK. HOUSE - NOTES SHOW A STONE
WAS FOUND MON. IS. SET IN. &
OF E. W. ROAD - IN LINE WITH N.
LINE FENCE.

40.0' NW. OF X SPKS. IN TEL. POLE
70.9' SW. OF X SPKS. IN TEL. POLE
209.5' SW. OF X SPKS. IN 3 1/2" MAPLE
29.4' S. OF X SPKS. IN CORNER. P.C.T.
2 7/16' NE. OF NE. CORNER. OF FORM. P.C.S.
249.9' NE. OF NE. CORNER. OF FARM BARN.
100.3' E. N.E. OF X SPKS. IN TEL. POLE
MONUMENT BURIED - 12" DEEP

7
STAMPAD - 18



8
S.W. CORNER - P.O. - 7 - T.T.N. - P. 9 - W

MONUMENT - PREVIOUSLY - SET - BY

J. J. FLAN - WHOSE - NOTES - SHOW -

IT - STONE - WAS - FOUND - MON. SET

IN - B. OF E + W - ROAD - IN - LINE -

WITH - W. LINE - ROW FENCE - N.

END - S. FENCE LINE

183.0' S.W. OF S.W. COR. OF ADAMS - DIST. 1 - School

59.3' S.E. of Iron Row Marker

64.5' N.E. of " " "

69.9' N.W. of " " "


57.8' S.W. of " " "

MONUMENT BURIED - 17" DEEP

127

STAMPED - 1318

8-15-59



NE CORNER Sec-19-T72N-R3W

DUG-IN N. ROAD-AND-IN-LINE-
WITH-SECTION-LINE-FENCE-FW
AND-FOUND-ON-E. SIDE-OF-ROAD
A-LIME-STONE 10" X 5" X 6" BOWERED
SAME-AND-PLACED-MON. TRKE.

- 144.7' E. SE. OF XSPKS-IN-40" ELM-TREE
- 139.1' SE. OF XSPKS-IN-24" BURR OAK
- 144.7' E. SE. OF XSPKS-IN-N. TWIN 18" HICKORY
- 31.0' E. SE. OF XSPKS-IN-30" BIRCH
- 89.2' W. SW. OF XSPKS-IN-36" OAK
- 71.0' W. SW. OF XSPKS-IN-18" BIRCH
- 99.3' SW. OF XSPKS-IN-30" OAK
- 31.0' W. OF XSPKS-IN-CORNER POST


MONUMENT-BURIED-12" D.C.D

15 17

19 20

STAMPED-

8-15-39



CULTIVATED
FIELD

CULTIVATED
FIELD

Same as BR 48 p. 5

11/4 CORNER. Sec. -24- T77N-R-3-W

MONUMENT- PREVIOUSLY-SET-BY-

J. J. RYAN- IN HIS NOTES- SHOW- A

STONE- MARK- FOUND- MONUMENT-

SET- IN- LINE- WITH- N-S, FENCES

FND- IN- LINE- WITH- W- FENCE.

1.2' S. OF X-SPKS- IN- CORNER POST

.5 N. OF X-SPKS- IN- CORNER POST

.4 W. OF X-SPKS- IN- CORNER POST


MONUMENT- BURIED- IN- DEC. P

23-14

STAMPED -

X

8-16-39




12 $\frac{1}{4}$ CORNER. Sec-26-T77-N-R-3-W
 MONUMENT. PREVIOUSLY SET BY
 J. H. RYAN. WHOSE NOTES SHOW
 A STONE WAS FOUND MONUMENT
 SET IN LINE WITH E/W FENCE
 LINE AND S. OF N. FENCE LINE.

.6 S. OF X SPKS - IN. CORNER POST
 71.0' W. OF X SPKS - IN. CORNER POST
 1.8' SW. OF X SPKS - IN. 16" WILD CHERRY
 156.2' SW. OF X SPKS - IN. 6" CEDAR
 36.8' SE. OF X SPKS - IN. 4" WILD CHERRY
 73.7' NW. OF X SPKS - IN. CORNER POST

MONUMENT SURFACE LEVEL

23
 |
 STAMPED - 26

8-16-39



13 NE CORNER - Sec - 26 - T7N - R. 3 - W

MONUMENT - PREVIOUSLY SET - 24 - 27 -
RYAN - WHOSES - NOTES - SHOW - A -
STONE - WAS - FOUND - MON. SET
AT - N. + S + W - FENCE - INTER - SECTION
AND - N. OF - W. FENCE - LINE


- .6 N. OF XSPKS - IN - CORNER POST
- 7.0' S. OF XSPKS - IN - FENCE POST
- 8.0' N. OF XSPKS - IN - BRACE POST
- 10.0' W. OF XSPKS - IN - BRACE POST

MONUMENT - SURFACE - LEVEL

23 24
 STAMPED - 26 28

X

8-16-39



Same as Blk 48 p 10

14 ^{F 4 - Lot. Rec. 25 - 17 - SW}
 CORNER - Sec - 25 - TTT - N - R - 3 - W
 MONUMENT - PREVIOUSLY SET - BY
 T - T - RYAN - WHOSE NOTES - SHOW
 A WOODEN - HOBB - WAS - FOUND - NO -
 OTHER ORIGINAL EVIDENCE FOUND
 MON. SET - 60' N OF $\frac{3}{4}$ OF - HWAY
 # 22 - IN - LINE - WITH - NTS - FENCES.


- 46.8' S of Iron R.O.W. Marker
- 58.1' ^{W 52° N} S.S.W. of Conc. Ref. Mon.
- 161.1' N.W. of X spks. in Pwn. Pole
- 73.1' N. of Iron R.O.W. Marker
- 111.4' N.N.E. of Conc. Ref. Mon.
- 59.9' E.S.E. of " " "

MONUMENT BURIED - 12" DEEP

26 - 25

STAMPED -

9-16-10



15 1/4 CORNER. Sec 35 T77N-R3-W
 MONUMENT. PREVIOUSLY SET BY J. J.
 RYAN. WHOSES NOTES SHOW AN
 IRON PIN WAS FOUND. MONUMENT
 SET IN E. OF COUNTY ROAD "X"
 AND IN LINE WITH E/W FENCE
 LINES.

33.5' E. OF XSPKS-IN-CORNER POST
 33.3' W. OF XSPKS-IN-CORNER POST
 36.5' SE. OF XSPKS-IN-GATE POST
 35.4' NE. OF-CEMENT-GATE POST
 37.9' NW. OF-STEEL FENCE POST
 34.8' SW. OF XSPKS-IN-GATE POST


MONUMENT BURIED-12" DEEP

26

STAMPED - 35

X

8-16-39



16 NE CORNER - Sec. 35 T-77-N-R-3-W
MONUMENT - PREVIOUSLY SET BY
J. T. RYAN. WHOSES NOTES SHOW
NO ORIGINAL EVIDENCE FOUND.
MON. SET IN LINE WITH E. W.
FENCES AND E. OF N. FENCE LINE.

.7 E. OF KSPKS - IN CORNER POST
8.0' E. OF KSPKS - IN FENCE POST
7.0' S. OF KSPKS - IN BRACE POST
18.0' W. OF KSPKS - IN GATE POST


MONUMENT SURFACE LEVEL

26 25

STAMPED - 35 36

X

- 8-16-39



E-35-77-3W
17W¹/₄ CORNER-SEC-36-T-72N-R-3W

MONUMENT PREVIOUSLY SET BY AT FT
PLAN-WHOSIS-NOTES-SHOW-A
STONE-WAS-FOUND-MON-SET-IN
E OF E+W ROAD-AND-IN-LINE
WITH-S HEDGE-LINE-FENCE.

41.0' N OF XSPKS-IN-6" HEDGE

55.7' NW OF XSPKS-IN-POWER POLE

175.6' ENE OF XSPKS-IN-POWER POLE

68.4' ESE OF XSPKS-IN-TECH. POLE

141.5' WSW OF XSPKS-IN-TECH. POLE


213.6' SE OF XSPKS-IN-24" OAK

382.0' NE OF NE COR OF MACHINE-SHED

MONUMENT-BURIED-12" DEEP

35-36

STAMPED -




18 ^{1/4} CORNER - SEC. 34 - T77N - R. 3 - W
 MONUMENT - PREVIOUSLY SET BY J. J. W.
 RYAN - IN HOSE'S NOTES - SHOW - A
 IRON - PIN - WAS - FOUND - MON. SET - IN
 E. OF N.E. ROAD. AND - N. OF E. OF
 E. W. ROAD.

114.4' S. SE. OF X5PKS - IN - CORNER POST
 38.8' W. SW. OF X5PKS - IN - CORNER POST
 98.9' NW. OF X5PKS - IN - POWER POLE
 51.4' NNW. OF X5PKS - IN - CORNER POST
 80.7' N. NW. OF X5PKS - IN - POWER POLE
 83.9' N. NE. OF X5PKS - IN - TEL. POLE
 69.0' N. NE. OF X5PKS - IN - CORNER POST
 159.6' NE. OF X5PKS - IN - POWER POLE
 103.1' E. OF X5PKS - IN - 30" MAPLE
 199.8' E. SE. OF SECOR. OF E.A. HITCHCOCK RES.

MONUMENT - BURIED - 12" DEEP

33 - 34

STAMPED -



19^{54 COR 11} 74-77-011
 NE CORNER-SEC-35-T-77-N-R-3W
 MONUMENT-PREVIOUSLY-SET-
 BY-J-E-RIAN-WHISES-NOTES
 SHOW-A-STONE-WAS-FOUND.
 MON. SET-IN-S. OF E-W ROAD
 IN-LINE-WITH-S. FENCE.


132.5' ESE. OF XSPKS-IN-POWER POLE
 33.2' S. OF CONCRETE-FENCE POST
 55.9' NE. OF XSPKS-IN-24" MAPLE
 123.9' NNE OF NE COR. OF STAR #4 School
 43.2' N. OF XSPKS-IN-20" MAPLE
 35.5' NW. OF XSPKS-IN-POWER POLE

MONUMENT-BURIED-12" DEEP

34-35

STAMPED-

8-16-39



20 NE. CORNER. Sec. 34-T.77N-R.3W

MONUMENT PREVIOUSLY SET

BY J. T. RYAN - WHOSES NOTES

SHOW A STONE WAS FOUND.

MONUMENT SET ON E. SIDE

OF N+S FENCE - IN LINE WITH

N+S E+W FENCES

14.4' W. OF X SPKS - IN E. GATE POST

13.0' E. OF X SPKS - IN W. GATE POST


MONUMENT SURFACE LEVEL

27 26

STAMPED - 34 35

✓

8-16-39




21 ^{42'-71'-30"}
 NW CORNER - Sec. 26 - T. 77-N. - R. 3-W
 MONUMENT - PREVIOUSLY SET BY
 J. J. RYAN - WHOSE NOTES SHOW
 A STONE WAS FOUND - MONUMENT
 SET ON S. side HIGHWAY #22 AND
 IN LINE WITH S. FENCE LINE

- 110.7' S.E. of Conc. Ref. Mon.
- 142.3' S.W. " " " "
- 36.1' N.E. OF XSPKS - IN W. GATE POST
- 142.2' NW. OF NW. COR. OF FARM - RES.
- 44.5' N. OF XSPKS - IN 24" COT. ALPHA
- 63.3' N.W. of XSPKS in Pwr. Pole
- 34.8' N.N.W. of Conc. Ref. Mon.
- 54.8' N.E. of " " "

27 - 26

STAMPED -

8-16-39



See also BK 48 p 13


22 NW CORNER - Sec 27 - T77-N-R-3-W
MONUMENT PREVIOUSLY SET BY
C. F. RYAN - WHOSE NOTES SHOW
A STAKE WAS FOUND - MONUMENT
SET IN LINE WITH E-W FENCE
LINE - AND - N-S, FENCE.

71.2' W. OF ASPKS - IN - 18" WASH. TREE
14.5' S. OF ASPKS - IN - N. GATE POST
300.5' E. OF ASPKS - IN - 24" WILD CHERRY

MONUMENT SURFACE - LEVEL

27
STAMPED - 27

8-16-39



23 NE CORNER - Sec. 27-T.77N-R.3-W
MONUMENT - PREVIOUSLY SET BY J. J. AT-
RYAN - WHOSE NOTES SHOW IT
STONE WAS FOUND - MONUMENT
SET IN E. 1/4 N. FENCE -
INTER-SECTION.

2.2' W. OF X SPKS - IN - 10" HEDGE

MONUMENT SURFACE LEVEL


22-23

27-26

STAMPED -

X

8-16-39



Some are OK 48 P 18

24 E. 1/4 COR. Sec. 22-71-2NW
W. 1/4 CORNER - Sec. 23 - T77N - R. 3 - W
MONUMENT - PREVIOUSLY SET BY
J. J. RYAN. WHOSE NOTES SHOW
A STONE WAS FOUND. MON. IS
SET IN LINE WITH E + W
FENCE AND N. OF S. FENCE.


.9 N. OF XSPKS IN CORNER POST
68.9' W. OF XSPKS IN 8" HEDGE.

MONUMENT SURFACE LEVEL

22 — 23

STAMPED

8-16-39



26 NE CORNER P. SEC-36-T.77-N-R-3-W

MONUMENT PREVIOUSLY SET BY J. T.

RYAN WHOSE NOTES SHOW A

STONE WAS FOUND MON. SET. 10'

W. OF N + S + W FENCE LINES.

32.4' E. SE. OF XSPKS-IN- 12" APPLE

53.5' SE. OF XSPKS-IN- 14" APPLE

132.3' S. OF XSPKS-IN- 15" HICKORY

133.5' SW. OF XSPKS-IN- 20" ELM

78.9' E. OF XSPKS-IN- 14" EVER. GREEN.

1.0' E. OF XSPKS-IN- CORNER POST

348.1' N. OF FENCE-LINE-EAST


MONUMENT SURFACE-LEVEL

25 30

36 31

STAMPED -

8-16-39



27 1/4 CORNER Sec-36-T.79-N-R.3-W

MONUMENT-PREVIOUS 14-SET BY HET

RYAN-WHOSSE-NOTES-SHOW-A

WOODEN-HUB-WAS-FOUND-

MON-SET-IN-LINE-WITH-W-FENCE-

AND-ABANDONED-FENCE-LINE-S.

AND-FENCE-LINE-N.

63.7' E. OF XSPKS-IN-CORNER POST

59.4' SE OF XSPKS-IN-18" ELM

110.0' S. OF XSPKS-IN-CORNER POST

88.3' S.S.W. OF XSPKS-IN-14" HICKORY

95.1' SW. OF XSPKS-IN-14" BURR OAK

96.0' W.S.W. OF XSPKS-IN-30" OAK


MONUMENT-SURFACE-LEVEL

25

STAMPED-

26

8-16-39



28 F 1/4 CORNER Sec. 25-T-77N-R-3W

MONUMENT PREVIOUSLY SET BY AT-IT
RYAN - WHOSE NOTES SHOW A WOODEN
HUB WAS FOUND - MON. SET 1.0' S. OF
S. OF HWY # 22 AND IN LINE WITH
E. ROW FENCE OF LANE - N.

- 817.0' E. OF S. OF RUBBERT
- 45.1' SE. OF XSPKS-IN-CORNER POST
- 87.8' SE. OF XSPKS-IN-48" MAPLE
- 31.1' S. OF STEEL-CORNER POST
- 38.9' SW. OF XSPKS-IN-12" PINE
- 142.4' W. SW. OF W. END OF N. HEAD WALL OF CULV
- 137.7' W. NW. OF W. END OF S. HEAD WALL OF CULV
- 30.1' N. OF XSPKS-IN-CORNER POST
- 30.0' N. OF XSPKS-IN-POWER PILE


MONUMENT BURIED - 12" DEEP

25-30

STAMPED -

See page 36

8-16-39



Time as Ste 48 470

29 NE CORNER-SEC-25-T-77-N-R-3-W

MONUMENT- PREVIOUSLY-SET BY-~~ST~~

RYAN-WHISE-NOTES-SHOW-NO-

ORIGINAL-EVIDENCE-FOUND-MON.

SET-ON-E-ROW-FENCE-LINE-INT-

LINE-WITH NTS, E & W. FENCES.

32.7' E. OF XSPKS-IN-CORNER POST

30.9' E. OF XSPKS-IN-POWER POLE

54.0' S. OF XSPKS-IN-TEL. POLE

16.4' N. OF XSPKS-IN-GATE POST

1.7' SW OF XSPKS-IN-TEL. POLE

17.0' W. OF XSPKS-IN-F. GATE POST

55.6' NE. OF XSPKS-IN-5" HEDGE

MONUMENT-BURIED-12" DEEP


24 19

25 30

STAMPED -

X

8-16-39



Same as RR 48 p 19

30 1/4

CORNER SEC - 25-T-17-N-R-3-W

MONUMENT PREVIOUSLY SET BY AT-T

RYAN - WHOSES NOTES SHOW A

STONE WAS FOUND - MON. SET W

OF N. FENCE - AND E. OF S. FENCE

LINE - AND IN LINE WITH E+W

FENCE LINE

.8 W. OF XSPKS - IN CORNER POST

16.1' E. OF XSPKS - IN CORNER POST

22.1' S. OF XSPKS - IN FENCE POST

97.1' W. OF XSPKS - IN 6" HEDGE


34.4' N.N.E. OF XSPKS - IN CORNER POST

MONUMENT BURIED - 12" DEEP

24

STAMPED - 25

8-16-39



31 E 4 CORNER-SEC-24-T77-N-R-F-W
 MONUMENT PREVIOUSLY SET BY JET
 PLAN WHOSES NOTES SHOW NO
 ORIGINAL EVIDENCE FOUND MON.
 SET ON W. SIDE OF NTS + W. FENCE
 END-N. OF E. FENCE LINE.


- 2.8' N. OF XSPKS-IN-6" HEDGE
- 27.3' S. OF XSPKS-IN-TRIPLE 6" PAX ENDEE
- 90.3' W. OF XSPKS-IN-TWIN-18" ELM
- 88.8' W. NW. OF XSPKS-IN-TWIN-12" ELM
- 131.7' NW. OF XSPKS-IN-12" ELM
- .7 E. OF XSPKS-IN-CORNER POST
- 150.5' N. OF E. FENCE LINE

MONUMENT BURIED-6" DEEP

24-19

STAMPED

8-16-39




32 NE CORNER Sec-24-T77N-R-3-W
 MONUMENT - PREVIOUSLY SET BY
 J-J RYAN - WHOSE NOTES SHOW
 A STONE WAS FOUND - MON. SET
 IN $\frac{1}{2}$ OF E-W ROAD AND IN
 LINE WITH N-S FENCE LINE

350.5' NW OF NW COR. OF A. No. 11 Res.
 29.9' N of X SPKS - IN - CORNER POST
 18.7' NNW OF X SPKS - IN - 8" CHERRY
 109.2' NW OF X SPKS - IN - 16" Box ELDER
 96.9' SW OF X SPKS - IN - TEL. POLE
 19.3' S OF X SPKS - IN - CORNER POST
 101.9' SE OF X SPKS - IN - TEL. POLE

MONUMENT BURIED - 12" DEEP

15 18

STAMPED - 24 19



A. No. 11
 Res.


33

N¹/₄ CORNER - Sec 20 - T 77 N - R 7 W

DUG AT E+W+S, FENCE-INTER-SECTION AND FOUND A WHITE SAND STONE .6 W. OF S. FENCE LINE. STONE WAS 10" X 7" X 6" AT SURFACE-LEVEL, LOWERED-SOME AND PLACED-MONUMENT ABOVE


- .6 W. OF 15 PKS. IN. CORNER POST
- 24.1' SW. OF 15 PKS. IN. CORNER POST
- 74.8' N. OF 15 PKS. IN. 3/4" ELM
- 414.3' NW. OF 15 PKS. IN. 4" ELM
- 200.2' E-SE. OF 15 PKS. IN. 30" ASH
- 117.0' SE. OF 15 PKS. IN. 30" POCAH.
- 32.6' E.NE. OF 15 PKS. IN. 1" OAK.
- 1224.9' SW. OF NW. COR. OF BARN

MONUMENT - 4" ABOVE SURFACE



STAMPED -

8-21-39



34

NE CORNER-SEC-16-T77N R-3W
 MONUMENT-PREVIOUSLY SET-
 BY J. F. RYAN-WHITES-NOTES-SHOW
 AN IRON-PIN-WAS-FOUND-MON-
 SET IN R.O.F. N75+E-ROADS.
 END-IN-LINE-WITH-W FENCE LINE

37.4' E. OF NSPKS-IN-48" ELM
 33.5' E. OF NSPKS-IN-CORNER POST
 99.9' NE. OF IA-GEODETIC # 616
 32.3' SW. OF W. END-OF N. HEAD-OF CULV
 30.5' WNW. OF W. END-OF S. HEAD-OF CULV
 199.6' NW. OF NW. COR. OF RES PORCH


MONUMENT-BURIED-12" DEEP

89

16 17

STAMPED -

8-18-36




35 E 4 Cor. Sec. 8 - 11-13 RV
 W 1/4 CORNER - Sec - 9 - T 77 N - R 3 - W
 MONUMENT - PREVIOUSLY SET BY
 J. H. RYAN. WHOSE NOTES SHOW
 AN IRON PIN WAS FOUND MON
 IS SET IN. E. OF N. S. ROAD AND
 IN LINE WITH E. W. FENCES.

33.1' E. OF XSPKS - IN - CORNER POST
 33.1' W. OF XSPKS - IN - CORNER POST
 116.9' W. SW. OF XSPKS - IN - 24" OAK
 46.7' NW. OF XSPKS - IN - CORNER POST
 713.4' SW. OF B.M. ON E. HEAD WALL OF CULV

MONUMENT BURIED - 12" DEEP

8-9

STAMPED -



76

V

✓

7-16-00
R. KIV. - C. of P.

W. 1/4 cor. Sec. 30 - 77-2W. #

