



Checked 1/2/39 E.H.O.

(41)

9/24 Nov  
County Closed July 1, 1942

See Book #1 for Index

7-17-42

Final check  
E.V. - 9-21-42

\* H.A. 


W $\frac{1}{4}$  CORNER - Sec-6-T77N-R-3-W  
 MONUMENT - PREVIOUSLY SET BY  
 F. T. RYAN - WHOSE NOTES SHOW  
 A STONE WAS FOUND - MON. IS SET  
 IN. E. OF HIGHWAY #76 - AND IN LINE  
 WITH E+W FENCE LINE

77.7' SW. OF X SPKS - IN. POWER POLE  
 39.7' W. OF X SPKS - IN. CORNER POST  
 39.9' E. OF X SPKS - IN. CORNER POST  
 262.6' N.N.W. OF X SPKS - IN. POWER POLE

MONUMENT - BURIED - 12" DEEP

1-6

STAMPED -





NE CORNER - Sec. 8 - T. 77 - N. - R. 5 - W.  
 MONUMENT - PREVIOUS 14 - SET  
 BY - J. T. RYAN - WHOSES - NOTES  
 SHOW - AN - IRON - PIN - WAS - FOUND.  
 MON. IS - SET - IN - S. OF AHS, EXH.  
 ROADS.

- 56.8' SE. OF XSPKS-IN-POWER P.I.E
- 55.3' SW. OF XSPKS-IN-POWER P.I.E
- 41.8' SE. OF XSPKS-IN-CORNER POST
- 43.9' SW. OF XSPKS-IN-CORNER POST
- 306.8' W. SW. OF N. END OF BRIDGE
- 307.0' WNW. OF S. END OF BRIDGE
- 59.9' NE. OF XSPKS-IN-16" Box ELDER
- 68.2' NE. OF XSPKS-IN-18" Box ELDER
- 77.6' NE. OF NE. COR. OF FARM RES.


MONUMENT - BURIED - 12" DEEP

54  
 89

STAMPED-

X

8-18-51





N $\frac{1}{4}$  CORNER - Sec - 9 - T77N - R - 3 - W  
 MONUMENT - PREVIOUSLY SET  
 BY - J - T - RYAN - WHOSE - NOTES  
 SHOW - A - STONE - WAS - FOUND.  
 MONUMENT - SET - IN - S - E -  
 C - W - ROAD - IN - LINE - WITH  
 S - FENCE - LINE.

33.7' N. OF XSPKS - IN - CORNER POST  
 33.2' S. OF XSPKS - IN - FENCE POST  
 60.2' S.W. OF XSPKS - IN - POWER POLE

MONUMENT - BURIED - 12" DEEP  
 4  
 STAMPED 9

X

8-18-39




6  
 N $\frac{1}{4}$  CORNER - Sec - 7 - T7N - R - 3W  
 MONUMENT - PREVIOUSLY - SET - BY  
 - F. F. RYAN - WHOSE - NOTES - SHOW  
 NO - ORIGINAL - EVIDENCE - FOUND  
 MONUMENT - IS - SET - IN - S. OF  
 E. W. ROAD - IN - LINE - WITH  
 N. S. FENCE - LINES.

28.7' S. OF X SPKS - IN - CORNER POST  
 28.4' N. OF X SPKS - IN - CORNER POST  
 32.5' SE. OF X SPKS - IN - W. GATE POST  
 30.6' SW. OF X SPKS - IN - BRACE POST  
 158.7' NE. OF X SPKS - IN - 16" E. W.  
 623.6' W. SW. OF X SPKS - IN - 12" HACK PERRY

MONUMENT - BURIED - 12" DEEP

STAMPED - 7



8-18-39


NE CORNER Sec - 7 - T 77 - N - R 3 W  
 MONUMENT - PREVIOUSLY SET BY  
 J. J. RYAN - WHOSE NOTES SHOW  
 A STAKE WAS FOUND - MON. IS SET  
 8.1' N. OF E. OF E. ROAD - AND - IN  
 E. OF N. + W. ROADS.

- 43.5' SE. OF XSPKS - IN - CORNER Post
- 35.1' SW. OF XSPKS - IN - CORNER Post
- 43.3' NW. OF XSPKS - IN - CORNER Post
- 45.5' NE. OF XSPKS - IN - CORNER Post
- 428.6' S.S.W. OF XSPKS - IN - 2 1/2" WILD CHERRY
- 55.0' NW. OF XSPKS - IN - 4" ELM
- 52.4' NE. OF XSPKS - IN - 6" ELM

MONUMENT - BURIED - 12" DEEP

63

STAMPED - 78



8


N $\frac{1}{2}$  CORNER Sec. 8-T. 77N. R. 3. W  
 MONUMENT - PREVIOUS SURV. SET BY  
 J. ST. RYAN - WHOSES NOTES - SHOW  
 NO. ORIGINAL EVIDENCE FOUND.  
 MON. IS SET IN 8" FTW BOARD  
 AND IN LINE WITH S FENCE

- 22.3' N OF X SPKS - IN CORNER POST
- 26.3' N OF X SPKS - IN 10" FEM
- 24.0' SE. OF X SPKS - IN FENCE POST
- 31.8' SW. OF X SPKS - IN FENCE POST
- 22.7' S. OF N-ROW FENCE - FTW
- 22.71' W. SW. OF X SPKS - IN 4" COTTON WOOD

MONUMENT - BURIED - 13" DEEP  
 5  
 STAMPED - 8

✓

8-18-39



W 1/4 - CORNER - Sec 8-T-17-N-R-3-W

MONUMENT - PREVIOUSLY SET BY

E - AT PLAIN - WHITES - NOTES - SHOW

NO - ORIGINAL - EVIDENCE - FOUND

MON. SET - W. OF E. OF N. S. - ROAD

END - IN - LINE - WITH - E - W - FENCES

32.4' W. OF 1/2 SPKS - IN - CORNER POST

27.1' E. OF 1/2 SPKS - IN - CORNER POST


74.2' S.W. OF 1/2 SPKS - IN - 5" HEDGE

MONUMENT - BURIED - 2' DEEP

7-8

STAMPED -

8-18-39



10  
 S.E. CORNER P. Sec - 32-T74-N-R-3-W  
 MONUMENT. PREVIOUSLY SET BY  
 J-T. RYAN. WHOSES NOTES SHOW  
 NO ORIGINAL EVIDENCE FOUND.  
 MONUMENT IS SET IN LINE  
 WITH E+W FENCE LINES AND  
 2.9' W. OF S. ROW FENCE AND  
 E. OF N. ROW FENCE.


42.8' W. SW. OF XSPKS-IN-CORNER POST  
 2.9' W. OF XSPKS-W. CORNER POST  
 21.6' E. OF XSPKS-IN-CORNER POST  
 27.6' W. OF MONUMENT COR. SEC-5-776N-R-3W  
 150.9' N. OF XSPKS-IN-4" TWIN-HEDGE

MONUMENT - BURIED - 12" DEEP

32.33

STAMPED -

8-24-39



NE CORNER - Sec. 32 - T. 77. N. - R. 3W

BY MEASUREMENT - DUG AND FOUND NO ORIGINAL EVIDENCE ESTABLISHED CORNER 70' W. AFD OF N.H.S. ROAD AND IN LINE WITH W. FENCE LINE

- 32.4' W. OF XSPKS - IN 24" LOCUST
- 25.4' E. OF XSPKS - IN CORNER POST
- 36.9' SW. OF XSPKS - IN 10" LOCUST
- 34.7' NW. OF XSPKS - IN 6" HEDGE
- 305.2' NW. OF XSPKS - IN 24" PINE
- 53.1' E. OF XSPKS - IN 16" LOCUST
- 33.2' NE. OF XSPKS - IN 4" LOCUST
- 63.5' SE. OF XSPKS - IN 8" LOCUST


MANUENT - BURIED - 12" D.C.P

29 28

32 33

STAMPED -

8-24-39




14 E 4 24  
 NW CORNER - Sec - 33 - T. 77N. R. 3. W  
 DOG-AND-FOUND-A-SAND-STONE  
 7" X 5" X 5" PAIRED - 2' DEEP  
 LOWERED-AND-PLACED-MON.  
 ABOVE MONUMENT-SET-IN-  
 ROAD-E-W-AND N-S-IN-LINE  
 WITH-W-FENCE-LINE.

34.2' NE. OF KSPKS-IN- POWER POLE  
 101.2' E. OF KSPKS-IN- CORNER POST  
 68.0' N. SE. OF KSPKS-IN- 4" HEDGE  
 48.4' SW. OF KSPKS-IN- TEL POLE  
 280.7' W. SW. OF KSPKS-IN- 26" WALNUT  
 346.7' W. NW. OF KSPKS-IN- POWER POLE  
 50.8' NW. OF KSPKS-IN- CORNER POST

31-33

STAMPED-



SW CORNER - Sec - 30 - T 77N - R 3W  
 AT POINT OF MEASUREMENT -  
 DUG AND FOUND -  $\frac{1}{2}$ " IRON PIN -  
 20" LONG HAMMERED - SAME - AND  
 PLACED - MON. ABOVE - MON. SET IN  
 E OF E + W - ROAD - IN - LINE - WITH  
 S. FENCE.

21.2' N. OF XSPKS - IN - CORNER POST  
 23.4' NE. OF XSPKS - IN - BRACE - POST  
 47.1' NE. OF - 7" IRON - FENCE - POST  
 57.3' NW. OF XSPKS - IN - 8" ELM.  
 266.3' SE. OF XSPKS - IN - 12" BOX ELDER  
 266.3' S. SW. OF XSPKS - IN - 10" BOX ELDER

MONUMENT BURIED - 13" DEEP


25 30

36 31

STAMPED -

X

8-25-39






NE CORNER - Sec 28 - T77 N - R. 3 W  
 MONUMENT - PREVIOUSLY SET BY  
 A. STONE - WHOSES NOTES SHOW  
 A STONE WAS FOUND. MON. SET  
 E. OF CENTER OF LANE AND IN  
 LINE WITH E. OF S. ROAD

- 16.3' E. OF W. FENCE LINE.
- 51.9' <sup>NW</sup> NE. OF XSPKS IN POWER PILE
- 9.3' W. OF E. FENCE LINE
- 432.0' S. OF SE COR. OF PRUITT - RES.
- 301.6' N. NE. OF XSPKS IN 34" ASH.
- 102.3' E. OF E. OF XSPKS IN 36" COTTON WOOD

MONUMENT BURIED 12" DEEP

21 22  
 28 27

STAMPED -



10 E 4 Lot. Sec. 28-77-3W

W 1/4 CORNER - Sec. 27 - T. 77N - R. 3W

MONUMENT - PREVIOUSLY SET BY  
ST. FERN. WIDGES - NOTES - SHOW  
H. STONE - WAS FOUND. MON. IS SET  
IN E.O.F. E+W - NTS - ROADS.


- 44.2' S. SE. OF XSPKS - IN. TOL. POLE
- 32.8' SE. OF XSPKS - IN. CORNER POST
- 34.8' NE. OF XSPKS - IN. CORNER POST
- 34.7' NW. OF XSPKS - IN. CORNER POST
- 37.7' NW. OF XSPKS - IN. POWER POLE
- 258.0' E. NE. OF XSPKS - IN. POWER POLE

MONUMENT BURIED - 12" DEEP.

28 - 27

STAMPED

X



11 E4 Cot, Sec. 6 - 177-3 W  
W 1/4 CORNER - Sec - 5 - T. 77 N. R. 3 W

IN - & OF N.E.S. ROAD - AND - INDICATED  
BY - MEASUREMENT - FOUND - A -  
WHITE - LIME - STONE - 16" X 13" X 8"  
HOLLOW - SQUARE - AND - PLACED - MON -  
7.30.15.


- 32.0' E. OF XSPKS-IN-CORNER Post
- 54.3' SE. OF XSPKS-IN-40" MAPLE
- 151.0' SSW. OF XSPKS-IN- POWER POLE
- 130.8' SW. OF SW. COR. OF H.B. MEYERS - RES.
- 102.7' NW. OF XSPKS-IN-CORNER Post
- 209.1' N.NW. OF XSPKS-IN- POWER POLE
- 266.8' E-SE. OF SE. COR. C. HINES - RES.

MONUMENT BURIED - 12" Deep

6-5

STAMPED

8-30-37




E 4 Cor. Dec. 18

W 1/4 Cor 5-17 T79N-R30W

AT INTERSECTION of sec N-S & E  
found 1/2" iron pin 35" long pin set  
by G.P. L. NOT PLS # 1841 for 2 A.MI-  
WAY Commission. No other evidence  
found. lowered same & placed  
C.M. above stamped 18-17

- 143.7' SSE of Blazed 36" Elm
- 132.1' ESE of Blazed 24" Elm
- 83.7' NE of Blazed 8" Elm
- 181.3' NNE of Blazed 26" OAK
- 89.0' NW of Blazed 16" Burr Oak
- 20.2' W of Blazed 26" Ash



N $\frac{1}{4}$  Cot sec 28 T77N-R3W


17 N $\frac{1}{4}$ S $\frac{1}{4}$  sec line fc found  
 limestone 8'8" x 18" Buried 10"  
 deep. Under stone found iron pit.  
 2.5' long lowered both the above  
 & placed C.M. above stamped  $\frac{21}{28}$

316.0' S of So. R.O.W. E.C. of Hwy #22  
 103.0' E.S.E. of Blazed 50" Elm  
 140.5' W.N.W. of Blazed 30" Red oak  
 86.9' N.N.N. of Blazed 30" Ash  
 81.6' N. of XSPK517 Cot Post.

10-10-39

R.K.W. - C of P.

Hwy #22



Same as BK 48 P 16

N<sup>1</sup>/<sub>4</sub> cor sec 12 T77N-R3W

AT Point indicated by measure  
Jug in E & W. fc. line. found grey  
granite 9' x 7' x 4" Buried 1 inch  
deep. lowered same and placed  
C.M. grave stamped  $\frac{1}{12}$


17.9'	N	of Blazed 18" Pig Hickory
64.2'	N.E.	of Blazed 18" Elm
22.8'	E.	of Blazed 8" Elm
91.5'	S.E.	of Blazed 12" Pig Hickory
177.7'	S.	of Blazed 30" Twin Elm
54.9'	W.	of Blazed 24" Elm

11-21-39 ✓

R/W-Cog P.

Blazed 30"  
Twin Elm

Blazed 12"  
Pig Hickory



N<sup>1</sup>/<sub>4</sub> Cor sec. 11 - T77N-R36W-


in open field AT POINT INDICATED  
BY MEASURE found 3/4" pipe 25" long  
driven along side a yellow Sandstone  
9 1/2" x 6" x 4" with cross in top. Buried  
8" deep. lowered both and placed  
C.M. ABOVE STAMPED

Several posts of an old E & W. f.c.  
line up with stone No other  
f.c. in any direction than.  
Buried 8" deep.

90.9' S. of Blazed 12" Birch  
95.6' SW. of Blazed 6" group Hedge  
196.5' S.E. of Blazed 6" group Hedge  
657.5' S.S.E. of S.E. cor of Bridge on  
HIWAY "W"  
61.7' **ENE** of XSPKS in Hedge f.c. post  
339.0' E. of Blazed 30" Elm

11-21-39

R.R.W. - Cos P.





N.E. corner of T27N-R3W

Monument sets on S  
side of P. E. & W local road  
& in E of road S. 134.8' W. of  
the S.E. cor Sec 32-75-3W.


Map stamped  
5/4

50.4' SSE of Blazed 24" Elm  
52.4' SW. of Blazed 30" Elm  
44.4' WNW. of SPRS IN Tel Pole  
45.8' ENE of SPRS IN Tel Pole  
134.8' W. of S.E. corner ~~32~~ 75N-3W-

32

9-5-39

R.M.W. Co of P.



NE Cor sec 20-T77N-R3W-


Cor. established by Double Pro-  
 portionate Measurements from  
 sec corners N.E. S.W. found  $\frac{1}{8}$  MI.  
 Cot stone N which checks the  
 location to the best of my know-  
 ledge Man Stamped 17/16

20/21

82.4' WSW. of Blazed 36" Ash  
 101.6' W of Blazed 14" Elm  
 74.2' WNW. of Blazed 12" Elm  
 40.9' NNW of Blazed 8" Elm  
 46.6' NE. of Blazed 8" Elm  
 96.4' SE. of Blazed 8" Elm  
 28.4' SW. of Blazed 36" Maple

9-5-39

M.K.W. Co. P.

Cedar Bottom  
 Timberland


E 4 Cor. Sec 21 - T 9 N - R 3 W

W 1/4 Cor sec 21 - T 9 N - R 3 W -

Cor established by PROPORTIONATE  
MEASURE between Cors N 4 S and  
on a direct line between same  
MON STAMPED 70-21

- 39.0' N.W. of BLAZED 24" HACKBERRY
- 96.2' S.W. of BLAZED 30" OAK
- 315.9' W.S.W. of S.W. cor of COTTAGE
- 76.5' S.S.E. of BLAZED 20" OAK
- 41.8' N.E. of BLAZED 34" ELM
- 31.7' N. of N. BANK of slough
- 252.3' E. of E. ROW. fc. of HIWAY
- 349.1' S.E. of XSPKSM S. GATE POST
- 326.0' N.E. of XSPKSM N. GATE POST.

-9-5-39-  
PRW. - COP.



N 1/4 cor sec 34 - T7N-R3W-

AT INTERSECTION of fcs 4WAYS  
 dug Hole 6' x 5' x 3' deep. No evi-  
 fence found. Corner Restored  
 AT INTERSECTION of fcs.

Mon. STAMPEO 27


34

37.4' W. of Blazed 4" Hedge  
 124.7' E. of Blazed Wild Cherry  
 69.7' N. of Blazed Hedge  
 9.4' S. of XSPKSIH Brace Post  
 7.7' E. of XSPKSIH Brace Post.

9-5-39

RKUL - CofP.

FARM LAND



PASTURE




N 1/4 Cor sec 5 - T77N-R3W

Monument sets in E of  
Ed. W. local road 82.8' W. of  
the S 1/4 cor. Sec. 32-78-3 W.

- 215.2' <sup>WAW</sup> NE of XSPKSIIN Pur Pole
- 30.2' N of XSPKSIIN Gate Post
- 46.0' <sup>SE</sup> of XSPKSIIN <sup>PTACE</sup> Gate Post
- 76.5' <sup>NE</sup> NW of XSPKSIIN Pur Pole
- 82.8' W. of S 1/4 Cor sec 32-T78N-R3W-

Area stamped  $\frac{32}{5}$

RKW-Cog P




N.E. Cor. Sec. 31 & 29 - 3 W. (Established)  
 Monument sets at intersection  
 of F&W section Fence and  
 fence line S. Sec. line S. 15  
 on W. side of lane.

14.7' E. of sp. lbs in cor. post. F&W  
 16.2' W " " " " " " F&W  
 19.6 SE " " " " " " " " F&W  
 45.7' W " " " " " " " " H&S group

Mon stamped  $\frac{3029}{3132}$

8-8-40

P.K.W. - Graf. P.




E $\frac{1}{4}$  Cor. Sec. 14-77-3W

W. 1/2 Cor. Sec. 13-77-3W

Found E.M. previously set by  
J.J. Ryan

30.1' W. of Xspks. in S. Gate post  
 34.5' N.S.W. " " " N. " "  
 29.8' E. of " " Cor. " "  
 31.4' E.N.E. " " Brice " "  
 104.9' N.N.E. " " Tel. pole  
 152.0' S.S.E. " " " "

8-28-40




N.E. cor. Sec. 14 - 77 - 3 W.

At intersection of fcs. E. & N. dug hole  
6' x 6' x 2' deep. No evidence found.  
Corner restaked at base of cor. post  
adjacent on S. side

7.2'	E. of	Blazed	30"	Bl. Oak
10.0'	W. "	"	12"	Elm
14.7'	N.N.W.	"	16"	Oak
33.4'	N.N.E.	"	30"	Elm

8-28-40

R.K.W. - Corp. P.



32

E 4 Cor. 15-77-3W.

W. 1/4 cor. Sec. 14-77-3W

At intersection of fcs. N.S.E. & W. dug hole 6' x 4' x 3' deep. No evidence found. Corner restored. Location of corner has been maintained by acts of adjacent landowners by location of fences.

Set C.M. at surface level stamped

15-1-19

- 76.4' N. of Blazed 24" Elm
- 55.5' N.W.E. of " 10" Hickory
- 25.6' E.S.E. " " 30" Oak
- 32.2' S.S.E. of " " "
- 16.1' E. of X spurs in Gate post


Cedar River

265.0'



8-29-40

R. 15. W. - C. of P.



Sec. line fcs

W. sec. line fcs

X spurs in Gate post

Blazed 24" Elm

E 7 Cor. Sec. 4-77-3W.

W. 1/4 cor. Sec. 3-77-3W.


At intersection of fcs. S. & E.  
 dug hole 8' x 6' x 3' deep. No evidence  
 found. Corner restored in line with  
 fcs. S. and fcs. E. location of cor.  
 maintained by cuts of adjacent  
 land owners.

Set man at surface level  
 stamped 4/3

23.6' E. of Iron Cor post  
 18.55' W.N.W. of xs bps in 6" Crab Apple  
 205.4' N.N.W. " " " " 8" " " "

9-26-40

R.M.W. - C. of P.




E 1/4 Cor. Sec. 2-77-3W.

W 1/4 Cor. Sec. 1-77-3W

At intersection of fcs. E. & W. & N.  
at base of corner post found Red  
Granite stone 16" x 12" x 10" at surface  
level lowered same & placed C. M.  
above stamped 271 at surface level.

87.4'	W.N.W.	of Blazed 16"	Burr Oak
69.5'	N. of	" 20"	" "
54.0'	S.W.	" " 12"	E/m
41.8'	S.E.	" " 6"	" "
111.8'	N.E.	" " 24"	Burr Oak



W 1/4 Cor. Sec. 7-77-3 W.

In E. of Hwy 76 in line with fcs.


E. + W. found Blue Flint boulder 16" x 12" x 10"  
buried 36" deep. Lowered same + placed  
C.M. above stamped 12/7 buried 12" dp.

- 33.5' W. of X spks. in Hedge Cor. post
- 107.6' N.W. of " " " Put. Pole
- 69.1' S.W. of S.W. cor. of Stock Barn
- 172.4' W.S.W. of " " " Corn Crb
- 93.8' E. of X spks. in Cor. post
- 240.3' S.S.W. of I.G.S.B.M. 70-47

10-16-40

R.K.W. - C. of P.

I.G.S.B.M.  
70-47



W. 1/4 cor. sec. 19-77-3W

On S. side of cor. post, in Timber in  
line with road W. thru sec. 24-77-4W,  
found white limestone 9" x 8" x 6" buried  
6" deep below red same & placed C.M.  
above stamped 24/19 at surface level.

27.3' S.S.E. of Blazed 14" Red Oak

33.1' S.W. " " 8" Hickory

28.1' W. " " 8" W. Oak

10.5' N. " " 18" Hickory

34.1' N.E. " " 18" Red Oak

115.0' W. of W. Bank of Wapsie Creek

