

44 Corner Ties

Muscatine County

DIETZGEN

7 7^v-4^vW

FIELD BOOK

Book 1

No. 403P

T 77N-R4W

Pike Township

Checked 19739- EAO.

(112)

County Closed
July 1, 1942 E.V.
Index for Books # 1-2-3 77-445

all information taken out.

13	15	11	12	14	16	17	18	16	14	17
6	5	4	3	2	1					
31	28	27	26	25	24	23	22	21	20	19
7	8	9	10	11	12					
14	15	16	17	18	19	20	21	22	23	24
18	17	16	15	14	13					
30	29	28	27	26	25	24	23	22	21	20
19	20	21	22	23	24					
29	28	27	26	25	24	23	22	21	20	19
29	30	29	28	27	26	25	24	23	22	21
26	25	24	23	22	21	20	19	18	17	16
31	32	33	34	35	36					
	35									

Book #1 in squares □
 Book #2 in circles ○
 Book #3 in squares □
 Book #4 in triangles △

Final Check
E.V. 9-24-42

8-3-42
M.L.

✓ 9-2-41
Lee

* N.V.A.

E 4 CORNER - Sec - 1 - T 77 - N - R 4 - W
 MONUMENT - PREVIOUSLY SET BY
 E - T - PLAN - IN HOUSE - NOTES - SHOW
 A - STAKE - W - S - FOUND - M - N - 15
 SET - IN E - O - F - HIGHWAY # 76 - AND - IN
 LINE - WITH - A - W - FENCE - LINES:

77.7' SW. OF XSPKS - IN - POWER PILE
 39.7' W. OF XSPKS - IN - CORNER POST
 39.9' E. OF XSPKS - IN - CORNER POST
 262.6' N. IN W. OF XSPKS - IN - POWER PILE

MONUMENT - BURIED - 12" DEEP

1-6


STAMPED -

See Book #3
 #9
 Page

X

8-18-39

4



NE CORNER - Sec - 12 - T77N - R44W
 MONUMENT - PREVIOUSLY - SET - BY
 J - AT - IRON - MINUSES - NOTES - SHOW
 AN - IRON - PIN - WAS - FOUND - MON - 15 -
 SET - IN - E - OF - HINDA # 76 - WAS, AND
 E - W - ROAD.

- 46.4' SE. OF KSPKS - IN - CORNER POST
- 65.5' SW. OF KSPKS - IN - CORNER POST
- 57.6' NE. OF KSPKS - IN - CORNER POST
- 40.7' NW. OF STEEL CORNER POST
- 71.7' NE. OF KSPKS - IN - POWER POLE
- 67.4' SSW. OF KSPKS - IN - POWER POLE
- 249.7' NE. OF NE CORNER OF BARN

MONUMENT BURIED - 12" DEEP


1 6
 STRIPED 12 7

See Book #3
 Page #17

X

4

E-18-39



EV

N¹/₄ CORNER Sec-12-T77-N-R-4-W
 MONUMENT - PREVIOUSLY SET
 BY A. T. REYNOLDS - NOTES
 SHOW - NO DIRECT EVIDENCE
 FOUND - MON IS SET IN ROOF
 E-W ROAD AND 16.5' E OF
 N-S FENCE LINES.


- 55.6' S.E. of center for pwn pole
 - 29.5' S.E. OF XSPKS - IN CORNER POST
 - 30.5' N.E. OF XSPKS - IN CORNER POST
 - 24.5' N.W. E-W - N. ROW - FENCE
 - 24.5' S. OF E-W - S. ROW FENCE
 - 149.4' N.E. OF XSPKS - IN 8" WILD CHERRY
 - 131.3' N.W. OF XSPKS - IN 6" WILD CHERRY
 - 35.7' S.S.E. " " " Pwn Pole
- MONUMENT BURIED - 12" DEEP

STAMPED

12

See Book #3
 Page #8

8-18-39



N $\frac{1}{2}$ CORNER - Sec. - 14 - T. 77. N. - R. 44 W

MONUMENT - PREVIOUSLY SET BY

ST. JOHN - WHOSES - NOTES - SHOW

A STAKE - WAS - FOUND - MONUMENT

SET - IN - ROOF N.S. FLOOR - AND

N. OF S. RR. RAIL FENCE - E. & W.

36.3' NE. OF XSPKS - IN - CORNER POST

45.9' NW. OF XSPKS - IN - CORNER POST

37.5' NE. OF XSPKS - IN - POWER PILE

60.5' SE. OF W. END - OF - STEEL PIPE - CULV.


63.5' SW. OF E. END - OF - STEEL PIPE - CULV.

MONUMENT - BURIED - 12" DEEP

"

STAMPED 14

8-18-39



NE CORNER - Sec 14 - T77N - R4W
 MONUMENT - PREVIOUSLY SET BY
 ST. F. B. VAN WILKES - NOTES - SHOW
 A STONE WAS FOUND. MON. SET IN
 E. OF N.E. CORNER AND IN LINE
 WITH W. FENCE LINE.


- 29.4' NW. 1/4 X SPKS. IN CORNER P.S.T
- 26.9' E. OF X SPKS. IN CORNER P.S.T
- 94.2' S. SW. OF X SPKS. IN TEL. POLE
- 93.3' SW. OF X SPKS. IN TEL. POLE
- 121.5' NE. OF X SPKS. IN 78" DIA. H
- 125.2' E. NE. OF X SPKS. IN 36" DIA. H

MONUMENT - BURIED - 12" DEEP

STAMPED - 11/12
 14/13



8-18-39



NE CORNER - Sec - 11 - T 77 N - R 4 W

MONUMENT - PREVIOUSLY SET BY

E. of N. VAN - W. HOSES - NOTES - SHOW

* NO ORIGINAL EVIDENCE FOUND.

MON. SET N. OF E. OF E+W - PAID

AND IN LINE WITH IN FENCE.

33.0'

35.1' S. OF X SPKS - IN - CORNER POST

27.6' SW. OF X SPKS - IN - BRACE POST

23.8' N. OF E+W - F. W. FENCE S.

25.3' SE. OF X SPKS - IN - W - GATE POST

64.7' SE. OF SE. COR. OF E. CHAPMAN POS.

136.8' E. SE. OF X SPKS - IN - 16" WALNUT

MONUMENT - BURIED - 12" DEEP

21

11 12

STAMPED

* Testimony of workers who set Mon. states that


a stone was found at this corner. Stone found

on S. side of rd. Stone is limestone 12"x10"x4"

Placed under C.M.

RK Williamson

8-18-39



8

N $\frac{1}{2}$ CORNER Sec. 28-T47N-R4WDUG-AND-FOUND- $\frac{1}{2}$ " IRON PIV-24"

LONG-BOUNDED-SAME-AND-

PLACED-MONUMENT-ABOVE.

MON. SET- IN. E. OF E. W. ROAD-

END- IN. LINE- WITH- N. S. FENCES.

26.6' S. OF XSPKS- IN. CORNER POST

27.5' N. OF STEEL CORNER POST

33.1' SE OF XSPKS- IN. GATE POST

31.8' NE OF XSPKS- IN. W. GATE POST

29.6' SW OF XSPKS- IN. BRACE POST

30.1' NNW OF STEEL FENCE POST

MONUMENT- BURIED- 12" DEEP


21

STAMPED

28

X

8-24-39



4
 NE CORNER - Sec 15 - T77-N - R-4W
 MONUMENT - PREVIOUS SUR. SET
 BY - AT - T - R - J - AN - W - H - O - S - E - S - NOTES
 SHOW - A - STONE - WAS - FOUND -
 MON. IS SET - N. OF S. RR. PAUL
 FENCE - E. W. END - IN - LINE - WITH
 N. FENCE - LINE.


31.2' N. OF IRON - FENCE POST
 132.5' S. OF XSPKS - W. CORNER POST
 199.8' SW. OF XSPKS - W. TEL. POLE
 204.3' SE. OF XSPKS - W. TEL. POLE
 33.8' NW. OF TR. RODUCTIC # 596

MONUMENT - BURIED - 12" DEEP

STAMPED - $\frac{10}{11}$
 15 14

W

8-18-39



NE CORNER - Sec - 36 - 777 N R. 44 W
 AT POINT OF MEASUREMENT - DUG
 AND FOUND - A 1/2" IRON PIN - 2 1/2"
 LONG - HOWE RED - SAME - AND -
 PLACED - MON. ABOVE MON. 15 -
 SET IN. E. OF E. W. ROAD - IN -
 LINE - WITH S. FENCE LINE.

- 21.2' N. OF XSPKS - W. CORNER POST
- 23.4' NE. OF XSPKS - W. BRACE POST
- 47.1' NE. OF 2" IRON - FENCE POST
- 260.3' SE. OF XSPKS - IN - 12" BOX EIDER
- 266.3' S. SW. OF XSPKS - IN - 10" BOX EIDER


MONUMENT BURIED - 12" DEEP

25 30

STAMPED 36 31

X

8-25-39



NE CORNER Sec-5-T77-N-R-4-W

MONUMENT PREVIOUS S14-S-T-R4

ET-ET-R12N-WHOSSE-NOTES-

SHOW-9-STAKE-WAS-FOUND?

MON-15-SET-IN-8-0-FT-W-ROAD

END-IN-8-0-FT-HAND-S.

57.7' NW. OF IRON CORNER POST

41.0' NE. OF IRON CORNER POST

91.4' NE. OF X-SPKS-IN-POWER POLE

199.3' NW. OF NW. COR. OF FARM RES.

21.7' S. OF N. ROW FENCE LINE

73.8' SE. OF X-SPKS-IN-TEL. POLE

110.0' E. OF MON. SE. COR. SEC-31-78N-R-4W


MONUMENT BURIED-12" DEEP

54

STAMPED

X

8-12-39



N $\frac{1}{4}$ CORNER - Sec - 4 - T77-N-R4W

MONUMENT PREVIOUSLY SET BY

ST. F. RYAN - WHOSE NOTES SHOW

NO ORIGINAL EVIDENCE FOUND

MON IS SET IN $\frac{1}{2}$ OF E+W ROAD

135.7' SW OF #93 IN. N HEAD - WALL OF CULVERT

136.1' NW OF B.M. IN S HEAD - WALL OF CULVERT

53.1' SW OF XSPKS - IN TEL. POLE

70.6' NW OF XSPKS - IN POWER POLE

117.5' E. OF Mon. S $\frac{1}{4}$ COR. SEC. 33 - T78-N-R4W


MONUMENT BORED - 12" DEEP

STAMPED -

4

X

8-12-39



NE CORNER Sec-34 T77N R4W

1.0' W. OF NTS FENCE AND 2.4'

S. OF S.P.O.W. FENCE - E+W ROAD

FOUND - P. WHITE SAND-STONE

13" X 12" X 1" POINT EXPOSED

ROUNDED - SOME AND PLACED

MON. ABOVE

2.4' S. OF S.P.O.W. - W. CORNER POST

270' E. OF MON. SE. COR. SEC 34 T77N R4W

345.7' E. OF E. OF CRIP. R.R. TRACK.

281.0' SE OF P.M. ON N. HEAD WALL OF CULVERT


MONUMENT SURFACE-LEVEL

3/2

STAMPED

X

6-20-29




N. 1/4 Cor. sec. 32 T77N-R4W.

In & of E & W Rd. in line with E.N. Found 1" Iron Pin 16" long. No other evidence found. Lowered same & placed c.m.

Above STAMPED 29
32


- 38.6' S of XSPKS 117 Cor. Post
- 38.2' S.S.E. of XSPKS 117 Pur. Pole
- 63.9' S.E. of XSPKS 117 W. Gate Post
- 71.7' E.N.E. of XSPKS 117 Pur. Pole
- 50.3' N.E. of XSPKS 117 Cor. Post
- 36.7' N.N.W. of XSPKS 117 Cor. Post
- 234.6' W.N.W. of XSPKS 117 Pur. Pole
- 82.8' S.S.W. of S.W. cor. of Res. Found.



NE Cor sec 33 - T77N - R4W -

137017 STAMPED 28 29
33 24

91.0' N.W. of N.W. cor farm Res.
 140.9' S.E. of S.E. cor Pike School #2
 40.9' N.E. of XSPKSIIN Pur Pole
 137.7' S.W. of BLAZED 30" E.L.M.
 37.3' S.W. of XSPKSIIN cor Post
 28.1' W. of IRON cor Post
 136.9' S.E. of school flag Pole



20

W 1/4 corner 34-T77N-R4W-

HT POINT indicated found
iron pin 24" long No other evi-
dence found lowered HMT
& placed @ 177 ABOVE

STAMPED 3/34

241.2' NW. of the NW. cor Alb. Forbes
Res.

247.3' WNW. of NW Cor BARN


289' NNW. of XSPK517 gatepost

37.9' NW. of XSPK517 cor. gatepost

46.1' SE. of XSPK517 cor post

9-12-39

R14W-CosK



21

E 28

W 1/4 cor sec 27 - T72N - R4W -


RT POINT INDICATED FOUND IRON
 PIN 30" LONG. NO OTHER EVIDENCE
 FOUND LOWERED SAME & PLACED
 C.M. ABOVE STAMPED

38-27

30.7' E. of XSPK517 Pwr Pole
 51.9' W. of XSPK517 Pwr Pole
 37.6' N. of XSPK517 GATE POST
 43.1' N. of IRON COR POST
 395.7' W. of NW COR GARAGE

9-12-39

B.R.W. - C of P



22

E-21

W 1/4 cor sec 22-T77N-R4W-


AT POINT INDICATED found iron pin
36" long. No other evidence found
lowered same and placed C.M.

ABOVE STAMPED 21-22

26.4' W. of XSPHS 17 Pur Pole
387.1' S.S.E. of XSPHS 17 Pur Pole
52.3' S.E. of XSPHS 17 Pur Pole
267.2' N.N.E. of XSPHS 17 Pur Pole
235.6' S.S.W. of XSPHS 17 Tel Pole
52.5' S.W. of XSPHS 17 Cor Post
90.5' NW. of NW. cor Res.
33.2' E. of XSPHS 17 Hedge Post

9-12-39

R/W-C of P.




N 1/4 cor sec 33 - T77N - R4W -

AT POINT INDICATED FOUND
1 1/2" IRON ROD BURIED 8" DEEP
NO OTHER EVIDENCE FOUND LOWERED
SAME AND PLACED C.M. ABOVE
STAMPED 25
23

- 30.8' S of X PHS IN Hedge cor Post
- 53.4' S.E. of X SPHS IN Fur Anchor Pole
- 45.1' N.E. of X PHS IN Fur Pole
- 322.7' N.N.W. of X 2 PHS IN Fur Pole
- 419.5' S.S.E. of S.H. cor FARM RES

9-12-39


R4W - Co. P.



NW. cor sec 31-177N-R4W-
 AT INTERSECTION of Rds. N & S AND
 E & W. found 2 WOOD HUBS NAILED
 TOGETHER. NO OTHER EVIDENCE
 FOUND. lowered SAME & PLACED
 C.M. ABOVE

- 46.2' NNW. of geod. #127
- 40.5' NW. of XSPKS 117 cor Post.
- 61.2' NW. of Blazed 36" Maple
- 46.1' SW. of XSPKS 117 cor Post.
- 34.9' SE. of XSPKS 117 cor Post.
- 235.6' ENE. of XSPKS 117 Tel Pole

9-13-39
 R4W-Cor P.




✓ W¹/₄ Cont Sec 30 T⁷N-R⁴W =
 in E of N & S rd on line
 WITH E. found $\frac{1}{2}$ " iron
 pin 30" long No other evidence
 found lowered same and
 placed CM ABOVE. STAMPED

25/30

22.5' E of X SPKS in Gate Post
 29.2' E.N.E. of X SPKS in Gate Post
 25.0' E.S.E. of X SPKS in BRACE Post
 23.0' W. of X SPKS in COMP Post
 26.4' W.N.W. of X SPKS in BRACE Post.

9-14-39
 B.K.W. - Co. P




N.W. Corsec 30-T77N-R4W-
 in $\frac{1}{4}$ of Rds NS4W on
 line with $\frac{1}{4}$ E found $\frac{1}{2}$ "
 Iron Rod 30" long lowered
 same and placed C.M.
 Above stamped 24/17

24/17
 25/30

- 44.4' N.E. of XSPKS 17 Cor Post
- 42.7' S.E. of Johnson Co. geo. Marker
- 46.9' S.E. of XSPKS 17 Cor Post
- 296.1' S.S.W. of XSPKS 17 Pur Pole
- 29.7' W. of XSPKS 17 Pur Pole
- 137.8' N.W. of N.W. cor Wasson Res.
- 108.7' S.S.E. of XSPKS 17 Tel Pole

9-15-39
 R4W-Cor P.



NW cor sec 19-T77N-R4W-

on line with gas N&S and
5 ft. S of Q of RR found Kotten
Hub and square nails 24" deep
no other evidence found PLACE
C.M. AT POINT. STAMPED


18

19

50.4'	S.W.	of XSPKS in 12" Wild Cherry
23.6'	NNW.	of XSPKS in BRACE POST
41.5'	NE.	of XSPKS in f. Post
15.4'	S	of XSPKS in cor Post
20.0'	N.	of XSPKS in cor Post
42.8'	S.W.	of Johnson Geodetic Man.

9-15-39

BRW-Cat P.



33

NE corner 19 of 77N-R4W-
 in ϕ of E & W Rd in line
 with ϕ N & ϕ of Dr. ditch so
 found by 1 ton Rod 30" long
 lowered same & placed
 CM above stamped 18/17
 Buried 12" deep. 19/20

13.9' NNW. of cross in shearwall
 of culvert


16.9' SW. of cross in N. Headwall
 of culvert

40.5' NNE of Geodetic Man # 70-593

41.4' NW. of xSPK517 Hedge cor
 Post

11-24-39


R4W-C of P.



N $\frac{1}{4}$ cor Sec 20 T77N-R4W
 in ϕ of E4W Rd in line
 with fc No. found Hard
 Sandstone 15" x 8" x 6" Buried
 15" deep lowered same and
 placed CM above stamped
 Mon. Buried 12" deep.

20

- 32.6' S. of XSPK517 Cor Post fc No.
 35.1' S.S.E. of XSPK517 Brace Post
 56.0' N.E. of XSPK517 Hedge Post
 27.4' N. of XSPK517 Hedge Post
 50.8' N.E. of XSPK517 Cor Post fc No.



35

SW. Cor sec 32-T77N-R4W-

in line with sec 117C f.c.N.
 set monument on so shoulder
 of E.W. rd. on line with known
 corners E.W. and drainage
 ditch along S side of rd. Pre-
 cludes the possibility of
 finding any original evidence
 of corner f.c.N. is best evi-
 dence of location of corner

Set Mon stamped 21/32


Buried 12" deep

Corner is 96.3' W. of NE
 Cor Sec 6-76-4W-

53.2' S. of xSPK in cor post f.c.N.
 70.8' S.W. of Iron Pin in N. Row f.c line
 109.8' S.W. of Sandstone in N. Row f.c.
 line
 96.3' W. of NE Cor Sec 6-76-4W.

11-28-34

R4W-Cor P



Drainage ditch

No Row line
 No f.c.