

GOV'T-LAND-CORNERS

MUSCATINE-COUNTY

78-1E
DIETZGEN

✓ S.F.M.
- 2 -

FIELD BOOK

Book 1

No. 403P

Fulton, TWP.

~~WASHINGTON~~-TOWNSHIP

78-N-R-~~1~~-~~1~~¹E

78-1E

hd. 8-17-39-EMO

(6)

Closed July 1 1942

7	1579	847	2735	2829	
6	75	7.4	267	202	201
7	12V	13102	2524		53
7	119	79	2711	2412	32
13	131A	131V	2223	21	17
11	18	7.17	1815	1713	14
2	87	1213	1819		13
19	630	1221	1223	1124	12
5	4	1412	1514		11
30	529	1225	1326	1325	10
1	11	1414	1225	1226	10
31	232	1223	1224	1225	10
2	1	151	1210	1212	10

- 6 Book #1 Plain
- 7 Book #2 Circle ○
- 8 Book #3 Square □
- 9 Book #4 Triangle △

E.V.
 Final Check
 & recopied
 7-29-42.

M L 7-26-42


X 110

2 NW CORNER SEC 19 T18-R-1-E
 MON. PREVIOUSLY SET BY J.T.
 RYAN. WHOSE NOTES SHOW A
 STONE WAS FOUND WHERE
 MONUMENT WAS PLACED.
 MONUMENT IN $\frac{1}{2}$ OF N.T.S. ROAD
 12" IN LINE WITH FENCE

33.8' W. OF XSPKS-IN-CORNER Post
 36.3' W. OF XSPKS-IN-CABLE TEL Pole #633
 63.1' SW. OF XSPKS-IN-POWER Pole
 167.8' SE. OF XSPKS-IN-TEL Pole
 65.1' NW OF XSPKS-IN-POWER Pole
 382.5' NE. OF NW COR. OF DAN-PHILLIPS-RES.
 51.2' NE OF XSPKS-IN-CABLE TEL Pole #134
 MONUMENT BURIED - 10" D.C.P.

STAMPED.

18
19




3 W 1/4 CORNER - Sec. 19 - T18N - R1E
 MON PREVIOUSLY SET BY J. RYAN
 WHOSE NOTES SHOW A STATE
 WAS FOUND WHERE MONUMENT
 WAS PLACED IN CENTER
 ROAD IN LINE WITH E/W
 FENCES

32.2' W of 1/4" Hedge XSPK
 98.5' N.W. of Power Pole XSPK
 29.4' E of Corner Post XSPK
 27.1' SW of 6" Hedge XSPK

MONUMENT BURIED 14" Deep

30 29

STAMPED




4 NE CORNER-SEC-30-T78N-R1E
 MON PREVIOUSLY SET BY J.T. RYAN
 WHOSES NOTES SHOW A STONE
 WAS FOUND WHERE MONU.
 WAS PLACED IN. N. OF NTS,
 E + W ROADS.

48.1' N.E. of XSPK in 18" Maple Tree
 33.8' S E of XSPK in Anchor P Pole.
 42.9' S W of XSPK in Power Pole
 78.9' S.S.W. of XSPK in 38" Elm Tree

MONUMENT-BURIED-7" Deep

1920
 STAMPED-3029




5 N¹/₄ CORNER - Sec. 30 - T78N - R1E

MON. PREVIOUSLY SET - BY J. T. RYAN
WHOSE NOTES SHOW NO ORIGINAL EVIDENCE FOUND -
MONUMENT - IN - R. OF E. W.
ROAD - IN - LINE - WITH - S. FENCE

29.7' N. W. OF 18" Catalpa Tree x SPK
18.7' S. E. OF 4" Hedge Tree x SPK
26.8' N. E. OF x spks in Hedge Clump
4.0 E. OF FENCE - RUNNING N.

MONUMENT - BURIED - 6" DEEP
19
STAMPED - 20

6-23-39
P. K. W. CO. F. T.



NE. CORNER SEC. 19-T-78-N-R-1E

MON. PREVIOUSLY SET BY J. L. RYAN
WHOSE NOTES SHOW A IRON
PIN WAS FOUND AND MONU.
PLACED 15 IN. E OF NTS, ROAD
IN LINE WITH FENCE WEST + S.
HARD FENCE.

54.6' E of XSPK Bell Tel Cable Pole

54.6' S.E. of XSPK in Tel. Pole

64.9' N.E. Under ground Cable Marker

98.8' N.E. of XSPK in Power Pole

82.2' N.W. of Under Ground cable marker

88.2' S. W. OF SW. COR. OF E. OTTO - RES.

35.7' S.W. of steel cor. post of yard for


MONUMENT - BURIED - 16" DEEP

18/17

STAMPED 1920

6-23-39

R.K.W. - Cor. P.



8 N¹/₄ CORNER - SEC-19-T78N-R-1-E

MON PREVIOUSLY SET - BY - T. J. RYAN - WHOSE NOTES SHOW A STONE WAS FOUND AND MONUMENT PLACED AT INTERSECTION - NTS, E-W FENCES - IN LINE WITH E-W FENCES.

- 127.6 E. of XSPK in cable line pole
- 122.0 W. of XSPK in cable line pole
- 2.1 N. W. of XSPK in cable line pole
- 0.2 W. of CORNER POST

MONUMENT - SURFACE - LEVEL

18

STAMPED

19

monument set in place

6-23-39

R. K. W. Co. P.

~~127.6~~ X SPK in cable line pole
~~122.0~~ W. of XSPK in cable line pole
~~2.1~~ N. W. of XSPK in cable line pole
~~0.2~~ W. of CORNER POST

9 NW 4 CORNER. Sec. 17-T78-N-R1-E

MON. PREVIOUSLY SET BY J. J. RYAN
WHOSE NOTES SHOW NO OTHER
EVIDENCE FOUND. MONUMENT
IN S OF N+S ROAD - IN LINE
WITH E+W FENCES

25.0' E. of XSPK in Coy Post
24.1' W. of XSPK in Coy Post
222.3' N. W. of XSPK in Power Pole
34.9' N. E. of N. End of Steel Culvert
173.0' S W of XSPK in Power Pole
27.3' N E of XSPK in Tel. Pole


MONUMENT - BURIED - 10" DEEP

18-17

STAMPED

6-23-39

R. K. W. Co. P



10 NE CORNER - Sec 18 - T. 75 N. R. 1 E

MIN. PREVIOUSLY SET BY ST. RYAN

WHOSE NOTES SHOW 2 IRON

PIN WAS FOUND AND MANU

SET IN $\frac{1}{2}$ OF N⁴S ROAD - IN

LINE WITH W. FENCE LINE

141.5' S. E. of S. E. Cor of Farm Road

54.4' S. W. of XSPK in Power Pole

58.0' N E of XSPK in Tel Pole #2220

94.4' N W of XSPK in Power Pole

53.0' W N W of XSPK in Tel Pole #219


111.1' East of XSPK in P. Pole

MONUMENT BURIED - 16" DEEP

73
1817

6-14-39

R. H. W. C. S. P.



11 W CORNER Sec 8 T28N-R1-E

MON - PREVIOUSLY SET BY J-T RYAN
WHOSE NOTES - SHOWS IRON
PIN - WAS FOUND AND MONUMENT
PLACED IN E. OF N+ S ROAD
IN LINE WITH W. FENCE

168.5' W.S.W. of Grid # 70-737
25.2' E of XSPK17 CAR. POST
116.5' N.E. of XSPK17 P. Pole
41.6' N.W. of XSPK17 24" BUTY Oak Tree
190.8' S.S.E. of XSPK17 Power Pole
29.3' S.E. " " " " " "


MONUMENT - BURIED - 18" DEEP

7-8

STAMPED

6-24-39

P. KW - Cor. P



12 N 1/4 CORNER - Sec 7 - T-78N - R-1E

MON. PREVIOUSLY SET BY T. P. VAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE FOUND
MONUMENT PLACED IN LINE
WITH F+IN FENCES AND
W. OF S. FENCE LINE


25.3' N W of XSPK in 24" Maple Tree
153.4 E of XSPK cor Post Fence P. North
4.0 W of cor. Post Fence S W
205.1 S of XSPK in 24" Willow Tree

MONUMENT SURFACE LEVEL

6
+
7
STAMPED-

6-24-39

R. K. W. - B. F. P.



13 W. 4 CORNER - SEC 25 - T. 78 N. - R. 1 E

MIN. PREVIOUSLY SET BY J. T. PIAN
WHOSE NOTES SHOW A STONE
WAS FOUND AND MONU.
IS PLACED IN LINE WITH
E+W FENCES - ALSO N+S
FENCES

39.1' S. W. of XSPK IN 30" Maple
281.4' W. S. W. of S. W. Cor of Farm Res
15.8' W. of XSPK IN Cor Post
36.5' N. E. of XSPK IN Hedge Gate Post
30.3' N. of XSPK IN Tel Pole


MONUMENT - BURIED - 8" DEEP

26-25

STAMPED

6-27-39

R. K. W. - C. O. F. P.



14 NE CORNER. Sec 26-T78N-R1E


MON-BEYONSIY SET BY J.T. RYAN
WHOSE NOTES SHOW NO. OF PILES
EVIDENCE FOUND - MONUMENT
WAS PLACED IN LINE WITH
N + S, E + W FENCES

3.8 S of XSPK IN 6" Hedge
1.8 N.W. of XSPK IN COX POST

MONUMENT SURFACE LEVEL

23 24
STAMPED 26 25

6-27-39
R. K. W. Co. E. P.



15th CORNER. Sec 26. T28N-R1E

MON. PREVIOUSLY SET BY JT PLAN
WHOSE NOTES SHOW A STONE
WAS FOUND AND MONUMENT
PLACED IN E+W-N+S,
FENCE LINES.

Stone: Limestone 16" x 8" x 4" lowered & placed
C.M. above

0.5' S of XSPK IN Hedge Post

1.8 W of XSPK IN Hedge Post

1.0' N of XSPK IN Hedge Post

W side of N+S fence line

N of E+W fence line


MONUMENT SURFACE level

23

STAMPED 26

6-27-39

R.K.W. Co. E.P.



16W 1/4 CORNER - Sec 24 - T78N - R1E

MON. PREVIOUSLY SET BY T. J. RYAN
WHOSE NOTES SHOW A STONE
WAS FOUND AND MONUMENT
PLACED IN 1/4 OF E+W ROAD
IN LINE WITH W+ S FENCES.


45.15' S. W. of XSP IN Power Pole
29.6' N. of XSP IN Cor post
64.2' N. E. of XSP IN 10" Catalpa Tree
189.15' E. of T. E. Cor. of Bridge
177.1' N. E. of Pine Tree

MONUMENT BURIED - 12" DEEP

23 24
STAMPED -

23 24 21 10 10 10 10 10

6-27-39
P. K. W. Co. P.



17 NE CORNER, Sec. 23-T.78N-R.1E

MON. PREVIOUSLY SET. BY J. R. VAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE MONUMENT
IN LINE WITH FTW FENCE
AND IN DEPT'S FENCES.

- 50.7 E of XSPK in Cable Pole
- 69.0 W of XSPK in Cable Pole
- 0.7" W of XSPK in Coy Post
- 1.0 E of XSPK in Coy Post

MONUMENT SURFACE LEVEL


14/13

STAMPED 23 24

14/13

23 24

6-27-39
RKH-COP



20 NE CORNER - SEC 14 - T98N - R1E
 MON. PREVIOUSLY SET BY J.T. RYAN
 IN HIS F-NOTES - SHOW A STONE
 WAS FOUND AND MONUMENT
 PLACED - IN S. OF N+S. ROAD
 IN - LINE WITH E+W - FENCES.


318.3' N. E. of N.W. Cor of Culvert
 365.5' S. E. of S.W. Cor of Culvert
 20.0' E. of IRON POST
 20.3' W. of X SPR IN 10" POST
 43.4' N.W. of X SPR IN TEL POLE.

MONUMENT - BURIED - 8" DEEP

11/12
 STAMPED 14/13

6-27-39

R. A. W. CO. P.



21 N¹/₄ CORNER - Sec 13 - T. 18 N. R. 1 E

MON. PREVIOUSLY SET BY J. T. RYAN
WHOSE NOTES SHOW A STONE
WAS FOUND AND MONU.
PLACED IN LINE WITH FT
IN FENCES AND E. OF N¹/₄S
FENCES


21.9' S. of XSPK IN GROUP Hedge
0.6" W of XSPK IN Coy Post
0.6" SE of XSPK IN Coy Post
18.6' E of XSPK IN 6" Hedge

MONUMENT SURFACE - LEVEL
12

STAMPED 13

6-28-39


R. A. W. - C. O. E. P.



22 N 1/4 CORNER - Sec - 14 - T78N - R-1E
 MON. PREVIOUSLY SET BY J. T. RUAN
 WHOSE NOTES SHOW A STONE
 WAS FOUND AND MONU. WAS
 PLACED ON E. SIDE OF N+S
 ROAD - IN LINE WITH FC. E.
 + S. fc of Lane W.

166.5' N. of XSPK IN PWR Pole
 18.7' S. of XSPK IN PWR Pole
 50.7' S.E. of XSPK IN TEL Pole
 40.0' E. of XSPK IN Cor Post
 0.6' N. of XSPK IN Cor Post

MONUMENT BURIED - 12" DEEP
 " "
 STAMPED " "



23 W. 4 CORNER SEC 12 T 78 N R 1 E


MON. PENNSY-SET BY T. J. RIAN
WHOSE NOTES SHOW A
WOODEN HUB WAS FOUND
MONUMENT PLACED IN
E OF N + S ROAD - IN LINE
WITH W. FENCE

- 102.75 S. E. of X SPK IN PWT Pole
- 99.2' N E of X SPK IN PW Pole
- 19.9 E. of X SPK IN Cot Post
- 20.2' W of X SPK IN Fence Post

MONUMENT BURIED - 12" DEEP

STAMPED

6-28-39
P. K. W. COFF



24 NE CORNER - Sec-11 - T-78-N-R-1-E


MON. PREVIOUSLY SET BY J.T. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE WAS
FOUND - MONUMENT PLACED
IN $\frac{1}{2}$ OF NTS, E/W ROADS.

41.1 S E of XSPKIN PWR ANCHOR Pole.
38.0' N E of XSPKIN PWR Pole.
44.5' S W of XSPKIN COY. Post.
38.8' N W of XSPKIN COY. Post.
144.5' W N W of XSPKIN PWR Pole.

MONUMENT - BURIED - 12" DEEP

21

STAMPED 11/12



25
N^W CORNER - Sec-11-T-18N-R-1E


MAN RYAN'S SET-BU-TOT RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE-MONU-
PLACED-IN-8 FT W ROAD AND
8 OF S. ROAD.

43.5' N.E. of XSPK IN TEL Pole
38.9' N.W. of XSPK IN PWR Pole
45.2' S.E. of XSPK IN 30" Maple
45.6' S.W. of XSPK IN 30" Maple
176.7' S.W. of S.W. COR of Poultry House

MONUMENT BURIED-8" DEEP
?

STAMPED 11

6-28-39
P.K.W.-CORP




28[✓] NE CORNER Sec-1-T78N R.1E

A.P.
6-28-39
R. A. W. Co. P.P.

CORNER-DESIGNATED-BY
BRASS^{Co.} CROSS-IN 8' OF PAVEMENT.
U.S. #6, AND IT IS IN LINE
WITH S. FENCE.

- 57.8' NE. OF XSPKS-IN- Power Pole
- 50.7' N. OF TA. Geodetic # 633
- 81.1' NW. OF XSPKS-IN- Power Pole
- 164.7' SW. OF XSPKS-IN- Tel. Pole
- 52.2' SE. OF XSPKS-IN Tel. Pole
- 16.7' E. NE. OF PAVEMENT- STA # 329




29^v NE CORNER Sec 1-78N R1E

CORNER DESIGNATED BY
CROSS-IN Φ OF PAVEMENT
U.S. #6, AND IN LINE WITH
S. FENCE AND W. OF ROAD
N.

99.0' SW. OF XSPKS-IN-TEL Pole
29.6' NW. OF B.M. IN S. HEADWALK OF CURVE
36.3' SW. OF B.M. IN N. HEADWALK OF CURVE
167.0' W. SW. OF Φ OF N. ROAD
62.2' NW. OF XSPKS-IN-POWER Pole
54.5' E. OF PAVEMENT-STA #355
74.3' NE. OF XSPKS-IN-POWER Pole

6-28-39
R.K.W. Co. F.P.



30 \searrow
E 1/4 CORNER Sec. 1 - T-7N-R-1E

MON. PREVIOUSLY SET BY T.T. RYAN

WHOSE NOTES SHOW A STONE

WAS FOUND AND MOND. PLACED

ON E LINE ROW FENCE N.

AND N. OF N ROW FENCE

RUNNING E.

See ^{pk 11}
5 + 36

40.8' NE. OF XSPKS-IN-N BRACE POST

49.2' NE. OF XSPKS-IN-CORNER POST

44.7' NE. OF XSPKS-IN-E BRACE POST


14.0' N. OF XSPKS-IN-CORNER POST

MONUMENT SURFACE LEVEL

1-6

STAMPED

6-28-39
R.K.W. Co. F.P.




31 $\frac{1}{4}$ CORNER Sec 12-T78N R-1E
 MON PREVIOUSLY SET BY J. T. RYAN
 WHOSE NOTES SHOW NO
 ORIGINAL EVIDENCE FOUND
 MON. PLACED - S. OF FAW ROAD

- 84.1' SSW OF N. END OF CULVERT
- 87.7' SW OF XSPKS-IN-15" ASH TREE
- 80.6' N. OF XSPKS-IN-12" HEDGE
- 96.3' E. OF XSPKS-IN POWER POLE
- 79.7' W. OF XSPKS-IN POWER POLE
- 12.1' SW. OF S. END OF CULVERT
- 182.9' SSE OF XSPKS-IN POWER POLE

MONUMENT BURIED - 12" DEEP

STAMPED - 12

6-28-39
 P.K.W. - C.E.F.



32 E. 1/4 CORNER. Sec 12-T78N-R1E


✓ MON. PREVIOUS SURV. BY J. T. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE MONU
IS PLACED IN S. OF NTS
ROAD IN LINE WITH N. ROW
FENCE W.

50.1' SW. OF SW. END. OF E. CULVERT
50.3' SE. OF SE. END. OF W. CULVERT
26.6' E. OF XSPKS. IN CORNER POST
54.7' NE. OF XSPKS. IN. POWER POLE
53.9' NW. OF XSPKS. IN. ANCHOR POWER POLE
1062.7' S. SE. OF I.A. GEODETIC # 629

MONUMENT BURIED - 10" DEEP

12-7

STAMPED



33

NE. CORNER SEC 12 T78N R1E
 MON. PREVIOUSLY SET BY T. J. RYAN
 IN HIS NOTES - SHOW A
 STONE WAS FOUND AND
 MON. PLACED IN E. OF S.
 ROAD AND S. OF 80 FT
 W. ROAD


80.1' NW OF XSPKS-IN- Power Pole
 32.8' NE. OF XSPKS-IN- Power Pole
 153.0' SE. OF SE. COR. OF A. PIESSEN RES
 231.0' SE. OF SE. COR. OF FARM BARN
 352.8' SE. OF TA GEODETIC # 130
 88.9' SE. OF XSPKS-IN- 18" ASH TREE

MONUMENT BURIED - 13" DEEP

1/6
 STAMPED 12/9

6-28-39

R.K.W. CO. F.P.



E.V.

34 ✓ NE CORNER - Sec 3 T78N-R1E ✓

CORNER - DESIGNATED BY

BRASS COP. ~~3~~ 5 - IN - E OF U.S.H. 6 PAVEM.

297.0' SW. OF SW CORNER OF - R.S.D.

29.5' N. OF XSPKS - IN - POWER POLE

30.5' W. OF PAVEMENT - STA. # 250

133.7' NE. OF XSPKS - IN - POWER POLE


121.6' NW. OF XSPKS - IN - POWER POLE

70.0' E. OF PAVEMENT - STA # 249

496.95
24.40
740.95

6-28-39

P. K. W. C. OF P.



30^W NE CORNER - Sec. 2 T. 7 N. R. 1 E

CORNER DESIGNATED - BY

Brass Cap ~~15.5~~ IN $\frac{1}{4}$ OF N. S. #6 PAVED
AND 15.5' $\frac{1}{4}$ OF S. ROAD AND
152.8' W. OF $\frac{1}{4}$ OF N. ROAD

39.8' NE. OF CENTER OF S. HEADWAY CULVERT
60.5' NE. OF XSPKS-IN-POWER Pole
41.9' NW. OF XSPKS-IN-COR. Post
27.6' W. OF PAVEMENT - STA. # 303
74.8' E. OF PAVEMENT - STA. # 302
152.8' W. OF $\frac{1}{4}$ OF N. ROAD

1300

6-28-39
R. W. COE P

