

7 GOV'T-LAND-CORNERS

MUSCATINE-COUNTY

DIETZGEN

78-1 E ^{S.F.M.}

FIELD BOOK

BOOK 2

No. 403P

Fulton

~~78-1~~ - TOWNSHIP

78-N-R-~~1~~-~~1~~ E

78-1 E

CRD 8-17-39 EAD

7.

County Closed July
1, 1942.

M.L. 7-27-42



Travel Check
E.V. 7-30-42
completely
Received
* HJA.

NW CORNER - Sec - 31 - T 78 - R 1 E
 Mon. PENNSY - SET - BY - J. L. RYAN
 WHOSE - NOTES - SHOW - A
 WOODEN - HUB - WAS - FOUND.
 MONUMENT - PLACED - IN E
 OF N + S E. ROADS.

- 173.2' NW OF NW COR. OF A.H. FIS. RES.
- 62.9' NW OF XSPKS-IN-36" MAPLE
- 57.7' N.N.W. OF XSPKS-IN 24" MAPLE
- 45.3' NE. OF XSPKS-IN. POWER P. POLE
- 68.4' SW. OF XSPKS-IN POWER POLE
- 66.6' S.S.W. OF IA-Geodetic Monu #155
- 109.3' SE. OF XSPKS-IN Tel. Pole

Mon. buried 12" under surface

STAMPED - 36 - 31




2 SW. CORNER. Sec 31-T78N R.1E

MON. PREVIOUSLY SET BY J. T. RUSH
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE FOUND
15- IN E. OF ROAD "P" NO
FENCES - E. OR W.

101.7' S E. OF Power Pole.
71.0' N E. OF Power Pole.
531.1' N W OF Farm Residence
485.5' No. OF Geodetic Monu # 154
95.0' N W OF 30" Willow Tree

MONUMENT BURIED - 8" DEEP

3431
STAMPED - 16



3 SW CORNER - Sec. 30 - T78N - R1E

MON. PREVIOUSLY - SET BY J. H. MILLER
WHOSE NOTES SHOW A
IRON PIN WAS FOUND -
MONUMENT IS ON W.
SIDE OF ROAD "P" IN LINE
WITH S. ROW FENCE E.


- 139.0' S.W. OF Farm Residence S.W. Cor
- 161.6' N.E. OF Farm Residence N.W. Corner
- 69.8' S.E. OF HOG House S.E. corner
- 19.7' E. OF XSPK in Power Pole
- 67.0' N.E. OF Machine Shed N.E. corner
- 311.0' N.W. OF Geodetic monument #456

MONUMENT - BARRIED - 10" DEEP

STAMPED $\frac{30}{31}$

6-22-39

R.K.W. - Co. F. P.



4 SW. CORNER - Sec. 19 - T78N R.1E

MON. PREVIOUSLY SET - BY - J. F. RYAN
 WHOSE NOTES SHOW A
 STONE WAS FOUND - MARK
 IN - & OF ABANDONED ROAD
 E. END IN & OF N + S. ROAD

85.5' N. of Farm Residence N.E. Corn
 37.5' S E of Corner Post x SPK
 55.8' N E of Telephone Pole x SPK
 137.8' N E of Geodetic Mon. 70-314


MONUMENT - BURIED - 12" DEPT

19
 30

STAMPED

6-22-39

R. W. COFF



WV

5 NW CORNER - Sec 18 - T78N R-1E


MON. PREVIOUSLY - SET BY - J.H. RYAN
 WHOSE - NOTES - SHOW - A
 IRON PIN - WAS - FOUND -
 MONUMENT - IN R. OF N+5
 E. ROAD.

- 75.3' S. E. of x 6 PMS 17 White Oak Tree 30"
- 82.3' E.T.E. of x 5 PMS 17 White Oak Tree 30"
- 48.8' S.W. of x 5 PMS 17 Anchor Pole
- 59.4' N.W. of x 5 PMS 17 TEL Pole
- 57.9' N.N.W. of x 5 PMS 17 TEL Pole
- 732.8' N.N.W. of N.W. cor. of Farm Res.
- 122.2' N.E. of x 5 PMS 17 18" Burr Oak

MONUMENT - BURIED - 12" Deep

STAMPED 18

6-22-39



6 W 1/4 CORNER - Sec. 27 T-18N R-1E
 MAN. PREVIOUSLY - SET BY AT RYAN
 WHOSE NOTES SHOW A STONE
 WAS FOUND MONUMENT
 IN S OF NTS. ROAD - IN LINE
 WITH E + W - FENCES.


- 33.2' E OF XSPKS-IN-CORNER POST
- 33.2' W OF XSPKS-IN-CORNER POST
- 67.3' SE OF XSPKS-IN-13" APPLE TREE
- 62.2' NE OF XSPKS-IN-POWER PILE
- 54.8' NE OF XSPKS-IN-APPLE TREE
- 53.3' SW OF XSPKS-IN-14" WALNUT
- 41.2' W OF XSPKS-IN-18" WALNUT
- 124.6' SE OF XSPKS-IN-POWER PILE

MONUMENT BURIED 12" DEEP

28-27

STAMPED -

17.1.
6-23-39



NE CORNER - Sec. 18 - T. 78 N. - R. 1 E
 MAN PREVIOUSLY SET BY T. PLAN
 WHOSE NOTES SHOW A
 STONE WAS FOUND MANU.
 IN 8' OF N + S. ROAD - IN LINE
 WITH E + W - FENCES

33.3' E. OF X SPKS-IN-CORNER POST
 33.7' W. OF X SPKS-IN-CORNER POST
 80.1' SE. OF X SPKS-IN-POWER POLE
 104.6' NE. OF X SPKS-IN-POWER POLE
 52.5' NW. OF X SPKS-IN-TEL. POLE
 527.0' NW. OF X SPKS-IN-12" MAPLE
 927.0' S. SE. OF SE. CORNER OF TECH. SHED


MONUMENT BURIED - 12" DEEP

21 22

78 27

STAMPER

6-23-39



8 N 7 CORNER - Sec 28. T70N R1E

MON. PREVIOUSLY SET BY J. T. RYAN
WHOSE NOTES SHOW A
STONE WAS FOUND MONU
IS IN. LINE WITH N+S,
E+W, FENCES.


- 44.8' E OF STEEL FENCE POST
- 9.7' W OF XSPKS - IN E. BRACE POST
- 7.5' S. OF XSPKS - IN S. BRACE POST
- 1.4' N. OF XSPKS - IN S. FENCE POST
- 36.5' N. OF XSPKS - IN FENCE POST

MONUMENT SURFACE LEVEL

21

STAMPED 28

H.T.
6-23-39




9 W. CORNER - SEC. 22 T2N-R1E X
 MON. PREVIOUSLY - SET BY J. J. RYAN
 WHOSE NOTES SHOW A IRON
 PIN - WAS FOUND. MONUMENT
 IN E. OF N+5, EXH ROADS

43.0' NE OF XSPKS-IN-CORNER POST
 173.3' NW OF NW COR. OF NICHOLSON SCHOOL-HOUSE
 38.1' SE OF XSPKS-IN-POWER POLE
 86.2' SW OF XSPKS-IN-POWER POLE
 317.9' W OF W END OF S. HEAD WALL OF CULVERT
 130.9' NW OF XSPKS-IN-42" MAPLE TREE

MONUMENT BURIED - 12" DEEP

21-22

STAMPED



10 NE CORNER-SEC. 21-T. 18N. R. 1-E
 MON. PREVIOUSLY SET BY H.T. RYAN
 WHOSE NOTES SHOW A
 STONE WAS FOUND MONU.
 IN 8 OF N+5, ROAD-IN-LINE
 WITH E+W FENCES.


- 66.6' W. OF XSPKS-IN-CABLE Tel. Pole
- 43.0' E. OF XSPKS-IN-CABLE Tel. Pole
- 25.2' E. OF XSPKS-IN-CORNER Post
- 56.4' NE. OF XSPKS-IN-POWER Pole
- 54.0' SE. OF XSPKS-IN-POWER Pole
- 26.7' W. OF XSPKS-IN-CORNER Post
- 306.1' SE. OF SE. CORNER OF FERN BARN

MONUMENT-BURIED-12" DEEP

14 15
 21 22

STAMPED-

4.1.
 6-23-39



11 N 1/4 CORNER Sec 21-T22N-R1E

MON. PREVIOUSLY - SET BY J. J. RYAN
NO ORIGINAL EVIDENCE
SHOWN. MANU. IN-LINE
WITH NTS, FENCES, AND
N. OF E+W, FENCES


1.0' S. OF XSPKS-IN - N. CORNER Post
35.2' W. OF XSPKS-IN - CABLE TEL Pole
63.0' E. OF XSPKS-IN - CABLE TEL Pole
205.4' S. OF XSPKS-IN - 1 1/4" COTTON WOOD

MONUMENT - SURFACE LEVEL

16

STAMPED 11

6-23-39



12 NW CORNER - Sec. 15. T. 78 N. R. 1 E

MON. PREVIOUSLY SET - BLAET. RYAN
WHOSE NOTES - SHOW - A IRON
PIPE - WAS - FOUND - MON. IN
R. OF N. 15, ROAD - IN - GULF
WITH E + W - FENCES.

22.7' E OF XSPKS-IN-CORNER POST

41.9' E OF 6" STEEL FENCE POST

29.3' W. OF XSPKS-IN-CORNER POST

33.1' W. OF IRON ROW PIN

38.6' SE OF XSPKS-IN-FENCE POST


58.2' SW OF XSPKS-IN-FENCE POST

MONUMENT - BURIED - 16" DEEP

16-15

STAMPED

6-23-39



E.V.

13 NE CORNER Sec 16 T-78N-R-1-E
 MON. PREVIOUSLY SET BY RYAN
 WHOSE NOTES SHOW AN
 IRON PIN WAS FOUND
 MON. IN ROBERTS ROAD
 IN-LINE WITH E+W FENCES


714.0' SW OF S SIDE OF FARM SILO
 40.2' SE OF XSPKS-IN TELEPHONE POLE
 26.9' E OF XSPKS-IN CORNER POST
 43.3' E OF XSPKS-IN-10" HEDGE TREE
 32.9' W OF XSPKS-IN CORNER POST
 26.4' W OF XSPKS-IN CORNER POST

MONUMENT BURIED 12" DEEP

9-10
 15-16

STAMPED

M.F.
 6-23-39




14 N 1/2 CORNER - Sec 16 T 28 N R 1 E
 MON. PREVIOUS SET BY J. J. RYAN
 WHOSE NOTES SHOW A STONE
 WAS FOUND MONU. IS IN
 LINE WITH E & S FENCES.

59.6' E. OF X SPKS - IN TWIN 16" BASELDER.
 0.3' N. OF X SPKS - IN CORNER POST
 343.8' S.E. OF S.E. COR. OF FARM BARN
 263.7' S.E. OF X SPKS - IN - 3/4" CAT. IN WOOD
 130.5' N. OF N. ROW. FENCE RUNNING E & W
 94.2' W. OF X SPKS - IN GATE - POST

MONUMENT - SURFACE LEVEL

STAMPED 16



15 NW CORNER SEC 10-T-28N-R-1-F
 MON. PREVIOUSLY SET BY J. T. RYAN
 WHOSE NOTES SHOW A
 IRON PIN WAS FOUND MONU
 IN S. OF N. S. ROAD - IN LINE
 WITH W. FENCE.


61.9' NE. OF X SPKS-IN-TEL. POLE
 27.2' E. OF X SPKS-IN-CORNER POST
 121.5' SW. OF X SPKS-IN-POWER POLE
 113.6' SE. OF X SPKS-IN-TEL. POLE
 30.1' NE. OF STEEL GATE POST
 210.2' NW. OF X SPKS-IN-POWER POLE

MONUMENT BURIED 12" DEEP

9-10

STAMPED

T.T.
 6-23-39



E.V.

16 N. 1/4 CORNER - SEC 26 T. 78 N. R. 1 E
 MON. PREVIOUSLY SET BY J. J. RYAN
 WHOSE NOTES SHOW NO ORIG.
 EVIDENCE FOUND. MON. IN
 S. OF N.T.S. ROAD - IN LINE WITH
 E. FENCE - AND - N. OF W.
 FENCE.

225.8' SW. OF SW. COR. OF PLAMBERT REC
 104.6' SSW. OF XSPKS - IN - POWER POLE
 22.8' NE. OF XSPKS - IN - CORNER POST
 21.3' W. OF XSPKS - IN - CORNER POST
 72.2' NW. OF XSPKS - IN - POWER POLE
 32.4' NE. OF XSPKS - IN - TEL. POLE
 170.3' SW. OF SW. COR. OF CHICKEN-HOUSE
 51.9' NE. OF XSPKS - IN - 12" HEDGE


MONUMENT RIPPED - 12" DIAL

27-26

STAMPED -

6-27-39

27-26



E.V.

18 NW CORNER Sec-27-T78N R1E

H.T.
6-27-39


MON. PREVIOUSLY SET BY J.F. RYAN
WHOSE NOTES SHOW A STONE
WAS FOUND MONU. IN LINE
WITH NTS, FENCES, AND S.
OF E+W FCS.

- .06' SW. OF XSPKS-IN-12" HEDGE
- 16.7' E. OF XSPKS-IN-8" HEDGE
- 17.0' N. OF XSPKS-IN-12" HEDGE
- 2.5' S. OF XSPKS-IN-6" HEDGE
- 7.7' W. OF STEEL FENCE POST

MONUMENT SURFACE LEVEL

22

STAMPED 27



19 W. 4 CORNER SEC-93-TOWN-RITE
 MON. PREVIOUSLY SET BY T.T. RYAN
 WHOSE NOTES SHOW A
 IRON-PIN WAS FOUND MONU
 IN S. OF E. W. S. ROAD.


- 33.6' NE OF XSPKS-IN-CORNER POST
- 34.8' NE OF XSPKS-IN-TEL. POLE
- 57.2' NW OF XSPKS-IN-POWER POLE
- 35.5' NW OF XSPKS-IN-12" COR. POST
- 32.6' S. OF XSPKS-IN-CORNER POST
- 36.3' SW OF XSPKS-IN-POWER POLE
- 157.7' SE. OF XSPKS-IN-POWER POLE
- 440.0' SE. OF SE. COR. OF FARM BARN

MONUMENT-BURIED-12" DEEP

22-23

STAMPED

H.P.
 6-27-39



20 NE CORNER - Set 22 TTRN R.I.E
 MON. PREVIOUSLY - Set - 34 - J.T. RYAN
 WHOSE - NOTES - SHOW - A. STONE
 WAS - FOUND - MONU. 15 - IN
 LINE - WITH E+WTS, FC'S
 AND - N. OF E. HANE - FENCE

16.0' N. OF XSPKS-IN-CORNER-POST
 19.5' E. OF XSPKS-IN-CABLE TEL Pole
 149.8' E. OF XSPKS-IN-CABLE-TEL Pole
 109.8' W. OF XSPKS-IN-CABLE-TEL Pole
 .07 W. OF XSPKS-IN-FENCE POST


MONUMENT-SURFACE-LEVEL

15 14

STAMPED 22.23

H.P.

6-27-39



9' N $\frac{1}{2}$ CORNER Sec 22 T78N R1E
 MON. PREVIOUSLY SET BY J. T. RYAN
 WHOSE NOTES SHOW A
 STONE WAS FOUND MONU.
 IN 6 INE WITH N.S. FC'S AND
 N. OF E+W FC'S


3.0' NE OF XSPKS-IN-CORR TEL POLE #490
 132.6' E OF XSPKS-IN-CORR TEL POLE #489
 104.7' W OF XSPKS-IN-CORR TEL POLE #491
 20.0' W OF XSPKS-IN-CORR GATE POST
 .02' N OF XSPKS-IN-CORNER POST

MONUMENT SURFACE LEVEL

15

STAMPED 22

6-27-39



22 N 1/4 CORNER - SEC 14 - T88N - R-1E

x

MON. PREVIOUSLY SET BY INT. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE, MONU
IN S. OF E + W. ROAD.

- 106.7' SW. OF XSPKS-IN- Power Pole
- 62.3' NW. OF XSPKS-IN- Tel. Pole
- 101.8' SF. OF XSPKS-IN- Power Pole
- 90.0' NE. OF XSPKS-IN Tel. Pole
- 157.4' SE. OF SE COR. OF W. PAULSEN BARN
- 160.2' SE. OF CENTER OF FARM SILO


MONUMENT - BURIED - 12" DEEP

15-14

STAMPED

F.P.

6-27-39



E.V.

24 W¹/₄ CORNER - Sec 11 - T 78 - R 1 E

MON PREVIOUSLY - SET BY - J. T. RYAN
WHOSE NOTES - SHOW - A STONE
WAS FOUND. MON. IN LINE
WITH N + S FCS, AND N. OF
E + W FCS.


.03' N. OF X SPKS - IN - CORNER Post
9.7' E. OF X SPKS - IN - W BRACE Post
416.7' S. OF X SPKS - IN - 36" Cotton Weed
15.0' W. OF X SPKS - IN - FENCE Post
9.4' N. OF X SPKS - IN - S BRACE Post
126.58' SE. OF SE. COR. OF HOG HOUSE

MONUMENT - SURFACE LEVEL

10-11

STAMPED

6-27-39



W.V.

25 NE CORNER. Sec 10. T8N-R-1E


H.P.
6-27-39

MON. PREVIOUSLY SET BY J.T. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE MONU.
IN E & W PDS, AND E. OF
ABANDONED S. ROAD

- 33.0' S. OF XS S-N. ORN. P. Post
- 37.0' NE. OF XS S-N. To Pole
- 36.6' N.W. OF XS S-1 B. - ORN. P. ST
- 163.4' N. OF XS S-1 To Pole
- 37.3' N. OF PKS-M. ORN. P. ST

MONUMENT BURIED - 17" Deep

	3	2
STAMP	10	1



26 N⁷ CORNER Sec. 9-T78N-R-1E

MON. PREVIOUSLY SET - BY AT-PLAN
WHOSE NOTES SHOW A STONE
WAS FOUND MONU. IN LINE
WITH E. FC. AND W. OF NETS
FENCES.


- 1.8' W. OF STEEL CORNER POST
- 23.9' N. OF XSPKS IN-POWER POLE
- 3.3' W. OF XSPKS-IN CORNER POST
- 21.0' W. OF XSPKS-IN-POWER POLE
- 13.5' S. OF XSPKS-IN-FENCE POST

MONUMENT-SURFACE-LEVEL

STAMPED

4
9

H. I.
6-28-39



H. I.

29 ✓ NE. CORNER - Soc 4-T78-R-1E

CORNER - DESIGNATED BY
CROSS-ING & OF U.S. H6, PAVE-
MENT, AND IN & OF S. ROAD
AND 175.6 W. OF & OF N. ROAD.

38.5' NW OF XSPKS-IN-CORNER POST

41.8' NW OF XSPKS-IN-TEL. POLE

6.4' NW OF XSPKS-IN-24" MAPLE

34.4' S.S.E. OF XSPKS-IN-TEL. POLE

51.3' NE. OF XSPKS-IN-POWER POLE

40.5' NE. OF XSPKS-IN-COR. POST


40.6' NW OF & OF 2' HEAD WALL ON COLLECTOR

46.8' W. OF PAVEMENT STA. # 197

55.2' NW OF PAVEMENT STA # 196

175.6' NE. OF & OF ROAD - RUNNING N.

H. H.
6-28-39



30 NW CORNER SEC-3 T78 R.1E

A.P.
6-28-39

CORNER DESIGNATED BY
BRASS CAP ~~CROSS~~ - IN E. OF U.S. #6 PAVE
MENT - AND - IN - LINE - WITH
S. FENCE

29.5' S. OF XSPKS - IN - CORNER POST

38.3' NW. OF XSPKS - IN - POWER POLE


102.0' NE. OF XSPKS - IN - POWER POLE

16.3' NW. OF W. END. OF S. HEAD WALL - CULV.

16.3' SW. OF W. END. OF N. HEAD WALL - CULV.

90.5' NW. OF PAVEMENT - STA # 224

209.7' NE. OF PAVEMENT - STA # 221



31 ✓ NW 1/4 CORNER - Sec 1 - 78N. R. 1E ✓

6-78-39

MON. PREVIOUSLY SET BY J. J. RYAN

WHOSE NOTES SHOW A

STONE WAS FOUND MONU.

ON LINE WITH NTS. FENCES.

AND ON E. SIDE OF FENCE

9.0' N. OF XSPKS - IN - FENCE POST

180.8' N. OF XSPKS - IN - CORNER POST

221.3' N. OF 1/2 OF N. RAIL ON - CRIPPER


244.5' N.W. OF XSPKS - IN - TEL. POLE

35.4' S. OF STEEL - FENCE POST

MONUMENT - SURFACE LEVEL

3-2

STAMPED



W.V.

32 N $\frac{1}{4}$ CORNER SEC 10 - T78-R2E ✓

✓ MON. PREVIOUSLY SET BY J. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE. MONU
IN R OF E & W ROAD - IN LINE
WITH S. FENCE


46.5' NW. OF XSPKS-IN-TEL. Pole
23.5' N. OF XSPKS-IN-CORNER Post
137.0' NE. OF XSPKS-IN-TEL. Pole
72.5' SW. OF XSPKS-IN-POWER Pole
419.3' SW. OF SW. CORNER OF FORM SHED
104.0' SE. OF XSPKS-IN-CORNER Post

MONUMENT BURIED - 12" DEEP

STAMPED

3
10

6-28-39



N.W.

33

N. 1/4 COR. SEC. 15 - 7B - 1E

X

✓ MON. PREVIOUSLY SET BY J. W. RYAN
 WHOSE NOTES SHOW NO
 ORIGINAL EVIDENCE FOUND
 MONUMENT IN LINE WITH
 F. W. FOS AND E. OF N. E. C.

13198 N. OF XSPKS - IN CORNER POST

MONUMENT - SURFACE - LEVEL

STAMPED

10

15

6-29-39

R. K. W. - G. O. F.

At N. End of
 Lane


27 N¹/₄ CORNER - SEC. 4 - T78N R1E

CORNER DESIGNATED BY

BRASS CAP ~~CROSS~~ - IN & OF U.S. #16 PAVEMENT.

- 9.8' NE. OF PAVEMENT - STR #170
- 18.3' N. OF NW COR. OF Hog House
- 70.8' NW. OF XSPKS - IN - POWER Pole
- 481.5' E. OF CENTER OF S. HEAD WALL CURV.
- 75.8' NW. OF NE COR. OF CORN CRIB
- 59.3' NE. OF XSPKS - IN - POWER Pole

6-28-39
F. A. W. - Co - P



20 NE CORNER SEC-33-T78N R1E
 MON. PREVIOUSLY SET BY J.T. RYAN
 WHOSE NOTES SHOW A IRON
 PIN WAS FOUND MON. IN E
 N + E + W. ROADS - IN - E OF
 S. LANE

- 51.8' SE OF IA-Geodetic #620
- 82.1' NE OF XSPKS-IN-POWER Pole
- 39.3' NE OF CONCRETE ROW MARKER
- 38.1' NW OF IRON ROW MARKER
- 36.1' NW OF CONCRETE ROW MARKER
- 50.2' SW OF IRON-MAN HOLE COVER
- 44.3' SW OF STEEL CORNER POST
- 73.3' SW OF XSPKS-IN-TEL. Pole

MONUMENT - BURIED - 13" DEEP

28 27
 33 37
 STAMPED

6-28-39
 P.K.W. CO. P

