

Govt Land Corner Ties

Muscataine County

**DIETZGEN**

T8-1E

**FIELD BOOK**

Book 3

**No. 403P**

FULTON Township

T8N-1E

T8-1E

Oct 8 17-39 E.V.O.

(8)

County Closed

July 1, 1942

E.V.

M.L. 7-27-42

Completely Copied

Final Check  
E.V. - 7-30-42

\* 11/11


NE CORNER Sec-31-T-78N-R-1-E

MONUMENT PREVIOUSLY SET  
BY J. J. RYAN WHOSE NOTES  
SHOW AN IRON PIN WAS FOUND  
WHERE MONUMENT WAS BURIED.  
MONUMENT IS IN  $\frac{1}{4}$  OF ROAD NTS,  
AND ON S. ROW LINE OF HIGHWAY  
#22.

68.7' S.E. OF CONCRETE ROW MARKER  
109.6' S.W. OF XSPKS-IN-POWER Pole  
79.7' S.W. OF XSPKS-IN-TEL. Pole  
22.0' W. OF XSPKS-IN-18" ELM TREE  
338.8' N.W. OF N.W. COR. OF THE STAIR RES  
30.8' N.W. OF XSPKS-IN-24" ELM TREE  
65.2' N.N.E. OF XSPKS-IN-POWER Pole  
78.0' E. OF XSPKS-IN-50" ELM TREE

MONUMENT BURIED - 12" Deep

30 29  
STAMPED  $\rightarrow$   
31 32




2  
W 4 CORNER - SEC - 30 - T 78 N - R 1 E

MON. PREVIOUSLY SET BY J. T. RYAN  
WHOSE NOTES SHOW NO  
ORIGINAL EVIDENCE FOUND.  
MONU. IN E. OF N. & S. ROAD.

117.2' SE. OF SE. COR. P. STRUNK BARN  
252.7' SE. OF SE. COR. P. STRUNK RES.  
58.6' SW. OF SW. COR. P. STRUNK BARN  
260.9' S. SE. OF IA GEOD. # 157  
65.6' S. SW. OF XSPKS. IN 18" FLM TREE

MONUMENT - SUR 12" DEEP

STAMPED - 30



3  
W 1/4 CORNER, Sec. 19-T. 78N-R. 1-E

MON. PREVIOUSLY SET BY IT-RYAN  
WHOSE NOTES SHOW NO ORIG.  
EVIDENCE FOUND. MANU. IN  
R. OF E+NS. ROADS.

657.5' W. OF XSPKS-IN-30" ELM TREE

38.9' S.W. OF XSPKS-IN-CORNER POST

62.5' S.W. OF S.E. COR. OF CULVERT-WING

35.5' N.W. OF XSPKS-IN-CORNER POST

384.9' S.E. OF S.E. COR. OF C. ANGERER BARN


36.3' N.E. OF XSPKS-IN-TEL. POLE

MONUMENT BURIED 12" DEEP

STAMPED ← 19

6-22-39

R. H. W. - CO. P.





5  
N<sup>W</sup> CORNER - Sec 6 - T78N - R1E

MONUMENT SET PREVIOUSLY BY  
T. T. RYAN - WHOSE NOTES DO NOT  
SHOW ANY ORIGINAL EVIDENCE  
FOUND. NO - LINE - FENCE - S. AT  
THIS POINT. MONUMENT IS AT  
BASE OF N. EMBANKMENT OF  
CRT + P. R.R.


269.7' S.E. OF SW COR. Voss - Res.  
68.7' E. SE. OF PAVEMENT STA. # 63  
35.2' S.S.W. OF XSPKS - IN - Power Pole  
136.4' S.W. OF CENTER S. HEAD WALL - CULVERT  
44.4' S. OF S. EDGE OF PAVEMENT - SHARP  
67.1' E. OF XSPKS - IN - Tel. Pole  
125.0' E. OF MUSEY & SCOTT - CO. LINE POST  
26.0' N. OF # OF CRT + P. R.R. TRACK.

MONUMENT - BURIED - 8" DEEP

STAMPED

6

6-23-39  
R. A. W. - Co. F. P.




6  
N<sup>1</sup>/<sub>2</sub> CORNER Sec 32 T78N R11E

MONUMENT SET PREVIOUSLY BY  
J. H. RYAN. WHOSE NOTES DO NOT  
SHOW ANY ORIGINAL EVIDENCE.  
FOUND A CORNER 12" IN TOWN OF  
PRESENT PRAIRIE IN SE. COR.  
OF INTERSECTION OF HWY #2  
AND ROAD N+S.

85.1' SE. OF SE. COR. OF BANK BLDG.  
72.1' S. OF PRESENT PRAIRIE GROCERY  
37.6' E. OF NE. COR. OF GARAGE BLDG.  
15.8' SW. OF X SPKS IN POWER POLE  
265.1' N.N.W. OF P. PRAIRIE SCHOOL HOUSE  
31.3' W. OF CONCRETE HWY MARKER  
40.2' E. OF CONCRETE HWY MARKER

MONUMENT BURIED - 12" DEEP  
STAMPED - 29  
52




7  
NW CORNER - SEC 6 - T78N - R1E

MONUMENT - SET - PREVIOUSLY -  
BY - H. T. RYAN - WHOSE - NOTES - DO  
NOT - SHOW - AN - ORIGINAL - EVIDENCE -  
FOUND - NO - F + W - LINE - FENCES -  
AT - THIS - POINT - MONUMENT - IS -  
IN - S. - OF - N.T.S. ROAD.

564.5' NW. OF NW. COR. OF BRIDGE  
222.3' NW. FROM COR. OF S. ENTRANCE PIER  
27.8' W. OF TA. GEODETIC #162  
42.2' SW. OF XSPKS - IN - POWER POLE  
37.1' W. N.W. OF XSPKS - IN - S. GATE POST  
30.4' E. OF XSPKS - IN - TEL. POLE  
492.7' S. OF S. OF S. MAIN LINE - CRT + P.P.R.

MONUMENT BURIED - 12" DEEP

STAMPED - 6



W<sup>1</sup>/<sub>4</sub> CORNER Sec 6-T-78N-R-1E




MONUMENT SET PREVIOUSLY BY  
ST-OT PLAN WHOSE NOTES DO  
NOT SHOW ANY ORIGINAL  
EVIDENCE FOUND MONUMENT IS  
SET IN E. OF N.E. ROAD AND IS  
IN LINE WITH E. LINE FENCE.

- 817.0' NW. OF NW. COR. OF N. 54<sup>o</sup> 45' VETER. RD.
- 114.6' N.N.E. OF X SPKS-IN-TEL. Pole
- 72.0' S.E. OF X SPKS-IN-TEL. Pole
- 376.3' E. OF X SPKS-IN-S. GATE Post
- 33.2' W. OF X SPKS-IN-CORNER Post

MONUMENT BURIED - 13" Deep  
STAMPED - 6

6-23-39  
P.K.W. Co. E.P.



N.W. CORNER - Sec 7 - T78N R.1E

MONUMENT - SET PREVIOUSLY BY  
J. W. RYAN - WHOSE NOTES DO NOT  
SHOW ANY ORIGINAL EVIDENCE  
FOUND. THERE IS A GOLF FENCE  
E. FROM E. P.O.W. FENCE.

MONUMENT IS IN S. OF N.S. ROAD

121.7' SW. OF - S. P.O.W. FOUND - H. MILLER RES.

37.4' W. OF TR. GEODETIC # 379

44.4' SW. OF XSPKS - IN - POWER POLE

33.6' W. OF XSPKS - IN - CORNER POST

40.7' E. SE. OF XSPKS - IN - 18" ASH TREE

98.2' NE. OF NE. COR. OF CORN CRIB


112.0' NE. OF XSPKS - IN - 14" ASH TREE

165.8' N. N.W. OF XSPKS - IN - POWER POLE

MONUMENT BURIED - 12" DEEP

STAMPED -

6  
7



W<sup>4</sup> CORNER - Sec. 7 - T78N - R1E

MONUMENT SET PREVIOUSLY BY  
 J. F. RYAN - WHOSE NOTES DO NOT  
 SHOW ANY ORIGINAL EVIDENCE  
 FOUND. NO. E+W. FENCE LINES  
 AT THIS POINT.

480.0' SW. OF SW. SIDE OF TILE SILO  
 304.5' S. SW. OF XSPKS-IN Power Pole  
 102.6' SE. OF XSPKS-IN. Tel. Pole  
 35.7' E. OF XSPKS-IN. N. GATE Post  
 51.0' N. W. OF XSPKS-IN. Tel. Pole  
 46.9' SW. OF XSPKS-IN. FENCE Post  
 262.7' S. SE. OF XSPKS-IN. Tel. Pole


MONUMENT BURIED - 12" Deep

STAMPED - 7

X

6-23-39

XSPKS-IN. Cor. F




W<sup>1/4</sup> CORNER, Sec 18-T78N R.1E

MONUMENT PREVIOUSLY SET BY  
J. H. RYAN - WHOSE NOTES SHOW  
NO ORIGINAL EVIDENCE FOUND -  
NO FT W. LINE FENCES AT THIS  
POINT. MONUMENT IS IN E. OF NTS  
ROAD.

113.9' S.S.E. OF XSPKS-IN-TEL. Pole  
219.2' S.S.E. OF XSPKS-IN-S. GATE Post  
209.9' S.S.W. OF XSPKS-IN-POWER Pole  
328' W. OF XSPKS-IN-S. GATE Post  
157.5' N.N.W. OF XSPKS-IN-POWER Pole  
1764.7' N.N.W. OF - NW. COR. OF SIMMONS - RES.  
131.7' N.N.E. OF XSPKS-IN-TEL. Pole

STAMPED → -18



W<sup>1</sup>/<sub>4</sub> CORNER - SEC. 28 - T78N - R.1E

MONUMENT - PREVIOUSLY SET - BY  
A. J. RYAN - WHOSE NOTES SHOW  
AN IRON PIN - WAS FOUND - WHERE  
MONUMENT - WAS - PLACED. MONUM.  
IS - IN -  $\frac{3}{4}$  OF N + S ROAD - ON - LINE  
WITH - E. FENCE

1157.7' S. SE. OF SE. COR. OF RES.

82.2' SE. OF CENTER OF W. END - HEAD WALL


289.6' SSW. OF XSPKS - IN - POWER POLE #9

110.5' NW. OF XSPKS - IN - POWER POLE

87.9' SW. OF CENTER OF E. END OF HEAD WALL

MONUMENT BURIED - 12" DEEP

STAMPED - 29 - 18



13  
NE CORNER-SEC-19-T-28N R-1E

✓ MONUMENT- PREVIOUSLY-SET-BY  
T-T RYAN-WHOSE-NOTES-SHOW  
A-STONE-WAS-FOUND-WHERE-  
MONUMENT-WAS-PLACED-MONUMENT  
IN S. OF NTS-ROAD AND IN. OF S  
OF-ROAD-W.


- 349.2' NW. OF XSPKS-IN-POWER Pole
- 37.6' SW. OF XSPKS-IN-POWER Pole
- 51.0' SE. OF XSPKS-IN-TECH. Pole
- 47.0' SE. OF XSPKS-IN-CORNER Post
- 152.0' E. OF XSPKS-IN-POWER Pole
- 35.6' NE. OF XSPKS-IN-CORNER Post

MONUMENT-BURIED-12" Deep

20 21

STAMPED-29 28

6-23-39




14  
N<sup>1</sup>/<sub>4</sub> CORNER Sec-29-T7N-R1E

MONUMENT PREVIOUSLY SET BY  
W. J. RYAN. WHOSE NOTES SHOW A  
STONE WAS FOUND WHERE MONU  
MENT WAS PLACED IN E. OF E. W. & S. R.D.'S.

138.2' SW. OF SW. COR. OF C. KAHK RES.  
28.9' S. OF XSPKS-IN- POWER POLE  
147.2' W. OF XSPKS-IN- POWER POLE  
18.5' NW. OF XSPKS-IN- CORNER POST  
31.5' NE. OF XSPKS-IN- TEL. POLE

MONUMENT BURIED 12" DEEP  
STAMPER - 30  
29

6-23-39  
R. K. W. COR. P.



10  
S<sup>1</sup>/<sub>4</sub> CORNER-SEC. 33-T78N-R1F


MONUMENT-Set-IN- $\frac{1}{4}$  OF ETLW  
ABANDONED-ROAD-AND-IN-LINE  
WITH-N+ S. FENCES. MONU.  
PREVIOUSLY-Set-BY RYAN Ho-SHOWS  
A-STONE-MASS-FOUND

7.6' S. OF XSPKS-IN-10" OAK  
20.9' SE. OF XSPKS-IN-24" OAK  
27.7' NE. OF XSPKS-IN-8" HEDGE  
16.7' N. OF XSPKS-IN-CORNER Post

MONUMENT-BURIED-8" Dec 7  
33

STAMPED

7-13-39  
R. H. W. Co. - 9



14  
W<sup>1</sup>/<sub>4</sub> CORNER-SEC-34-T8N-R1E

MONUMENT-15-IN-Ø OF-ORANE  
ROAD-IN-LINE-WITH-NYS  
FENCE-LINES-MONUMENT-  
PREVIOUSLY SET BY-T. J. RYAN  
WHOSE-NOTES-SHOW-NO-ORIG.  
EVIDENCE-FOUND


- 1.6' W.OF XSPKS-IN-CORNER Post
- 31.8' E.OF XSPKS-IN-10" CORNER Post
- 34.3' E.OF XSPKS-IN-20" HEDGE
- 34.5' ESE.OF XSPKS-IN-N-BRACE Post

MONUMENT-BURIED-12" DEEP

33-34  
STAMPED-

713-39


P.M. Co. F



17  
 § 1/4 CORNER - Sec-34-T18N R-1E  
 ✓ MON. PREVIOUSLY BY T-PLAN  
 WHOSES NOTES SHOW A STONE  
 WAS FOUND MON. SET ON  
 N. SIDE - E.W. FC. IN LINE WITH  
 W. FENCE

- 8.2' N. OF XSPKS - IN - 18" BURR OAK
- 55.1' SW. OF XSPKS - IN - 5" ELM
- 27.6' SW. OF XSPKS - IN - GROUP HEDGE
- 24.4' W. OF XSPKS - IN - 5" ELM
- 7.9' S. OF XSPKS - IN - FENCE POST

MONUMENT - SURFACE - LEVEL  
 34  
 STAMPED 3



Same as in  
 Book 5

E.V.

10  
 SW-CORNER--Sec-34-T78N R1E X  
 ✓ MON PREVIOUSLY-SET BY-FT RYAN  
 WHOSE NOTES-SHOW-NO  
 ORIGINAL-EVIDENCE-MONO  
 IS-IN-CULTIVATED-FIELD  
 AND-NO-FENCE LINES.


45.1' NW OF XSPKS-IN-COR. POST  
 59.0' NW OF XSPKS-IN-CORNER POST  
 60.0' NW OF XSPKS-IN-8" COTTON WOOD  
 58.0' W. OF N+S-FENCE LINE

MONUMENT-BURIED-12" DEEP

33 34  
 STAMPED 4 3

MP  
 7-13-39  
 BKW-CORP

CORN-FIELD PASTURE



Same stone as in  
 OR 35 p 32

17  
S.W. CORNER - Sec - 35 - T78N - R1E

✓  
MONUMENT - PREVIOUSLY - SET BY  
J. T. RYAN - WHOSE NOTES SHOW  
A STONE - WAS FOUND IN A  
DIRECTION ON E. SIDE OF N.T.S. AND  
W. FENCE.


34.9' E. OF X SPKS - IN - 6" FAM  
25.3' S.E. OF X SPKS - IN - 10" FAM  
7.3' S. OF X SPKS - IN - 12" HEDGE  
68.9' N.W. OF X SPKS - IN - 24" OAK  
51.8' W. OF X SPKS - IN - 36" OAK  
69.0' S.W. OF X SPKS - IN - 18" HICKORY  
28.3' N. OF X SPKS - IN - 30" OAK  
.08 E. OF X SPKS - IN - W. COR. POST

MONUMENT - SURFACE - MEYER

34 35

STAMPED 3 2

7-13-39  
P.K.W. & G.P.



W 1/4 CORNER - SEC - 35 - T78 N R14


MONUMENT - ON - N - SIDE - OF - S.  
 FENCE - LINE - IN - LINE - WITH - E - W  
 FENCE - AND - 6' - W. - OF - N - FENCE  
 PREVIOUSLY - SET - BY - J. - RYAN  
 WHOSE - NOTES - WERE - FOUND

.03 N. OF XSPKS - IN - CORNER POST  
 103.1' N. OF XSPKS - IN - 30" OAK TREE  
 103.1' NE. OF XSPKS - IN - 14" ELM  
 145.9' E. OF XSPKS - IN - 40" ELM  
 6.0' E. OF XSPKS - IN - CORNER POST

MONUMENT - SURFACE - LEVEL

STAMPED 54-35

7-13-39  
 PRW - COE



W<sup>1</sup>/<sub>4</sub> CORNER Sec-36-T78N R1E

MONUMENT - IN -  $\frac{1}{2}$  - OF NTS,  
ROAD - IN - LINE - WITH - E.T.W  
FENCES. PREVIOUSLY SET BY RYAN  
AND NOTES SHOW NO ORIG.  
EVIDENCE FOUND


30.8' E OF XSPKS - IN - Co.R. Post  
31.2' W. OF XSPKS - IN - Co.R. Post  
249.4' E. OF XSPKS - IN - 36" OAK  
64.0' SE. OF XSPKS - IN - 10" Box EIDER

MONUMENT - BURIED - 12" DEEP

35-36

STAMPED

7-14-39  
R.W. Co. P.



22  
 SW CORNER - Sec - 36 - T 78 N - R 1 E  
 MON. PREVIOUSLY SET BY  
 RYAN. WHOSE NOTES SHOULD  
 BE STONE - WAS FOUND. . .  
 MON. SETS ON W-SIDE OF  
 LANE ROAD - IN LINE WITH  
 E. FENCE.

132.8' E. OF SE CORNER FARM HOUSE  
 14.7' W. OF XSPKS - IN - 8" MAPLE  
 21.9' W. OF XSPKS - IN - 12" MAPLE  
 51.9' NW. OF XSPKS - IN - 18" MAPLE  
 11.2' N. OF XSPKS - IN - 10" MAPLE  
 70.3' E. OF XSPKS - IN - 20" APPLE  
 80.0' SW. OF XSPKS - IN - 20" HICKORY


MONUMENT - BURIED - 8" DEEP

35 36  
 2 1

STAMPED

7-14-39

R.K.W. Co P




<sup>45</sup>  
 S<sup>1</sup>/<sub>4</sub> CORNER - Sec - 35 - T78N - R1E  
 MON. PREVIOUSLY SET BY  
 RYAN WHOSE NOTES SHOW  
 NO ORIGINAL EVIDENCE  
 FOUND. MONU. SET ON E. END  
 SIDE OF N+S FENCE LINE

4.0' S. OF XSPKS-IN-FENCE POST  
 188.0' E. OF XSPKS-IN-20" BURR OAK  
 1.8' N. OF XSPKS-IN-FENCE POST  
 .06 E. OF N+S FENCE LINE

MONUMENT - SURFACE - LEVEL

35  
 STAMPED 2

7-14-39



24  
S<sup>1</sup>/<sub>4</sub> CORNER - Sec - 36 - T78N R.1E


✓ MONUMENT - PREVIOUSLY SET  
BY RYAN - WHOSES NOTES SHOW  
A STONE - WAS FOUND - MON.  
SET IN E. OF NTS, ROAD - IN-  
LINE - WITH E. FC.

35.4' W. OF XSPKS - IN - TELEPHONE POLE  
67.1' SE. OF XSPKS - IN - POWER POLE  
103.1' SE. OF XSPKS - IN - 24" OAK  
211.1' S. OF S. END - OF W. RAIL - ON BRIDGE  
114.8' NE. OF NE. COR. OF HOG HOUSE  
32.6' W. OF XSPKS - IN - ANCHOR TELE. POLE

MONUMENT - BURIED - 12" DEEP

36

STAMPED




SE CORNER - Sec. 36 - T78N R.15

✓ MONUMENT PREVIOUSLY SET BY  
J. R. RYAN WHOSE NOTES SHOW  
A IRON PIN WAS FOUND MONU.  
SET IN E OF E/W ROAD AND  
IN LINE WITH N. EC.

- 47.5' N. OF XSPKS IN CORNER POST
- 33.5' S. OF XSPKS IN CORNER POST
- 257.7' NE. OF I.A. Geod. #1636
- 79.8' NE. OF XSPKS IN Tech. Pole
- 102.8' SE. OF XSPKS IN River Pole
- 85.9' NW. OF XSPKS IN Tech. Pole

MONUMENT BURIED - 12" DEEP  
STAMPED 36

7-14-39  
R.W. C.E.P.



E 1/4 CORNER - Sec-36 - T78N R1E

MONUMENT - SET IN S. OF E + W  
ROAD - ON - LINE - WITH - N. FENCE  
PREVIOUSLY SET BY RYAN - WHO  
SHOWS - NO - ORIGINAL - EVID-  
ENCE - FOUND

52.4' N.E. OF XSPKS - IN - T.H. POLE  
33.3' N. OF IRON - ROW. MARKER  
104.6' N.W. OF XSPKS - IN - T.H. POLE  
30.3' S. OF XSPKS - IN - CORNER POST  
33.9' S. OF IRON - ROW. MARKER


MONUMENT - BURIED - 12" DEEP

STAMPED 36

MUSCATINE  
COUNTY

7-14-39  
R. W. COOPER

SCOTT  
COUNTY



21  
W<sup>1</sup>/<sub>4</sub> CORNER - Sec. 21 - T78N - R.1E


✓ MONUMENT PREVIOUSLY SET BY  
H. F. RYAN. WHOSE NOTES SHOW  
A WOODEN HUB WAS FOUND  
WHERE MONUMENT WAS SET.  
MONUMENT IS IN  $\frac{1}{4}$  OF N  
& S. AND E. ROADS.

192.0' SW. OF SW. COR. C. HARMSEN RES.  
166.3' SW. OF XSPKS - IN - PINE TREE  
155.2' NW. OF XSPKS - IN - POWER POLE  
33.7' E. OF XSPKS - IN - TEL. POLE  
216.4' SE. OF SE. CORNER OF BARN.  
168.1' NE. OF XSPKS - IN - TEL. POLE

MONUMENT BURIED - 12" DEEP

STAMPED - 20 - 21

6-23-39  
R. K. W. CO. P.



NE CORNER. Sec. 20-778N-R1E

MONUMENT PREVIOUSLY SET BY  
F. H. RYAN - WHOSE NOTES SHOW  
IT STAVE WAS FOUND AND  
MONUMENT IS IN LINE WITH  
E. W. FENCES IN R. N. S. ROAD


- 36.9' W. OF XSPKS-IN-TELE. POLE
- 33.2' E. OF XSPKS-IN-CORNER POST
- 42.2' SW. OF XSPKS-IN-POWER POLE
- 40.6' SE. OF XSPKS-IN-TELE. POLE
- 127.0' NE. OF XSPKS-IN-TELE. POLE
- 117.6' NW. OF XSPKS-IN-POWER POLE

MONUMENT BURIED - 12" DEEP

17 16

STAMPED - 20 21

6-23-39  
R. K. W. COFF.



U.W.


29  
N<sup>1</sup>/<sub>4</sub> CORNER - Sec - 20 - T78N. R1E  
Found Limestone 17" x 6" x 4" at  
intersection of fcs. N. & S. and E. & W.  
lowered same & placed C.M. above.

97.5' W. OF XSPKS-IN-TECH. POLE  
60.0' E. OF XSPKS-IN-TECH. POLE  
14.9' N. OF XSPKS-IN-N. BRACE POST  
9.5' S. OF XSPKS-IN-S. BRACE POST

MONUMENT SURFACE-LEVEL  
17

STAMPED 20

6-23-39  
P.K.W. - C&P



22

50  
W<sup>1</sup>/<sub>4</sub> CORNER - SEC. 16 - T78N - R1E


↓ MONUMENT PREVIOUSLY SET BY  
J. T. RYAN - WHOSE NOTES SHOW  
NO ORIGINAL EVIDENCE FOUND.  
MONUMENT SET IN - 60 FEET S  
ROAD - IN - LINE WITH - E. W. FENCE

79.9' SE. OF X SPKS-IN - TEL. POLE  
122.9' SW. OF X SPKS-IN - POWER POLE  
32.5' W. OF X SPKS-IN - CORNER POST  
35.0' NW. OF X SPKS-IN - 48" COTTON WOOD  
32.8' E. OF X SPKS-IN - CORNER POST  
204.6' NW. OF X SPKS-IN - POWER POLE  
82.1' NE. OF X SPKS-IN - TEL. POLE

MONUMENT - BURIED - 12" DEEP

17-16

STAMPED -



N<sup>1</sup>/<sub>4</sub> CORNER Sec-17-T78N-R1E




MAN. KEYSTONE 1/4 SET BY W. N. RYAN  
WHOSE NOTES SHOW 17 IRON  
PIN WAS FOUND WHERE  
MONUMENT WAS PLACED AND  
IS SET IN E. OF E. W. ROAD IN  
LINE WITH N. S. FENCES.

- 91.2' SE. OF SE. COR. of H. PAUSTIAN RES.
- 61.9' SE. OF XSPKS-IN-POWER POLE
- 82.3' NE. OF XSPKS-IN-TEL. POLE
- 33.3' N. OF XSPKS-IN-CORNER POST
- 60.4' NW. OF XSPKS-IN-TEL. POLE
- 139.2' SW. OF XSPKS-IN-POWER POLE

MONUMENT BURIED 12" DEEP

STAMPED - 17

6-24-39  
R.K.W.-G.F.P.



E.V.

NE CORNER - SEC 8 - T. 78 N - R. 1 E

MON. PREVIOUSLY SET BY J. H. RYAN  
WHOSE NOTES SHOW A STONE  
WAS FOUND WHERE MONUMENT  
WAS PLACED IN S. OF N + S + W  
ROAD - IN - LINE - WITH - E. FENCE


- 308.1' SE. OF XSPKS-IN-POWER POLE
- 47.3' SE. OF XSPKS-IN-COR. POST
- 40.2' NE. OF XSPKS-IN-POWER POLE
- 74.5' NW. OF XSPKS-IN-TEL. POLE
- 138.4' NW. OF NW COR. O. BAHNSACK RES.
- 33.0' N. OF XSPKS-IN-CORNER POST

MONUMENT BURIED - 12" DEEP

45  
89

STAMPED

6-24-39  
R. K. W. CO. P.



N<sup>W</sup> CORNER - Sec - 8 - T78N R1E ✓

MON. PREVIOUSLY SET BY H. J. RYAN  
 WHOSE NOTES DO NOT SHOW  
 ANY ORIGINAL EVIDENCE  
 FOUND - MONUMENT IN  $\frac{1}{2}$  OF  
 E + W ROAD - IN LINE WITH S.  
 FENCE

(Will Norris says stone found)


29.5' N. OF XSPKS-IN. CORNER POST  
 107.5' SE. OF XSPKS-IN. TCH. POLE  
 85.9' SW. OF XSPKS-IN. TCH. POLE

MONUMENT BURIED - 17" DEEP

STAMPED 8

6-24-39

R. K. W. Co. E. P.




37  
N<sup>W</sup> CORNER. Sec. 5-T78N-R1E

X

CORNER IS DESIGNATED BY  
BYPASS CLP ~~LINE~~ 5-IN. OF PAVEMENT  
U.S. HIGHWAY #6 ON-LINE WITH  
N. FENCE

28.2' S. OF XSPKS-IN-CORNER POST  
81.0' SE. OF XSPKS-IN-TEL. POLE  
84.4' NE. OF XSPKS-IN-POWER POLE  
71.6' NW. OF XSPKS-IN-POWER POLE

6-24-39  
R.K.W. Co. P.



35

N $\frac{1}{4}$  CORNER - Sec-18 - T8N - R1E

↓ MAIN PREVIOUSLY SET BY T. RYAN  
 WHOSE NOTES SHOW NO ORIGINAL  
 EVIDENCE FOUND - MONUMENT  
 ON-LINE WITH S + E FENCES

27.6' N. OF XSPKS - IN CORNER POST

43.1' N. NW. OF XSPKS - IN 12" HICKORY

47.0' NW. OF XSPKS - IN TOL. POLE

MONUMENT BURIED - 3" DEEP

STAMPED 18

6-24-39  
R.K.W. - C.F.P.ABANDONED  
P.O. 97XSPKS - IN  
COR. POSTXSPKS - IN  
TOL. POLEXSPKS - IN  
12" HICKORY