

9 Gov't Land Corner Ties

Muscatine County

DIETZGEN

78-1 F
S.F.M.

FIELD BOOK

Book 4

No. 403P

Fulton Township

T78N R1E

9

County Closed
July 1, 1942
E.V.

Completely Copied

Final Check
E.V. 8-3-42.

7-29-42
ML

H.J. ALBERS

NE CORNER. Sec. 7-178N-R-1E

MON. PREVIOUSLY SET - BY J. F. RYAN
WHOSE NOTES - SHOW - NO ORIGINAL
EVIDENCE - FOUND - MONUMENT - IN
& N + S + E. ROADS - IN - LINE - WITH
W. FENCE.


137.5' SW. OF SW. COR. W. KAPPLER RES.
25.7' E. OF XSPKS-IN. CORNER POST
34.3' NE. OF XSPKS-IN. POWER POLE
164.0' NE. OF XSPKS-IN. POWER POLE
32.2' NW. OF XSPKS-IN. POWER POLE
37.9' SW. OF XSPKS-IN. TEL. POLE

MONUMENT BURIED - 12" DEEP

65
STAMPED 78

6-24-39

R. K. IN. C&P



2
W 7 CORNER - Sec. 5 - T78N - R1E

✓ MON. PREVIOUSLY SET BY J. J. RYAN
✓ WHOSE NOTES SHOW NO ORIGINAL
EVIDENCE FOUND. MONUMENT IS
IN PRESENT S. ROAD IN LINE
WITH W. FENCE.

(Will note says Nigger head found by J. J. R.)


36.6' SE. OF XSPKS-IN COR. GATE POST
30.6' E. OF XSPKS-IN CORNER POST
257.3' NW. OF XSPKS-IN POWER POLE
29.5' W. OF XSPKS-IN CORNER POST
46.0' SW. OF XSPKS-IN CORNER POST
91.8' SW. OF XSPKS-IN POWER POLE

MONUMENT BURIED 12" DEEP

6-5

STAMPED


6-24-39
P. W. G. P.



NE CORNER Sec-6-T78N-R-1E

CORNER DESIGNATED BY
 CROSS IN $\frac{1}{4}$ OF U.S. HIGHWAY #6
 AND IS IN $\frac{1}{4}$ OF S. ROAD.

44.1' NE. OF XSPKS-IN. POWER POLE
 60.0' NN. OF XSPKS-IN. POWER POLE
 95.5' NW. OF XSPKS-IN. POWER POLE
 92.9' SW. OF XSPKS-IN. TEL. POLE
 38.3' SE. OF IA. GEODETIC #764



W $\frac{1}{4}$ CORNER - Sec. 4 - T78N. R. 1E

✓ MON. PREVIOUSLY SET BY J. T. RYAN
WHOSE NOTES SHOW AN IRON PIN
WAS FOUND - MONUMENT IS IN
E. OF N+S. ROAD - IN LINE WITH
FENCE W.


52.7' NE. OF XSPKS - IN POWER POLE
33.5' E. OF XSPKS - IN CORNER POST
354.3' S. SE. OF XSPKS - IN W. BRIDGE TRESTLE
107.6' SW. OF XSPKS - IN 8" HEDGE

MONUMENT BURIED - 12" DEEP

5-4

STAMPED -

6-24-39
P. K. W. CO. E. P.



6.
W 1/4 CORNER - Sec 9 - T18N R-1E

MON. PREVIOUSLY SET BY J.T. RYAN

✓ WHOSE NOTES SHOW A STONE WAS

FOUND - MONUMENT IS IN A
NYS ROAD.

63.2' SW. OF XSPKS-IN. Teh. Pole

33.4' SE. OF XSPKS-IN. Power Pole

37.0' NW. OF XSPKS-IN. CORNER Post


339.7' SE. OF XSPKS-IN. Power Pole

331.3' NE. OF XSPKS-IN. Power Pole

MONUMENT - BURIED - 12" DEEP

8-9

STAMPED




7
NE CORNER - Sec-5-T78N-R1E

Bross Crp.

✓ CORNER DESIGNATED BY CROSS
IN CENTER OF PAVEMENT - U.S.#6
IN - & OF S. ROAD TO - STOCKTON.

- 40.2' NE. OF XSPKS - IN - POWER POLE
- 116.8' NW. OF XSPKS - IN - POWER POLE
- 31.7' NE. OF IA-GEODETIC # 166
- 41.0' SE. OF B. MARK ON - N. HEADWALL

6-24-39
R.N.W. - C.F.P.




8
 E 1/4 CORNER - Sec. 25 - T78N - R1E
 MON PREVIOUSLY SET BY J. T. PHAN
 WHOSE NOTES SHOW A IRON
 PIPE WAS FOUND - MONU. IS
 IN ABANDONED LANE AND
 SETS - E OF S. FENCE

66.9' S. OF XSPKS - IN - 8" HEDGE
 208.1' SW. OF XSPKS - IN - TEL. POLE
 44.0' SW. OF XSPKS - IN - HEDGE
 30.5' E. OF XSPKS - IN CORNER POST
 5.9' NE. OF XSPKS - IN - CORNER POST
 350.0' SE. OF IA. GEODETIC # 626

MONUMENT - BURIED - 13" DEEP

25 — 30
 STAMPED



9


NE CORNER Sec. 25 - T78N R1E
 MON. PREVIOUSLY SET BY P. & N.
 ✓ IN HOUSE - NOTES - SHOW H. IRON NAILS
 PIN WAS FOUND - MON. IN E. OF
 NTS. ROAD - IN LINE WITH
 E. W. FENCES.

25.9' W. OF XSPKS-IN-CORNER Post
 28.8' E. OF XSPKS-IN-CORNER Post
 32.8' S.E. OF XSPKS-IN-TEL. POLE
 135.5' N.E. OF XSPKS-IN-TEL. POLE
 303.5' N.W. OF N.W. COR. of CAWIEZELL BARN

MONUMENT-BURIED-12" DEEP

24 19
 STAMPED 25 30

6-27-39
 P. & N. Co. E. D.



N $\frac{1}{4}$ CORNER P. Sec - 25 - T78N - R1E
 MON. PREVIOUSLY SET BY H. RYAN

WHOSE NOTES SHOW A STONE

WAS FOUND MON IN LINE WITH

E. W. FC'S AND N. OFS FENCE

Stone: limestone 30" x 8" x 6" - lowered & placed C.M. above

9.0' N. OF XSPKS - IN - CORNER POST

4.4' E. OF XSPKS - IN - W. FENCE POST


MONUMENT SURFACE - LEVEL

34

STAMPED 25

6-27-39

R.W. Co. P




11
 ✓ E 1/4 CORNER - SEC - 24 - T78N R.1E
 MON. PREVIOUSLY SET BY J. J. RYAN
 WHOSE NOTES SHOW 17 STONE
 WAS FOUND MON - IN E OF E 1/4
 NTS, R.R.S.

- 89.3' SE. OF XSPKS - IN POWER POLE
- 86.1' NW OF NW COR. OF SCHOOL HOUSE
- 53.1' SW OF XSPKS - IN TEL. POLE
- 28.0' NE. OF XSPKS - IN POWER POLE
- 56.9' NW. OF TA-GEODETIC # 19-1
- 92.4' SW. OF XSPKS - IN 24" MAPLE

MONUMENT BURIED - 12" DEEP

24 - 19

STAMPED



NE CORNER - SEC-24-T8N-R1E

✓ MONUMENT SET IN $\frac{3}{4}$ OF N+S
ROAD AND IN LINE WITH EFW
FCS. PREVIOUSLY SET BY RYAN
WHO FOUND IRON PIN.


65.5' NE OF XSPKS-IN-TEL POLE
41.9' SW OF XSPKS-IN-POWER POLE
38.7' NW OF XSPKS-IN-POWER POLE
35.4' W OF XSPKS-IN-TEL-POWER POLE
74.0' E OF XSPKS-IN-TEL-POWER POLE
77.4' SE OF XSPKS-IN-TEL POLE

MONUMENT BURIED 12" DEEP

13 18

STAMPED 24 19

6-27-39
R.M. Case P



13

X

N¹/₄ CORNER - Sec-24-T78N R-1-E

MONUMENT SET ON LINE
WITH N & S FENCES AND S.
OF E. FENCE LINE AND N. OF
W. F. C. PREVIOUSLY SET BY RYAN
NO ORIG. EVIDENCE FOUND

3.0' SE. OF XSPKS-IN-TEL. POLE

1.4' S. OF XSPKS-IN-N. COR. POST

.05' N. OF XSPKS-IN-S. COR. POST

127.9' W. OF XSPKS-IN-TEL. POLE


MONUMENT SURFACE LEVEL

13

STAMPED 24

6-27-39

R. W. C. E. X



14

E. 1/4 CORNER - Sec-13-T78N R.1E

MONUMENT - SETS - IN 8. CENT'S
 + IN ROADS - AND - IN - LINE - WITH
 E. CO. PREVIOUSLY SET - BY RYAN - WHO
 FOUND - STONE

38.6' SW. OF XSPKS - IN - 30" MAPLE

50.9' SE. OF XSPKS - IN - ANCHOR TEL. POLE

59.6' SW. OF XSPKS - IN - 20" MAPLE

56.9' N. NE. OF XSPKS - IN - TEL. POLE


56.9' NE. OF XSPKS - IN - TEL. POLE

29.2' NW. OF XSPKS - IN - ANCHOR TEL. POLE

MONUMENT - BURIED - 12" DEEP

13-18

STAMPED



NE CORNER - Sec. 13 - T78N R.1E

- ✓ MONUMENT - SET IN E. OF N+S ROAD - PREVIOUSLY SET BY RYAN - IN 1/4" FOUND - STONE
- 208.8' NE. OF XSPKS - IN 3/4" MAPLE
- 30.0' SW. OF XSPKS - IN CORNER POST
- 30.8' E. OF XSPKS - IN HEDGE - FENCE POST
- 182.6' NE. OF TA. GEODETIC # 678
- 87.4' SW. OF XSPKS - IN 4" HEDGE
- 31.5' E. OF XSPKS - IN BRACE POST

MONUMENT - BURIED - 11" DEEP


12 7

13 18

STAMPER

6-27-39

P.R.W. - COP. P.



17
N 1/4 CORNER. Sec--34--T78N--R.14E

✓ MON PREVIOUSLY--Set--BY--J--J--RYAN
WHOSE--NOTES--SHOW--A--STONE
WAS--FOUND--MONUMENT--PIBBLED
IN--S--OF--E--W--ROAD--IN--LINE
WITH--N--S--FENCES.


33.1' S. OF IRON-ROW MARKER
599.5' S.E. OF S.E. CORNER OF BARN
139.1' E. OF E. END OF S. HEAD WALL & CULVERT
147.4' NE. OF X SPKS-IN-POWER POLE
100.7' N. OF X SPKS-IN-CORNER POST
80.0' N.NE. OF X SPKS-IN-POWER POLE
36.0' NE. OF I.A. Geodetic # 621

MONUMENT BURIED--8" DEEP

27

STAMPED

34



NE CORNER - Sec. 34. T78N - R.1E

MON. PREVIOUS SURVET - 34 - J. J. RYAN
 WHOSE - NOTES - S.H.W. - A - IRON - PIN
 WAS - FOUND - MONUMENT - PLACED
 IN - S. OF - N - E + N - ROADS.


51.5' S.S.W. OF XSPKS-IN- POWER POLE
 73.2' SSE. OF XSPKS-IN- TEL. POLE
 107.5' NE. OF XSPKS-IN- POWER POLE
 105.4' NW. OF XSPKS-IN- POWER POLE
 47.8' SE. OF IA-Geodetic # 622
 31.4' NW. OF CONCRETE- ROW MARKER
 38.3' SW. OF CONCRETE- ROW MARKER
 35.3' SE. OF IRON- ROW MARKER

MONUMENT - BURIED - 8" Deep

27 26

27 35

STAMPED



N¹/₄ CORNER - Sec - 35 - T78N R1E

MAN - PREVIOUSLY SET BY F. F. RYAN

✓ WHOSE NOTES SHOW A STONE

WAS FOUND MONUMENT IS

SET IN - $\frac{1}{4}$ OF E+W. ROAD - IN


LINE - WITH N+S FENCES.

- 81.3' NE. OF IA GEODETIC # 623
- 133.0' NW. OF XSPKS - IN - POWER POLE
- 146.2' W. OF B.M. ON - S. HEADWALL CULVERT
- 33.1' S. OF IRON - ROD MARKER
- 87.5' N. OF XSPKS - IN - CORNER POST

MONUMENT BURIED - 14" DEEP

STAMPED 35

6-27-39
R.H. W. C&F.P.



E.V.

NE CORNER - SEC - 35 - T7S N - R. 1E

MON. PREVIOUSLY SET BY J. T. RYAN.

IN WHOSE NOTES SHOW A STONE

WAS FOUND MONUMENT PLACED

IN $\frac{8}{16}$ OF E+W. ROAD IN LINE WITH

E. ROW FENCES - RUNNING N+S.

158.1' SW. OF SW. COR. FULTON #8 SCHOOL

114.4' N.N.W. OF N.W. COR. OF MACHINE SHED

38.3' NW. OF CONCRETE ROW MARKER

71.0' E. NE. OF XSPKS-IN-TECH. POLE

50.5' SE. OF CONCRETE-ROW MARKER

77.8' NW. OF XSPKS-IN-TECH. POLE

96.2' NE. OF XSPKS-IN-TECH. POLE


MONUMENT BURIED - 12" DEEP

26 25

STAMPED - 35 36

6-27-38

P.K.W. Co. P



NE CORNER - Sec. 36 - T. 78 N. R. 1 E

MONUMENT SET AT INTERSECTION
 OF N.S. & W. FENCES. FOUND - WHITE
 LIMESTONE 22" X 5" X 5". HOLLOWED
 AND PLACED ON MONUMENT
 ABOVE.

13.4' E. OF TA-Geodetic # 625
 1.3' E. OF X SPKS - IN - CORNER POST
 .07 N. OF X SPKS - IN N.S. FENCE POST
 503.3' N. OF X SPKS - IN - COR. POST - E. W. FCS.

MONUMENT SURFACE - LEVEL

15.30

STAMPED '36 31


6-27-39

P.K.M. CORP

MUSCATINE
 COUNTY

SCOTT
 COUNTY

TA-Geodetic # 625



E.V.

W $\frac{1}{4}$ CORNER 9 - Sec - 32 - T78N - R1E

✓ MON. PREVIOUSLY SET BY H. F. PLAN
 WHOSE - NOTES - SHOW - NO - ORIGINAL
 EVIDENCE - FOUND - MONUMENT
 15 - IN. S. OF N.T.S. ROAD

957.0' N. OF N. END - W. GUARD RAIL - BRIDGE
 131.5' NNW. OF XSPKS - IN - CORNER POST
 157.4' SE. OF XSPKS - IN - 6" HEDGE
 339.0' NNE. OF XSPKS - IN - 10" WILLOW
 20.5' W. OF E. ROW FENCE N.T.S.

MONUMENT BURIED - 12" DEEP


31-32

STAMPED

*James at in
 Book 5*

7-12-39

PLN. G. L. P.



24

S.E. CORNER Sec-31-T78N-R-1E

MON. PREVIOUSLY SET BY T. T. RYAN
 WHOSE NOTES SHOW NO ORIGINAL
 EVIDENCE FOUND MONUMENT
 IN S. N.T.S. ROAD + E ROAD.
 ALSO IN LINE WITH W. FENCE

49.7' NE. OF NE COR. FARM RES.
 31.8' SW. OF XSPKS-IN. CORNER POST
 36.2' NE. OF XSPKS-IN. CORNER POST
 118.8' E. OF NE. COR. OF FARM BARN
 25.9' E. OF XSPKS-IN. CORNER POST
 30.5' NW. OF XSPKS-IN. CORNER POST

MONUMENT - BURIED 12" DEEP


31	32
6	5

STAMPED

RP

7-12-39

RKN-Cor P



S 1/4 CORNER - Sec 31 - T78N R.1E

MON. PREVIOUSLY SET BY J. J. RYAN.
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE FOUND
MONUMENT IS IN LINE WITH
N. FENCE LINE.

- 63.9' N. OF XSPKS - IN 8" WILLOW
- 12.3' S. OF XSPKS - IN CORNER POST
- 59.3' E. OF XSPKS - IN 10" WILLOW
- 72.4' W. OF FENCE - PLANKING S.
- 4.5' S. OF XSPKS - IN 3 1/2" WILLOW

MONUMENT SURFACE LEVEL


31

STAMPED -

LINE IN DR5

7-13-39

RKH-COF



S¹/₄ CORNER Sec-32-T78N-R-1-E

MON. PREVIOUSLY SET BY T. J. RYAN
WHOSE NOTES SHOW IRON
PIN WAS FOUND MONUMENT IN
S OF N¹/₂S ROAD.


- 46.1' SE. OF XSPKS-IN-CORNER POST
- 105.9' NE. OF NE COR. FARM RES.
- 40.0' SW. OF XSPKS-IN-CORNER POST
- 66.5' NE. OF XSPKS-IN-12" CEDAR
- 110.0' NW. OF XSPKS-IN-36" ELM
- 50.4' SE. OF IRON-ROW PIN
- 37.8' NW. OF XSPKS-IN-CORNER POST

MONUMENT BURIED-12" DEEP

STAMPED

James in BR5

7-12-39
RINK CO. P



E.V.

SW CORNER - P. Sec - 33 - T15N R1E

MON. PREVIOUSLY SET - 34 - T - T - RITON
 WHOSE NOTES SHOW F. STONE
 WAS FOUND AND MONUMENT
 PLACED IN CENTER OF
 CREEK IN LINE WITH N.
 FENCE.

Stone APP. 15" x 12" x 8" with on TOP
 over Monument

11.6 S.S.E of + In 5' x 4' Nigger Head

12.6 East of 14" Blazed Elm Twin

16.3' N.W. of 10" Blazed Elm


MONUMENT - SURFACE - LEVEL

32 33
 STAMPED 5 4

See plotted as
 shown in BR 5

7-12-39

P.M. - Cor P



E.V.

28.

X

W $\frac{1}{4}$ CORNER-SEC-33-T78N R-1E

MON. PREVIOUSLY SET BY J. T. RYAN
WHOSE NOTES SHOW A STAKE
WAS FOUND AND MONUMENT
PLACED IN LINE WITH
STEEL FENCES.

.06 N. OF X SPKS IN CORNER POST
8.4' N. OF X SPKS IN S BRACE POST
10.7' E. OF X SPKS IN FENCE POST
386.4' W. OF X SPKS IN 40" E.M.

MONUMENT SURFACE LEVEL


32-33

STAMPED

A.P

7-12-39

R. H. COPE



E.V.

29


N $\frac{1}{4}$ Cor. Sec. 2 T78N-R1E.

From information found
in autotaps and Aeronautics
line a brass Cap was set in
E of basement.

Brass Cap stamped +
3

- 98.8' South East of TEL Pole
- 42.0' North East of PWR Pole
- 97.8' North West of PWR Pole
- 77.0' West of Paying Station # 277
- 23.0' East of Paying Station # 276

June 10-1942



W.V.