

14 GOV'T - LAND - CORNERS

MUSCATINE - COUNTY

**DIETZGEN**

78-1W <sup>S.F.M.</sup>

**FIELD BOOK**

BOOK 2

**No. 403P**

Wilton

~~WILSON~~ - TOWNSHIP

78-N-R-1-W

14

County Closed  
July 1, 1942  
E.V.

See book #1 for index

ML

E.V. Final Check  
9-9-42

1111A

1 N<sup>1</sup>/<sub>4</sub> CORNER - SEC 33 - T<sup>88</sup>N - R-1W

MONUMENT SET IN <sup>1</sup>/<sub>4</sub> OF  
E+W+S. ROADS IN-LINE  
WITH N-FENCE. PREVIOUSLY  
SET BY J.J. RYAN - WHOSE NOTES  
SHOW NO ORLE. EVIDENCE FOUND.

46.0' SE OF B. MARK ON N. ABUTMENT - Cul.  
65.7' SE OF XSPKS-IN - Power Pole  
33.4' S. OF XSPKS-IN - CORNER POST  
113.4' SW OF SW COR. OF R.C. MARTIN RES  
72.8' SW OF XSPKS-IN - Tel. Pole  
68.2' NE OF XSPKS-IN - Power Pole  
48.0' NE OF XSPKS-IN - CORNER POST  
41.7' NE OF NE. END OF ABUTMENT - Culvert  
57.8' NE OF XSPKS-IN - Tel. Pole


MONUMENT BURIED - 12" DEEP

28

33

STAMPED -

6-29-38





3 NE CORNER - Sec - 33 - 78N P. 11W

✓ MONUMENT - SET AT  $\frac{1}{4}$  OF  
E + W + N. ROADS, AND - IN  
LINE - WITH - W. ROW ROAD  
FENCE - S. PREVIOUSLY - SET - BY  
STAT. RYAN - W. HESSES - NOTES - SHOW  
NO - ORIG - EVIDENCE - FOUND.

- 33.8' N. OF XSPKS - IN - CORNER POST
- 151.2' S.E. OF XSPKS - IN - TEL. POLE
- 53.2' NW. OF XSPKS - IN - CORNER POST
- 50.7' NW. OF XSPKS - IN - TEL. POLE
- 50.6' NW. OF TA - RODDIE H 306
- 174.3' S.S.E. OF XSPKS - IN - POWER POLE
- 160.9' SW. OF XSPKS - IN - TEL. POLE
- 32.9' NE. OF XSPKS - IN - POWER POLE


MONUMENT - BURIED - 12" DEEP

28 27

33 34

STAMPED -

H.T.  
6-29-39





5 NE CORNER Sec 28-78N R.1W

MONUMENT SET IN & OF E +  
N + S ROADS - IN - LINE - WITH  
FENCE - W. PREVIOUSLY SET  
BY J. J. RYAN - WHOSES - NOTES -  
SHOW - NO - ORIG - EVIDENCE  
FOUND.

- 39.5' SW OF X SPKS - IN - CORNER POST
- 56.0' SW OF X SPKS - IN - 30" MAPLE
- 42.4' SW OF X SPKS - IN - TEL. POLE
- 33.5' E OF X SPKS - IN - CORNER POST
- 37.4' NE OF X SPKS - IN - POWER POLE
- 40.3' NW OF X SPKS - IN - CORNER POST
- 729.5' NW OF NW COR. OF FARM BARN
- 47.4' NW OF X SPKS - IN - TEL. POLE
- 108.0' NW OF TR. GEODETIC # 324


MONUMENT BURIED - 12" DEEP

21 22

28 27

STAMPED -

7.1.  
6-29-39





7<sup>th</sup> CORNER - Sec. 22 - T8N R1-W


MONUMENT - SET IN  $\frac{1}{2}$  OF  
N + S. ROAD - IN - LINE - OF  
E + W. FENCES. PREVIOUSLY  
SET BY J. J. RYAN. WHOSES  
NOTES SHOW NO ORIGINAL  
EVIDENCE FOUND

- 33.2' E. OF XSPKS-IN-CORNER Post
- 32.5' W. OF XSPKS-IN-CORNER Post
- 123.8' E. OF TA. Geodetic #428
- 120.6' SE. OF XSPKS-IN-Power Pole
- 49.9' NE. OF XSPKS-IN Power Pole
- 690.2' NNE. OF CENTER-OF SILO - G. McCLAN
- 370' SE. OF XSPKS-IN-N Gate Post
- 45.3' NW OF XSPKS-IN-Tch. Pole

MONUMENT - BURIED - 12" DEEP

21 - 22

STAMPED -



8 NE CORNER - Sec 21 - T78N R11W

MONUMENT SET IN  $\frac{1}{4}$  OF  
N+S, E+W. ROADS.

PREVIOUSLY SET BY J. J. RYAN  
WHOSE NOTES SHOW NO ORIG.  
EVIDENCE FOUND.

- 46.8' SW OF XSPKS-IN-ANCHOR Power Pole
- 101.3' NW OF XSPKS-IN-CORNER Tel. Pole
- 49.2' SE OF XSPKS-IN-CORNER Post
- 46.8' SE OF XSPKS-IN-Power Pole
- 47.0' NE OF XSPKS-IN-CORNER Post
- 44.9' NE OF TA GEODETIC # 430
- 50.0' NE OF XSPKS-IN-CORNER Tel. Pole

MONUMENT BURIED - 12" DEEP


16 15

21 22

STAMPED -

X

H.F.  
6-29-39



9 N<sup>1</sup>/<sub>2</sub> CORNER - Sec 21-772N R14W

MONUMENT - SET IN - <sup>1</sup>/<sub>2</sub> OF  
E+W. ROAD - IN - LINE - WITH  
✓ S. FENCE. PREVIOUSLY - SET - BY  
J.F. RYAN - WHOSE S. NOTES - SHOW  
A STONE - WAS - FOUND.

37.5' N OF XSPKS - IN - CORNER POST

32.2' N OF XSPKS - IN CABLE TEL POLE

138.3' NE OF XSPKS - IN CIRCLE - TEL POLE

129.1' NW OF XSPKS - IN CABLE - TEL POLE

131.1' SW OF XSPKS - IN - FENCE POLE


32.0' S. OF XSPKS - IN - E. BRACE POST

MONUMENT - BURIED - 22" DEEP

STAMPED - 21

X

17.1.  
6-30-39



10 W. 7 CORNER - Sec 15 T28 R1W


MONUMENT SET IN # OF  
✓ N+S ROAD - IN-LINE - WITH  
W. FENCE, PREVIOUSLY SET BY  
J.T. BARN. WHOSES NOTES SHOW  
NO ORIG. EVIDENCE FOUND.

- 45.1' SW. OF XSPKS-IN-CORNER POST
- 140.2' SW. OF SW COR. OF H. HAIN PES.
- 40.4' SW. OF TA-COORDINATE # 426
- 37.3' SW. OF XSPKS-IN-TEL. POLE
- 58.4' NE. OF XSPKS-POWER POLE
- 61.1' NW. OF XSPKS-IN-18" MAPLE
- 114.1' SE. OF XSPKS-IN-POWER POLE
- 33.7' E. OF XSPKS-IN-CORNER POST

MONUMENT BURIED - 12" DEEP

16-15

STAMPED



11 NE CORNER - Sec 16 - 78N R1W

MONUMENT - SET IN  $\frac{1}{4}$  OF  
✓ N+S, E+W - ROADS.

PREVIOUSLY - SET BY - J. J. RYAN  
WHOSE - NOTES - SHOW - NO  
ORIG. EVIDENCE - FOUND ✓

33.6' SE. OF SW END OF NW HEADWALK CURVET

34.1' NE OF SE END OF SW HEADWALK CURVET

33.2' SW OF NW END OF NE HEADWALK CURVET

34.5' NW OF SE END OF SE HEADWALK CURVET

50.8' SW OF TA. GEODETIC # 365

45.9' SE. OF XSPKS. IN POWER POLE

54.2' NE. OF XSPKS. IN TEL. POLE


45.9' NE. OF XSPK. IN CORNER POST

MONUMENT - BURIED - 12" DEEP

9-10

16-15

STAMPED



12 NW CORNER - Sec. 16 - TOWN R/W

MONUMENT SET IN  $\phi$  OF  
E. ROAD AND IN LINE WITH  
✓ S. FENCE AND N. OF  $\phi$  OF  
W. ROAD. PREVIOUSLY SET BY  
J. J. RYAN. WHOSES NOTES SHOW  
NO ORIG EVIDENCE FOUND

25.3' S. OF XSPKS-IN-CORNER POST

36.0' N. OF XSPKS-IN-CORNER POST

50.0' NE. OF XSPKS-IN-TEL. PILE

87.3' NW. OF XSPKS-IN-TEL. PILE

33.0' N. OF T.G. GEODETIC # 356

29.1' NW. OF XSPKS-IN-E. GATE POST

658.9' W. OF NW END-N. HEAD WALL-CORNER


MONUMENT BURIED - 12" Deep

STAMPED

16

X

6-30-39



13 W<sup>1</sup>/<sub>4</sub> CORNER - Sec. 10 - T78 - R11W

MONUMENT SET IN - E OF  
N+S ROAD - IN - LINE - WITH  
✓ W. FENCE. PREVIOUSLY SET  
BY - J. J. RYAN - WHOSE NOTES  
SHOW - NO - ORIG. EVIDENCE -  
FOR N.P.

- 31.9' E OF XSPKS - IN - CORNER Post
- 45.9' SE OF XSPKS - IN - POWER Pole
- 33.7' W OF XSPKS - IN - POWER Pole
- 112.8' SW OF XSPKS - IN - 36" MAPLE
- 82.0' SW OF NW CORNER OF - School House
- 50.0' NW OF XSPKS - IN - 24" MAPLE
- 81.8' NW OF SW COR. OF - School House
- 447.5' NE OF IR Geodetic #424


MONUMENT - BURIED - 12" DEEP

9-10

STAMPED

6-30-39

9-10



14 NE CORNER SEC 9-T18-R1W

MONUMENT SET IN - E OF  
N.T.S., E + W ROADS.

PREVIOUSLY SET BY T. J. RYAN  
WHOSE NOTES SHOW NO  
ORIG. EVIDENCE FOUND

48.0' NE OF XSPKS-IN-CORNER Post

48.5' NE OF XSPKS-IN-POWER Pole

46.1' SE OF XSPKS-IN-CORNER Post

63.2' SE OF XSPKS-IN-TEL. Pole

44.5' SW OF XSPKS-IN-TEL Pole


45.8' N.W. OF XSPKS-IN-TEL Pole

44.1' N.W. OF T.A. GEOD. TIC #371

43.3' SE OF CONCRETE ROW MARKER

MONUMENT - BURIED - 12" DEEP

$\frac{43}{9-10}$




15<sup>th</sup> N<sup>th</sup> CORNER Sep-7-78 RW

✓ MONUMENT SET IN  $\frac{1}{4}$  OF  
E+W ROAD IN LINE WITH  
N+S, FENCES. PREVIOUSLY  
SET BY J.J. RYAN IN HIS  
NOTES SHOW NO ORIGINAL  
EVIDENCE FOUND

- 37.4' SE OF XSPKS IN 10" HACK BERRY
- 37.1' SE OF XSPKS IN CONCRETE GATE POST
- 50.9' SE OF TA ROD #372
- 32.7' S OF XSPKS IN CORNER POST
- 43.8' SW OF XSPKS IN CON. ROW MARKER
- 37.4' NW OF XSPKS IN POWER POLE
- 31.4' NE OF XSPKS IN CORNER POST
- 41.5' NW OF CONCRETE ROW MARKER
- 45.2' SE OF CONCRETE ROW MARKER

MONUMENT BURIED 12" DEEP

4  
9



16 W 1/4 CORNER - Sec. 3 T. 18 N. R. 1 W.

MONUMENT SET IN S. OF  
N.S. ROAD - IN - LINE - WITH  
W. FENCE. PREVIOUSLY SET  
BY J. J. RYAN - WHOSES NOTES  
SHOW NO ORIGINAL EVIDENCE  
WAS FOUND.


26.4' NE OF XSPK5-N-Tel. Pole  
34.5' E. OF XSPK5-N-S. BRACE Post  
44.8' S. OF XSPK5-N-W. BRACE Post  
28.3' W. OF XSPK5-N-CORNER Post  
40.3' E. OF XSPK5-N-Tel. Pole  
25.0' SE OF IA-Geodetic # 421

MONUMENT - BURIED - 12" DEEP

4-3

STAMPED

See Book 4 - Page 36  
for New Description.



18 NW CORNER - Sec. 24 - T8N - R1W.

MONUMENT IS SET IN LINE  
WITH N+S FENCE ON W  
SIDE OF E FENCE - MONU.  
PREVIOUSLY SET BY H. RYAN  
WHOSE NOTES SHOW NO  
PRIS. EVIDENCE FOUND.

- .07' W. OF XSPKS-IN-E. CORNER POST
- .06' SE. OF XSPKS-IN-N. CORNER POST
- 349.6' N. OF XSPKS-IN-16" WILD-CHERRY
- 7.7' W. OF XSPKS-IN-E. BRACE POST
- 11.2' S. OF XSPKS-IN-N. BRACE POST

MONUMENT SURFACE-LEVEL

STAMPED - 23 - 24

7-10-39

\* PK-W-COF P.


XSPKS-IN-N.  
BRACE POST

XSPKS-IN-N. COR. POST

XSPKS-IN-E. BRACE  
POST

XSPKS-IN. COR. POST

XSPKS-IN-16"  
WILD-CHERRY




19 NE CORNER-SEC. 23-T7N-R1W  
 MONUMENT-15-SET-IN-8-OF  
 N. ROAD-AND-ON-LINE-WITH  
 EAST-FENCE-AND-ALSO-ON-N  
 ROW-FENCE-LINE-OF-ABAND-  
 ONED-ROAD-RUNNING-W.  
 PREVIOUSLY-SET-BY-J. RYAN  
 WHOSES-NOTES-SHOW-NO  
 ORIG. EVIDENCE-FOUND.

- 27.6' W. OF XSPKS-IN-CORNER POST
- 29.3' E. OF XSPKS-IN-CORNER POST
- 54.8' N. OF XSPKS-IN-CORNER POST
- 54.8' N. OF XSPKS-IN-CABLE-TEL. POLE
- 117.6' NE. OF XSPKS-IN-CABLE-TEL. POLE
- 111.6' NW. OF XSPKS-IN-CABLE-TEL. POLE
- 39.3' SE. OF XSPKS-IN-8" CHERRY-TREE
- 164.8' SE. OF SE. COR. OF SUNNY-SIDE-SCHOOL

MONUMENT-BURIED-1" DEEP

14<sup>13</sup>  
 STAMPED-23<sup>24</sup>






2 1/4 CORNER - SEC - 13 - T 8 N - R - 1 W

MONUMENT - IS - PLACED - IN  
E. OF N + S - ROAD - AND - ON  
LINE - WITH - E + W - FENCES.  
PREVIOUSLY - SET - BY - "J. J. RYAN"  
WHOSE - NOTES - SHOW - NO  
ORIG. EVIDENCE - FOUND.

32.7' W. OF XSPKS-IN - CORNER - Post  
33.4' E. OF XSPKS-IN - CORNER - Post  
91.5' SW. OF TH. Geodetic # 398  
163.8' NE. OF XSPKS-IN - Tel. Pole  
166.3' NW. OF XSPKS-IN - Power Pole  
148.7' SW. OF XSPKS-IN - Power Pole  
54.8' SE. OF XSPKS-IN - Tel. Pole

MONUMENT - BURIED - 12" DEEP

STAMPED - 14 - 13



22 NE-CORNER-SEC 14-T78N-R1W

MONUMENT- IS- IN- S OF- E+W  
✓ N+S- ROADS- PREVIOUSLY  
SET- BY- J. F. RYAN- WHOSES  
NOTES- SHOW- NO- ORIGINAL  
EVIDENCE- FOUND


48.0' SE. OF XSPKS-IN-CORNER POST  
43.9' SE. OF XSPKS-IN-POWER POLE  
47.8' SW. OF XSPKS-IN-TEL. POLE  
100.8' SW. OF XSPKS-IN-POWER POLE  
62.8' NW. OF XSPKS-IN-TEL. POLE  
121.6' NE. OF XSPKS-IN-POWER POLE  
47.2' NE. OF XSPKS-IN-CORNER POST  
73.4' NE. OF N.T.W.N. TEL. POLE  
47.9' NW. OF X.SP.KS-IN-CORNER POST

MONUMENT BURIED-6" DEEP

11/12  
STAMPED- 14/13

7-10-39

RKSN-Cor P




23 ~~1/4~~ CORNER - SEC 14 - T. 78N. - R. 1W

✓ MONUMENT IS IN E. OF E + W ROAD  
ON-LINE WITH N + S FENCE-  
LINES - MONUMENT PREVIOUSLY  
SET BY J. T. BYRN - WHOSES  
NOTES SHOW NO ORIGINAL  
EVIDENCE FOUND

- 34.9' S. OF XSPKS - IN - 36" MAPLE
- 190.8' SE. OF SE. COR. OF FARM RES.
- 97.6' SE. OF IA. GEODETIC # 351
- 92.5' NE. OF XSPKS - IN - N-TWIN TEL. POLE
- 33.5' N. OF XSPKS - IN - CORNER POST
- 43.8' N. OF XSPKS - IN - POWER POLE
- 51.7' NW. OF XSPKS - IN - TEL. POLE
- 84.3' NW. OF XSPKS - IN - 14" APPLE TREE

MONUMENT - BURIED - 18" DEEP

STAMPED - 14




24 NW CORNER-SEC-12-TRN-RI-W

✓ MONUMENT-15-IN- $\phi$  OF  
N.T.S. ROAD-IN-LINE-WITH  
E+W FENCE-LINES,  
PREVIOUSLY SET-BY-T.J. RYAN.  
WHOSE NOTES-SHOW-NO-ORIG.  
EVIDENCE-FOUND.

183.4' W.OF XSPKS-IN-8" HEDGE  
33.4' W.OF XSPKS-IN-CORNER POST  
33.9' E.OF XSPKS-IN-CORNER POST  
113.3' SE.OF XSPKS-IN-POWER POLE  
72.6' SW.OF XSPKS-IN-TEL. POLE  
144.0' NE.OF XSPKS-IN-POWER POLE  
89.5' NW.OF XSPKS-IN-TEL. POLE  
44.1' E.OF XSPKS-IN-6" HEDGE

MONUMENT-BURIED 12" DEEP

STAMPED-11-12



2<sup>nd</sup> NE CORNER - SEC-14 T78N-R1W


✓ MONUMENT SET IN E OF  
NTS, E+W, ROADS.

- 48.5' N.E. of Geodetic #365
- 48.4' N.E. of XSPKS IN TRANS. Power Pole
- 41.6' S.W. of XSPKS 117 Power Pole
- 94.2' NE. OF NE COR. BEACON TOWER
- 44.8' N.E. OF XSPKS-IN-CORNER POST
- 41.8' N.W. OF CONCRETE-ROW. MARKER
- 44.9' N.W. OF XSPKS-IN-6" EVERGREEN
- 43.9' S.W. OF XSPKS-IN-CORNER POST
- 76.7' W.S.W. OF XSPKS-IN-10" WILLOW
- 95.9' S.E. OF XSPKS-IN-POWER P.O.L.F

MONUMENT BURIED-12" DEEP

$\frac{21}{11.12}$

STAMPED-



26<sup>N</sup>/<sub>4</sub> CORNER. SEC-11-T78N-R1W


MONUMENT - SET IN  $\frac{1}{8}$  OF  
E+W. ROAD - IN-LINE WITH  
N+S. FENCES. PREVIOUSLY  
SET BY J.J. PHAN. WHOSES NOTES  
SHOW NO ORIG. EVIDENCE  
FOUND.

- 31.1' S. OF XSPKS - IN - CORNER POST
- 33.2' SSE OF XSPKS - IN - POWER POLE
- 36.0' SE OF CONCRETE ROW MARKER
- 32.9' N. OF XSPKS - IN - CORNER POST
- 49.0' SW. OF XSPKS - IN - 3" MAPLE
- 113.5' SW. OF SW. COR. PROSPECT - PHAN SCHOOL
- 29.1' N. OF XSPKS - IN - TEL. POLE

MONUMENT - BURIED - 12" DEEP

STAMPED


$\frac{2}{11}$



27 N<sup>4</sup> CORNER - Sec 1 T7N-R1W  
 MONUMENT - SETS - IN -  $\frac{1}{4}$  OF  
 W. ROAD - AND - ON - LINE - WITH  
 FENCE - EAST - ALSO - ON  
 W. SIDE - OF N.T.S. ROAD.  
 PREVIOUSLY - SET - BY - H. R. L. N.  
 WHOSES - NOTES - SHOW - NO ORIG.  
 EVIDENCE - FOUND.

46.5' W. OF XSPKS - IN - POWER POLE  
 47.1' W. OF XSPKS - IN - CORNER POST  
 52.5' S. OF XSPKS - IN - TEL. POLE  
 21.7' S. OF XSPKS - IN - ANCHOR TEL. PLE  
 46.1' NE. OF XSPKS - IN - CORNER POST  
 48.0' NE. OF XSPKS - IN - TEL. POLE

MONUMENT - BURIED - 12" DEEP  
 STAMPED 2-1





29 NE CORNER - Sec-2 T75N R11W

X


741-39  
R. W. COFF

✓ MONUMENT-SET-ON-S.  
SIDE-OF E+W FENCE, AND  
W. OF FENCE - N. PREVIOUSLY-  
SET-BY RYAN - WHOSES-NOTES-SHOW  
NO ORIG. EVIDENCE FOUND.

- 3.3' E. OF XSPKS-IN-1 1/2" HEDGE
- 9.7' E. OF XSPKS-IN-CURVED POST
- 35.0' S. OF XSPKS-IN-24" WALNUT
- 39.5' SW OF XSPKS-IN-24" WALNUT
- 1.0' S. OF E+W FENCE

MONUMENT - SURFACE - LEVEL

STAMPED  $\frac{3}{12}$



305 W. CORNER Sec-6-778 N R-W

MONUMENT SET IN R.O.F  
INTS. ABANDONED - R.P.  
IN-LINE WITH - E. FENCE  
PREVIOUSLY SET BY T-T  
RYAN WHOSES NOTES SHOW  
NO ORIGINAL EVIDENCE  
FOUND.


- 90.5 S.E. of XSPK IN PWY Pole
- 0.4 N.W. of GEODETIC #253
- 50.0 W of XSPK IN COR POST
- 32.6.4 S.W. of S.W. COR of BARN
- 60.0 N.E. of XSPK IN PWY Pole

MONUMENT - BURIED - 10" DEEP

1	6
12	7

STAMPED -

See P. 35 - Book A



31 N.W. CORNER - Sec - 6 - T 18 N R 1 W

MONUMENT - PREVIOUSLY SET BY  
T. J. RYAN - WHOSES NOTES - SHOW  
NO - ORIG. EVIDENCE - WAS -  
FOUND - MONU. IN E. OF E. W  
ROAD in line with S rd. S.

44.1 S E

50.3 N E

38.5' N.W. of X SPKS. IN COR. POST

40.8' N.E. of X SPKS. IN 4" Wild Cherry


42.2' W.S. W. of X SPKS. IN P.W. Pole

MONUMENT - BURIED - 12" DEEP

STAMPED -  $\frac{36}{16}$

N

9-24-40  
R.K.W. - G. of R.



Same as  
Bk 19 p 27

32 NW CORNER - SEC. 32 - T48N. R. 1W

MONU. SET - PREVIOUSLY SET BY J. J.

MAN - WHOSE NOTES SHOW NO CLEAR

EVIDENCE FOUND - MONU. IN LINE

OF N.E. ROAD - IN LINE WITH

E & W - FENCES.

352.1 NW. OF N.E. COR. OF SCHOOL

280.1' N.W. OF TA - GEODETIC # 460

74.6' NE. OF XSPKS - IN - POWER POLE

42.6' NW. OF XSPKS - IN - TEL. POLE

18.8' E. OF XSPKS - IN - CORNER POST

25.4' W. OF XSPKS - IN - CORNER POST

251.1' SE. OF XSPKS - IN - POWER POLE


MONUMENT BURIED 10" DEEP

31-32

STAMPED

6-29-39

R.K.W. Co. E.P.



33 NE CORNER, Sec. 31-T 78N-R 14W



MONUMENT-SET-IN- $\frac{1}{4}$  OF  
N+S, E+W. ROADS. MONU.  
PREVIOUSLY-SET-BY-J.F. RYAN.  
WHOSE-S-NOTES-SHOW-NO-ORIG.  
EVIDENCE-FOUND.

46.0' S.W. OF XSPKS-IN-Top-Underground Marker

46.6' S.E. OF XSPKS-IN-CORNER Post

45.9' NW. OF XSPKS-IN-Power Pole

117.3' NE. OF XSPKS-IN-48" Cotton Wood

126.3' SW. OF XSPKS-IN-48" Burr Oak

45.1' NE. OF XSPKS-IN-CORNER Post

60.1' N.E. of Jai Good #70-310


MONUMENT-BURIED-15" D-I-T

30 29

STAMPED-31 32



6-29-39  
R.P. W. Co. E



34 1/4 CORNER P-300-31-778N-P.W.

✓ MONUMENT-SET-IN- $\frac{1}{2}$  OF  
E+V. ROAD-IN-LIN E-WITH  
N+S. FENCES [PREVIOUSLY-Set  
BY RYN-IN-HOUSES-NOTES-SHOW-NO  
ORIG. EVIDENCE-FOUND.

453.8' SE. OF IA-Geodetic # 312  
33.1' N. OF XSPKS-IN-CORNER Post  
34.0' S. OF XSPKS-IN-CORNER Post  
391.9' SW. OF NW. COR. CEMENT BRIDGE


MONUMENT-BURIED-12" Deep

30  
-131-50

STAMPED

X

6-19-39  
RKN-COP



357/4 CORNER - Sec 29 - T18N R14W

MONUMENT - SET IN -  $\frac{1}{2}$  OF  
✓ N.T.S. ROAD - IN - LINE - WITH  
W. FENCE. PREVIOUSLY - SET BY  
J.T. RYAN - WHOSES - NOTES - SHOW NO  
ORIG. EVIDENCE - FOUND.

- 89.9 SW OF IA Geodetic # 458
- 76.1 SW OF XSPKS - IN POWER POLE
- 32.6 E. OF XSPKS - IN HEDGE COR. POST
- 113.3 SE OF XSPKS - IN TEL. POLE
- 85.7 NE OF XSPKS - IN TEL. POLE
- 28.6 W. OF S.W. COR. OF BRIDGE HANDRAIL  
MONUMENT - BURIED - 12" DEEP
- 36.2 W.S.W. OF N.W. COR. OF BRIDGE HANDRAIL

30-29

STAMPED

X

6-29-39  
R14W-Cor. 19

