

Gov't Land Corner Ties
Muscatine County

DIETZGEN

78-1W

FIELD BOOK

Book 3

No. 403P

Wilton Township

T78N R1W

78-1W

15

County Closed July 1, 1942
E.V.

See book #1 for index

M L

Final Check E.V.
9-8-42
D.H.H.

1
 S¹/₄ CORNER - SEC - 31 - T76N R-1W

MONUMENT SET IN $\frac{1}{4}$ OF
 W. ROAD AND SLICE $\frac{1}{4}$ OF
 E. ROAD. UN-KINDLE WITH
 N + S¹/₂ FENCES. PREVIOUSLY SET
 BY J. MAHER WHOSE NOTES
 SHOW NO ORIG. EVIDENCE FOUND

- 30.0' S. of ASPKS IN Cor. Post
- 33.7' S. of ASPKS IN Fence Post
- 557.7' E. of RES. of J. MAHER
- 29.2' N. of ASPKS IN Cor. Post
- 20.0' SE of N. End of Steel Culvert
- 13.7' N.E. of S. End of Steel Culvert
- 32.1' N. of ASPKS IN Fence Post


MONUMENT BURIED - 12" DEEP

STAMPED - 31
 6

New Description on

P. 34 Book # 4

7-17-39



N¹/₄ CORNER - Sec. - 32 - T78N - R1W

MONUMENT - SET - IN - R^o OF -
E + W - ROAD - IN - LINE - WITH
S. FENCE - AND - IS - W. OF
N. FENCE. (PREVIOUSLY SET BY
J. T. RYAN - WHOSES - NOTES - SHOW - NO
ORIG. EVIDENCE - FOUND


33.8' N. o. f. Blazed Hedge Post
246.1' E. S. E. o. f. XSPKS IN 24" MAPLE
737.4' W. S. W. o. f. S. W. Cor. o. f. E. Reyholds Res.
39.1' S. W. o. f. XSPKS IN Cor. Post
55.2' S. W. o. f. XSPKS IN 6" WALNUT
528.3' W. S. W. o. f. GEODETIC # 309

MONUMENT - BURIED - 12" DEEP

19

STAMPED - 32

7-5-39



W. 1/4 CORNER - SEC-28 - T.75N. R.1W

MONUMENT IN - 1/4 OF - 1/4 S
ROAD - NO FENCES - EOPW.
PREVIOUSLY - SET BY - J. J. RYAN
WHOSE NOTES - SHOW - NO
ORIGINAL - EVIDENCE - FOUND.


197.2' N.N.E. of XSPKS in Power Pole
115.1' N.N.E. of GEODETIC # 446
199.9' S.S.E. of XSPKS in Power Pole
25.1' W. of XSPKS in Tel Pole

MONUMENT - BURIED - 12" DEEP

MONUMENT #
29-28

STAMPED -

7-5-39



5

E 1/4 CORNER - Sec - 36 - T78N R1W


MONUMENT - SET IN - $\frac{1}{4}$ OF
N + S ROAD "P" MONUMENT
PREVIOUSLY SET BY - J. RYAN
WHOSE NOTES SHOW NO
ORIG. EVIDENCE - FOUND.

199.4' S.E. of 5 X SPKS in Power Pole
58.4' S.E. of 3 X SPKS in Power Pole
106.9' N.N.E. of 5 X SPKS in Power Pole
724.9' S.S.W. of S.W. Cor. of Corn CRIB
32.6' W. of Iron Pin in Fence line

MONUMENT BURIED - 12" DEEP

36-1

STAMPED



7

N¹/₄ CORNER - Sec - 36 - T78N R. 1W


MONUMENT - SET IN - R OF
 E + W - ROAD - AND - E. OF
 N.S. FENCE - LINES. PREVIOUSLY
 SET BY - J. J. RYAN - WHOSE NOTES
 SHOW - NO - ORIG. EVIDENCE
 FOUND

37.3' S. 08 x SPRS in 20" Elm
 43.4' S.S.W. 08 x SPRS in 8" Locust
 61.7' N. 08 x SPRS in Power Pole
 140.4' N.E. 05 x SPRS in Power Pole
 404.9' W.S.W. of S.W. Cor of Res.
 35.2' S. 08 x SPRS in Hedge Cor. Post

MONUMENT - BURIED - 12" Deep
 35

STAMPED 36

7-6-39



E¹/₄ CORNER - Sec. 25 - T78N R1W

MONUMENT - SET IN - P. OF
N.S. ROAD - IN - LINE - WITH
W. FENCE. PREVIOUSLY - SET
BY - J. RYAN - WHOSES - NOTES
SHOW - NO - ORIG. EVIDENCE
FOUND.

33.0' E. 0.8 x SPKS in Cor. Post
33.3' W. 0.8 x SPKS in Fence Post
43.2' N.E. 0.8 x SPKS in Tel. Pole
60.8' S. 0.8 x in E. HEADWALL of CULVERT
150.8' S.S.E. 0.8 x 5 SPKS in Tel. Pole
148.6' N.N.E. 0.8 x 5 SPKS in Tel. Pole


MONUMENT - BURIED - 12" DEEP

1111
25-30

STAMPED -

X

7-6-39.



NE. CORNER - Sec - 25 - T78N - R1-W

↓ MONUMENT - SET IN E OF
N.T.S., COUNTY - ROAD "P" IN-
LINE - WITH - IN. FENCE - LINE -
PREVIOUSLY - SET - BY - RYAN - WHOSES.
NOTES - How - No - ORIG. EVIDENCE - FOUND

37.2' E. 0.8 x SPKS IN FENCE POST
33.8' E. 0.8 x SPKS IN Cor. POST
43.0' E.S.E. 0.5 x SPKS IN FENCE POST
121.3' S. 0.8 1/2 in E. HEADWALL OF CULVERT
121.1' S. 0.8 1/2 in W. HEADWALL OF CULVERT
120.2' S. 0.8 1/2 OF CULVERT
92.7' N.W. 0.5 x SPKS IN Cor. POST

MONUMENT - BURIED - 12" DEEP


11 - 30

25

STAMPED -

X

7-6-39



N $\frac{1}{4}$ CORNER - Sec - 25 - T78N R-1W
 MONU. PREVIOUSLY SET BY IT TYPIN
 WHOSES - NOTES - SHOW - NO - ORIG -
 EVIDENCE - FOUND - SET - IN LINE
 WITH - E - W - 125 - AND - N - OF - S. FC.


- 6 Ft. of set in N + S fence zone
- 80.0' N.W. of X SPKS IN 20" BLAZED WILLOW
- 44.0' N.W. of reference mon. # 316
- 163.6' N. of 10" Box ELDER (X SPKS.)
- 342.2' E. of 12" Wild Cherry (X SPKS.)

MONUMENT - SURFACE - LEVEL

24

STAMPED - 25

84
 85



E 1/4 CORNER - Sec - 24 T78N R14W


MONUMENT SET IN - # OF N.T.S. COUNTY - ROAD - "P" AND N. OF W. FENCE LINE. PREVIOUSLY SET BY J.T. RYAN - WHOSES NOTES SHOW NO ORIG. EVIDENCE FOUND.

- 800.8' N.W. of reference monument # 157
 - 32.9' N.W. of reference monument # 158A
 - 59.6' S.E. of Telephone pole. (XSPKS).
 - 328.1' S.W. of power pole (XSPKS).
 - 128.6' NE of Telephone pole (XSPKS).
 - 34.5' N.E. of XSPKS IN COR post in fence West.
- 66' Right of Way

MONUMENT - BURIED - 12" Deep

24-19

STAMPED -



NE CORNER - Sec 24 - T8N R1W

MONUMENT SET IN E. OF
 NTS COUNTY ROAD - "7" AND
 IN HALF-WITH-W. FENCE.
 PREVIOUSLY SET BY J.F. PUAN
 IN HOSES - NOTES SHOW NO ORIG.
 EVIDENCE - FOUND.

- 33.0' E. of Cor. Post. in fence West.
 244.5' N.W. of N.W. Cor. of C. ROCKWOLD RESIDENCE
 72.0' N.W. of X SPKS in Power pole
 34.9' S.E. of Geodetic Mon. # 333.
 250.5' S.W. of X SPKS in Power pole
 141.3' S.E. of X SPKS in Telephone pole
 96.2' N.E. of X SPKS in Telephone pole


MONUMENT BURIED - 8" Deep

13-19

24

STAMPED -

7-10-39
 0



N $\frac{1}{4}$ CORNER - Sec - 24 - T78N R-11W

✓ MONUMENT SET IN LINE
WITH E + N - N + S, FENCE
LINES. PREVIOUSLY SET BY JH
RUAN. WHOSE NOTES SHOW NO
ORIG. EVIDENCE FOUND.

123.9 W. OF X SPKS IN Telephone Line pole
5.3' E. of X SPKS 22 " " "
6.8' N. of X SPKS 215672240 WIND CHURBY


MONUMENT SURFACE LEVEL

18

STAMPED 24

X

7-10-39



N¹/₄ CORNER - Sec - 13 T78N R.1-W




MONUMENT - SET - IN - $\frac{1}{4}$ OF
 E. 1/4 ROAD - IN - LINE - WITH
 N + S FENCES. PREVIOUSLY SET
 BY - F. T. RYAN - IN - NOTES - SHOW
 NO - O.P.C. EVIDENCE - FOUND

- 140.3 N.E. of Gerdetz's Mon. # 348
- 39.4' NW. E. of X spks in tel. pole
- 141.8' S.W. of N.W. COR. FRANK FENDRHHH RESIDENCE
- 90.2' S.W. of X spks in power pole
- 93.5' N.W. of X spks in telephone pole
- 34.6 N. of X spks in cor. post
- 31.7' S. of steel cor. post in yard fence
- 229.3' S.E. of X spks in power pole

MONUMENT - BURIED - 6" DEEP

STAMPED - 13

~~7-11-39~~



16

NE CORNER SEC-13-T18N R14W

MONUMENT-SET-IN- $\frac{1}{4}$ OF N+S ROAD-AND-139.0' N.O.F $\frac{1}{4}$ OF W. ROAD. PREVIOUSLY SET BY RYAN-IN HOUSES-NOTES SHOW NO ORIG. EVIDENCE-FOUND

- 139.0' N. of $\frac{1}{4}$ of West Road
- 57.9' S.W. of x spks in TEL. pole
- 169.3' S.W. of Geodetic Mon #160
- 146.4' S.E. of telephone pole (XSPKS.)
- 329.9' E. of 60" Cottonwood tree
- 88.6' N.N.E. of x spks in telephone pole
- 112.7' N.N.W. of x spks in power brace pole
- 36.8' N.W. of x spks in telephone pole
- 211.5 W. of N.W. COR. of CORN CRIB


MONUMENT-BURIED-10" DEEP

12 | 18
13

STAMPED-

X

N 7-11-39
- 0 -



NE CORNER SEC 12 - T18N R.14W

✓ MONUMENT SET IN - Φ OF
 N + S ROAD - "P" AND - IN - LINE
 WITH - N. ROW FENCE - OF
 ROAD - W. PREVIOUSLY SET BY
 J. T. RYAN - WHOSE - NOTES - SHOW
 NO - ORIG. EVIDENCE - FOUND.


26.0' N of Φ of road West.
 242.6' NW of Φ SPKS in power pole
 527' NW of Φ SPKS in power pole
 64.1' NE of Φ SPKS in tel pole
 33.0' E. of Φ SPKS in cor. post
 60.8' N.E. of cor. post S. Right of Way Fence
 in road West
 127.7' S.E. of Φ SPKS in tel pole
 163.3' SW of Φ SPKS in power pole

MONUMENT - BURIED - 12" DEEP

 $\frac{1}{12}$

STAMPED -

7-11-39



N $\frac{1}{4}$ CORNER - Sec - 12 - T78N - R14W

MONUMENT - SET - IN - LINE
WITH - N + S, FENCES, AND
IN - LINE - WITH - N. R.O.W. FENCE
E + W. AND - IS - ON - N. SIDE
OF - ROAD, PREVIOUSLY - SET - BY
J. RYAN - WHOSE - NOTES - SHOW - NO
ORIG. EVIDENCE - FOUND


42.6' N. of 2 SPKS in 2" Cottonwood.
303.2' E. of 2 SPKS in 6" Blazed hedge.
83.0' N.E. of 2 SPKS in 10" Wild Cherry

MONUMENT - SURFACE - LEVEL

STAMPED 12

X N

7-11-39



J.A. GEODETIC

#364

20

E 1/4 CORNER - Sec - 1 - T15N R-1W

✓ MONUMENT SET IN $\frac{1}{4}$ OF
 N1/4 COUNTY - ROAD "P" IN
 LINE - WITH - W - FENCE
 PREVIOUSLY SET BY J. R. ...
 WHOSE NOTES SHOW NO ORIG.
 EVIDENCE FOUND.


- 79.7' S.W. of 4 SPKS in 16" blazed Cottonwood
 33.0' E. of 4 SPKS in Cor. Post. Fence West
 79.0' S.E. of Geodetic Mon. #380
 62.5' N.E. of 4 SPKS in telephone pole
 153.6' S.W. of N.W. Cor. W^M SCHUETZ Res.
 118.4' S.E. of 2 SPKS in telephone pole
 97.8' N.W. of 2 SPKS in power pole

MONUMENT BURIED - 13" Deep

1-6

STAMPED

7-11-39



S¹/₄ CORNER - Sec - 33 - T76N R-11W

MONUMENT - SET IN S¹/₄ OF
E + W ROAD - AND - 108.1'
E. OF S¹/₄ OF N + S ROAD.

PREVIOUSLY SET BY RYAN
WHOSE NOTES SHOW NO
ORIG. EVIDENCE FOUND

- 337.2' W. of 7 spks in power post
- 107.2' S.W. of 7 spks in 20" Walnut
- 262.8' N. of 7 spks in 26" Maple
- 79.3' E.N.E. of 7 spks in cor. post.
- 108.1' E.O.P. of N + S Road
- 73.9' S.E. of ref. mn. # 289
- 59.1' S.E. of 7 spks in 30" 6 1/2" Maple
- 22.6' S. of 6 1/2" fence post (7 spks)


MONUMENT - BURIED - 10" DEEP

STAMPED

3

4

7-12-39



23

SE CORNER - Sec - 33 - T78N R14W

MONUMENT SET IN - A OF
 E IN ROAD - IN LINE WITH
 FENCE SO. AND W. ROW. FENCE
 OF N. ROAD. PREVIOUSLY SET BY
 T. RIAL - WHOSES NOTES SHOW NO
 CRG. EVIDENCE FOUND

24.1' S. OF Geodetic Mon. # 29

52.0' S.W. OF ASPKS IN COR. POST.

17.7' N. OF X SPI IN COR. POST.

19.5' N.E. OF X SPI IN BRASS POST.

21.0' S. OF X SPI IN COR. POST.


MONUMENT BURIED - 12" DEEP

33 | 34

4 | 3

STRIPPED

N. 7-13-39 574



E.V.

74

SE CORNER - Sec-34-T78N R-14W



MONUMENT SET IN &
OF - E + W. ROAD - AND
IN-LINE - WITH - LANE
FENCE - N. PREVIOUSLY SET
BY - FT. RYAN - WHOSES NOTES
SHOW - NO - ORIG. EVIDENCE -
FOUND

- 28.0' E. of N.E. Cor BRIDGE Pier
- 66.5' N.E. of 1st post = 1 1/4" Brazed Ash
- 155.5' N.N.E. of 2nd post in 10" W. Wood
- 32.0' S.W. of E. Gate Post in FENCE LANE
- 23.5' S.W. of W. Gate Post in FENCE LANE
- 112.2' S.W. of 1st post in 2" Oak Tree

MONUMENT - BURIED - 10" DEEP


34-35

3-2

STAMPED

X N

17-13-39 S.F.M
- 0 -



25
 S¹/₄ CORNER - Sec - 35 - T78N R14W


MONUMENT - SET IN - ~~1/4~~
 OF N + S + W. ROADS, AND
 S. OF FENCE - E. PREVIOUSLY
 SET BY RYAN - WHOSE
 NOTES - SHOW - NO - ORIG.
 EVIDENCE - FOUND.

- 34.4' W. of 2" H. post (XSPKS)
- 33.2' S.W. of XSPKS in corner post
- 115.1' S.W. of XSPKS in corner post
- 190.1' S.E. of XSPKS in 2nd post
- 37.1' E.S.E. of XSPKS in corner post
- 39.9' N.E. of XSPKS in 2nd post
- 222.5' N.W. of XSPKS in 1st post
- 185.9' N.W. of XSPKS in corner post

MONUMENT - BURIED - 12" DEEP

35
 STAMPED - 2

7-13-39 240



SE CORNER-SEC-35 T8N R-11W



MONUMENT-SET IN-PT OF
ETW ROAD-IN-LINE-WITH
NTS. FENCES. PREVIOUSLY
SET BY RYAN-KHOSES.
NOTES-SHOW NO ORIG.
EVIDENCE-FOUND.

- 67.8' SSE of x spks in 36' Stated Maple
- 138' S.E. of S.E. Cor. of School House
- 104.1' NE of x spks in power pole
- 50.8' N.O. of x spks in Cor. post
- 31.5' S. of Cor. post (x spks.)
- 32.7' N.E. of x spks in W Gate post
- 223.7' N.W. of x spks in POWER POLE


MONUMENT-BURIED-12" DEEP

9536
21

STAMPED



7-13-39



27
S⁴ CORNER - Sec - 36 T78N R-1W


✓ MONUMENT - SET IN E. OF
E+W ROAD - IN LINE WITH
N+S FENCES. PREVIOUSLY
SET BY F. RYAN - WHOSES
NOTES SHOW NO ORIGINAL
EVIDENCE FOUND

- 26' N.E. x S.W. in Cor Post
76' S.E. x S.W. 14" if 22' low
111.1 N.W. of SPKS in power pole
25.1 S.E. of SPKS in Cor Post
30.4 S.E. of steel gate post
8.7 N.E. of x SPKS in power pole

MONUMENT - 1' DIED - 12" DEEP
36

STAMPED

7-13-39
2.5.11
H



SW. CORNER Sec-31-T78N R-1-W

MONUMENT SET IN E. OF
E + W ROAD - AND - IN - LINE
WITH - N. FENCE LINE.
PREVIOUSLY SET BY J. J. RYAN
WHOSE NOTES SHOW NO ORIG.
EVIDENCE FOUND:


179.5' E.N.E. of N.W. Cor. of Mittman Res.
58.6' E.N.E. of X SPRS in 30" Maple
58.6' N.E. of X SPRS in 50" Maple
457.5' S.E. of S.E. Cor. of H. Kretchman
48.3' S.E. of Geopetic #70-170
32.3' S. of X SPRS in Cor Post
154.6' E.N.E. of N.E. Cor. of Shepherd Res.

MONUMENT - BURIED - 12" DEEP

3631
16

STAMPED

7-17-39



S.W. CORNER-SEC-18-T78N-R1W

MONUMENT-SET-IN- $\frac{1}{4}$ OF
E+W, (N+S) R.P. B.O.W.
PREVIOUSLY SET BY J. RYAN
IN HOUSE NOTES-SHOW-NO-ORIG.

EVIDENCE-FOUND


- 176.5' W.N.W. 0.8 NW. Cor. 0.8 W. N.E. Res.
- 56.5' W.N.W. 0.8 XSPKS IN MAPLE 30"
- 40.0' S.W. 0.8 XSPKS IN Pole Pole
- 71.5' N.E. 0.8 XSPKS IN Hedge Cor. Post
- 104.4' N.E. 0.8 Cor. under ground MARKER
- 70.9' S.E. 0.8 XSPKS IN Cor. Post.

MONUMENT-BURIED-12" DEEP

13 18
STAMPED 24A

See Page 36
Book 3

X
7-17-39



ABANDONED
R.P. B.O.W.

FARM LANE

WEAVER
RES

31

S.W. CORNER - Sec - 7. T 9 N. R. 1 W

✓ MONUMENT SET - IN E
OF E + W. ROAD AND - IN
OF S OF RR ROAD.

PREVIOUSLY SET BY P. J. VAN
WAGSES - NOTES - SHOW NO SURV
EVIDENCE FOUND

22.9' S. E. OF XSPKS IN Power Pole
24.0' S. W. OF XSPKS IN BRACE POLE
30.1' N. W. OF XSPKS IN Tele Pole
115.1' W. N. W. OF XSPKS IN Tele Pole
95.2' E. N. E. OF XSPKS IN Tele Pole
27.3' N. N. E. OF Geodetic # 243


MONUMENT - BURIED - 12" DEEP

- 12 7
13 18

STAMPED -

X

7-13-39



32

W $\frac{1}{4}$ CORNER-SEC-7-T18N-R1-W

MONUMENT IS SET 6' E.
OF & OF ABANDONED RR.
ROW. IN LINE WITH E
FENCE. PREVIOUSLY SET BY
J.J. PLYN WHOSE NOTES SHOW
NO ORIG. EVIDENCE FOUND

70.6' W. of XSPHS in cherry tree
44.2' W. of XSPHS in cor post
96.5' S.E. of XSPHS in Elm 6"
6.5' S.E. of XSPHS in #461
38.7' S.W. of XSPHS in group cherry tree
56.0' E. of XSPHS in cor post

MONUMENT BURIED 12" DEEP


Old
P.L.T.

STAMPED-

Sec Page 36 in

Boo B A

7-18-39



30

N¹/₄ CORNER - Sec - 29 - T78N - R11W
 MONU. PREVIOUSLY SET BY RYAN
 WHOSES NOTES SHOW NO ORIG.
 EVIDENCE FOUND - MONU. ON E
 SIDE OF NTS, FC. AND - E. OF W.
 FENCE.

33.0' N. OF IA - Geodetic # 328

74.2' N. OF X SPKS - IN - 24" HEDGE

35.5' S. OF X SPKS - IN - 18" HEDGE


MONUMENT - SURFACE - LEVEL

20

STAMPED 29

X

6-29-39



S.W. Cor. Sec. 18-78-1W

From information from an
old Railroad Plat in File in
County Auditor's office at
Court House it was found
that the section corner is
32.0' E. of \pm of old railroad
R.O.W. This information
accepted as corner and
C.M. was reset.

Mon. stamped 2/19

32.0' E. of \pm of old railroad R.O.W.23.8' N.N.W. of \pm of pole

39.4' N.W. of 30" 13/22ed Maple

158.2' N.W. of C.N.W. cor. of P.O. case, Resident

26.1' S.W. of \pm of pole

87.6' S.E. of cor. post

Monument buried
12" Deep

N
↑

Abandoned R.O.W.

Local
Post

82.6' 26.1' pole

158.2' 26.1'

23.8' 26.1'

30' 13/22ed Maple

N.W. cor.

E.V.