

16

78-1W

Grout Land Corner Ties
Muscatine County

DIETZGEN

✓
10
5 PM

FIELD BOOK
Book 4

No. 403P

Walton Township
T78N R1W

16

1939. E.H.O.

M.L.

County Closed
July 1, 1942.

E.V.

Final Check
E.V. 9-10-42

* Hill

2

- 51.0 N.W. OF TELEPHONE TRUNK LINE
- 38.6' N.W. OF COR. FENCE POST
- 44.5" N.N.W. OF GEODETIC STONE NO. 342
- 172.6' N.N.W. OF POWER POLE
- 93.5' E.N.E. OF TELEPHONE TRUNK LINE
- 30.3 S.E. OF COR. FENCE POST
- 42.9' S.W. OF POWER POLE


MONU. PREVIOUSLY SET BY
 J. T. RYAN - WHOSES NOTES
 SHOW NO ORIGINAL EVIDENCE
 FOUND - MONU. IN S. OF N.E.S.,
 E. W. ROADS.

MONUMENT BURIED - 12" Deep

17 16

STAMPED - 20 21

NE. CORNER - Sec 20 - T70N R14W



4

- 131.2' E. OF 12" BLAZED HEDGE
 37.0' N.E. OF W. END OF CULVERT
 37.5' N.W. OF E. END OF CULVERT
 20.8' W. OF COR. FENCE POST
 57.7' S.W. OF 8" BLAZED HEDGE
 83.0' S.S.E. OF TELEPHONE POLE
 24.6' E.S.E. OF COR. FENCE POST


MONUMENT - PREVIOUSLY SET BY
 A. T. RYAN - HIS NOTES SHOW
 NO ORIG. EVIDENCE FOUND.
 MONU. SET IN RO. FN + S. ROAD
 IN LINE WITH E. FENCE.

MONUMENT BURIED - 17" DEPT

17-16

STAMPED

✓ N. 1/4 CORNER - Sec - 16 - T 78 N. R 1 W



5

38.5' S.E. OF COR. FENCE POST
 49.6' E.N.E. OF TELEPHONE POLE
 35.7' N.E. OF GODETIC STONE NO. 358
 36.6' N.N.E. OF TELEPHONE POLE
 39.8' N.W. OF COR. FENCE POST
 58.6' W.N.W. OF TELEPHONE POLE
 35.9' W.S.W. OF POWER POLE
 35.7' S.W. OF COR. FENCE POST

MONU. PREVIOUSLY SET BY JF
 RYAN - WHOSES NOTES SHOW NO
 ORIG. EVIDENCE FOUND.
 MONU SET IN R.O.F.N.T.S, E.T.W.
 ROADS.


MONUMENT BURIED - 12" DEEP

89

1716

STAMPED -

NE. CORNER - Sec - 17 - 778N R-1W



6


- 31.1' N.E. OF TELEPHONE POLE
 22.1' N. OF CAR FENCE POST
 177.2' E.S.E. OF GEODETIC STONE NO. 359
 29.1' S.E. OF POWER POLE
 69.1' N.N.W. OF BLAZED 24" MAPLE
 110.7' W.N.W. OF TELEPHONE POLE
 287.3' W.S.W. OF POWER POLE

MONU. PREVIOUSLY SET BY J.J.
 RYAN - IN HOSE NOTES SHOW
 NO - ORIG. EVIDENCE FOUND.
 MONU. SET W. & OF E+W
 ROAD - IN LINE WITH N+S
 FENCES.

MONUMENT BURIED 1' DEEP

STAMPED 17

N¹/₄ CORNER - Sec - 17 - T78N R-1-W



- 34.9 N.W. OF BRACE POST
- 54.4 S.E. OF 6" BLAZED OAK
- 97.0 E. OF GEODETIC STONE NO. 439
- 84.8' E. OF COR. FENCE POST
- 92.0' W. OF COR. FENCE POST


MONUMENT - PREVIOUSLY SET BY
 J. F. RYAN - WHOSE S. NOTES
 SHOW NO ORIGINAL EVIDENCE
 FOUND. MONU. SET IN & OF
 NTS, ROAD IN LINE WITH
 E+W. FENCES

MONUMENT BOARDED - 12" DEEP

8-9

STAMPED

W 1/4 CORNER - Sec 9 - T18N R1W



8
NE CORNER - Sec - 8 - T78N R-1W


MONUMENT - SET - IN - S. OF
N.T.S., E + W, ROADS. PREVIOUSLY
BY - J. T. RYAN - IN HIS - NOTES - SHOW
NO - ORIG. EVIDENCE - FOUND.

- 35.8' N.E. OF POWER POLE
- 34.0' S.E. OF ANCHOR POLE
- 39.2' S.W. OF TELEPHONE POLE
- 97.4' W.N.W. OF POWER POLE
- 40.9' N.W. OF COR. FENCE POST
- 68.0' S.S.E. OF 8" BLAZED ASH

MONUMENT - BURIED - 12" DEEP.

54

STAMPED - 89




N¹/₄ CORNER - SEC - 8 - T 78N R. 1W

MONUMENT - SET IN ¹/₂ OF
E + W ROAD - IN LINE WITH
S. FENCE. PREVIOUSLY SET BY
JN RYAN WHOSES NOTES SHOW NO
ORIG. EVIDENCE FOUND

- 530.0' W.N.W. of N.W. Cor. Lee Norton Res.
- 163.3' W.N.W. of XSPKS in Power Pole
- 37.7' N.W. of XSPKS in Power Pole
- 30.5' N. of XSPKS in Cor Post.
- 33.6' N.N.E. of Con. Hwy M.H.K. Ref
- 118.0' N.E. of XSPKS in Power Pole
- 28.5' S. of Geodetic # 374
- 28.2' S. of XSPKS in Tel. Pole
- 30.1' S. of XSPKS in Cor Post
- 76.2' W.S.W. of XSPKS in Tel. Pole

MONUMENT - BURIED - 12" Dia P
STAMPED 8



10
W 1/4 CORNER - Sec - 4 - T75N - R-1W


✓ MONUMENT - SET - 1st - # of
N + S. ROAD - FIND - 104.3'S.
OF E. FENCE. PREVIOUSLY SET BY
J. T. RYAN. HIS SES. NOTES - SHOW - NO
ORIG. EVIDENCE FOUND

- 47.3' S.E. 08 GEODETIC # 435
28.6' N.W. 08 XSPKS IN COR POST
21.4' E. 05 XSPKS IN COR POST
104.3 S.S.W. 05 XSPKS IN COR POST
105.0' S.S.E. 03 XSPKS IN 30" BLAZED WALNUT
25.5' N.E. 08 XSPKS IN 3" DIA CB FLM
89.7' N.W. 05 N. End 05 E STEEL GIRDER 08
BRIDGE # 27 OVER MUD CREEK
89.6' N.E. 05 N. End 05 W STEEL GIRDER 08
BRIDGE # 27 OVER MUD CREEK
53.4' N.N.W. 08 XSPKS IN COR POST
60.0' N.N.W. 08 XSPKS IN 8" ASH

MONUMENT - BURIED - 12" DEEP.

5-4

7-12-39




11
N. 1/4 cor. Sec. 35 T78N R1W

At intersection of 1/2 of Tds. N. + S.
and E. + W. found Granite stone 8" x 5" x 4"
buried 10" deep. Lowered same & placed
C.M. above. Top of Mon. buried 12" deep

- 58.6' S. E. OF POWER POLE
- 44.2' S. W. OF COR. FENCE POST
- 44.5' N. W. OF TELEPHONE POLE
- 48.9' N. E. OF COR. FENCE POST
- 343.6' W. N. W. OF GEODETIC STONE NO. 302
- 113.5' W. S. W. OF W. post of S. Cem. gate
- 271.2' S. E. OF S. E. COR. OF BARN
- 132.3' N. N. E. of XSPXS112 Power Pole
- 134.2' S. S. W. of N. post of W. Cem. gate

MONUMENT BURIED - 12" DEEP

STAMPED - 35



NE CORNER - SEC - 35 - T78N R.11W
 MONU. PREVIOUSLY SET BY J.J.
 RYAN - WHOSE NOTES SHOW NO
 ORIG. EVIDENCE FOUND - MONU.
 SET IN E. OF E & W. ROAD - IN LINE
 WITH N & S FENCES.


- 33.6 S. OF COR. FENCE POST
- 33.9' N. OF COR. FENCE POST
- 60.4' N. OF 3 1/2" BLAZED MAPLE
- 37.4' N.N.W. OF GEODETIC STONE NO. 301
- 106.4' N.W. OF N.W. COR. OF HOUSE
- 49.6' N.E. OF TELEPHONE POLE
- 55.8' N.W. OF 3 1/2" BLAZED MAPLE

MONUMENT - BURIED - 12" DEEP

26 25

55 36

STAMPED



W 1/4 CORNER - Sec 36 T78N R1W



MONUMENT - SET IN LINE WITH E + W FENCE, AND E. OF N. FENCE. PREVIOUSLY

9.7' SET BY J. RYAN - WHOSE NOTES

SHOW NO ORIG. EVIDENCE FOUND

9.9' E. OF XSPKS - IN COR. POST


14.0' W. OF XSPKS - IN E. FENCE POST

MONUMENT - SURFACE LEVEL

35-36

STAMPED -

7-6-39



W $\frac{1}{4}$ CORNER - Sec - 25 - T78N R11W

MONU. PREVIOUSLY SET BY

RYAN - WHOSE NOTES SHOW NO ORIGINAL EVIDENCE FOUND.

MONU. SET ON E. SIDE OF NTS

FENCE LINE = N OF E - FENCE

148.8' S.E. OF 24" BLAZED OAK

207.0' E. OF 30" BLAZED OAK

7.0' S. OF FIRST FENCE POST N.

149.6' N. OF CORNER FENCE POST


109.4' S.S.W. OF 30" BLAZED OAK

227.3' S. N. OF GEODETIC STONE No. 403

MONUMENT SURFACE LEVEL

26-25

7-6-39



NE CORNER - Sec. 26-778 N R. 11W

✓ MONUMENT-SET-IN-LINE-WITH
E+W. FENCE-AND E. OF N+S
FENCE, PREVIOUSLY-SET-BY-JT
RYAN-WHOSSE-NOTES-SHOW-NO
ORIG. EVIDENCE-FOUND

211.5' E. OF 5 FT. COTTON WOOD

84.3' S. OF 36" BLAZED HEDGE


STAMPED AT INTERSECTION

MONUMENT-SURFACE-LEVEL

25 24

26 25

STAMPED -




1/4 CORNER Sec. 26-T78N.R.10W

MONUMENT - SET IN - $\frac{1}{4}$ OF
 ✓ NTS + W. ROADS. PREVIOUSLY
 SET BY J. F. RYAN - WHOSES
 NOTES - SHOW - NO - ORIGINAL
 EVIDENCE - FOUND.

- 312' E.N.E. OF STEEL COR. POST
- 99.2' W.N.W. OF GATE POST
- 25.0' W. OF COR. FENCE POST
- 156.4' S.S.W. OF TELEPHONE POLE
- 107.4' N.N.W. OF GEODETIC STONE NO. 319
- 39.7' W. OF BLAZED HEDGE

MONUMENT - BURIED - 12" DEEP

STAMPED - $\frac{25}{26}$



W $\frac{1}{4}$ CORNER - SEC. 26 - T78N R1W

MONUMENT - SET 2.4' E. OF
CENTER OF E. TRUSS - SUPPORT
OF ROAD BRIDGE - ON E + W
ROAD. PREVIOUSLY SET BY
RYAN - W. HASES - NOTES - SHOW
NO - ORIG. EVIDENCE - FOUND

255.5' E. 08 XSPKS IN 16" MAPLE
69.5' S. 05 XSPKS IN 6" Hedge
31.5' W. 08 XSPKS IN 10" Box Elder
695.7' N.N.E. 08 XSPKS IN 36" ORK


MONUMENT - SURFACE - LEVEL

27-26

STAMPED

✓

7-10-39



NE CORNER - Sec. 14 - T78N. R-1-W

Duplicate

MONU. PREVIOUSLY SET BY T. RYAN
WHOSE NOTES SHOW A HIME-
STONE 9" x 5" x 3" WAS FOUND
LOWEDED AND C. MANU. PRAC
ED THEREON IN E OF E+W
N+S. ROADS.

- 73.4' N.E. of 8 x SPKS in N. Pole of TWIN
Tele. Poles
43.9' S.E. of R.E.A. Power Pole x SPKS
100.7' W.S.W. of 8 x SPKS in Power Pole R.E.A.
121.6' N.N.E. of 8 x SPKS in Power Pole R.E.A.
47.9' N.W. of 8 x SPKS in Cor. Post.
47.4' N.E. of 8 x SPKS in Cor. Post.
62.7' W.N.W. of 8 x SPKS in Tele. Pole
47.7' S.W. of 8 x SPKS in Tel. Pole


MONUMENT - BURIED - 12" DEEP

11 12

14 13

STAMPED -

7-11-39



19

N.E. CORNER Sec. 5 - T18N R14W




- 723.0' N. OS of U.S. Highway #6
 38.7' N.W. OS XSPKS in 16" BURK OAK
 50.3' N.E. OS XSPKS in Group 14" Wild Cherry
 49.8' E.S.E. OS XSPKS in Tel. Pole
 17.6' W.N.W. OS XSPKS in N. Gate Post

MONUMENT - BURIED - 12" Deep

33

STAMPED - 5 4



20

E. 1/4 CORNER - Sec-12-T78N-R1W

MONUMENT SET IN P.O.F.
 N.T.S. ROAD IN HOLE WITH
 IN FENCE. PREVIOUSLY SET BY
 J.T. RYAN. WHOSES NOTES SHOW NO
 ORIG. EVIDENCE FOUND


367.3' S. 05 + in E. HEADWALL OF CULVERT.
 33.5' E. 03 X SPRS IN COR. POST.
 72.8' N.N.W. 08 X SPRS IN FENCE POST.
 129.1' N.N.E. 03 X SPRS IN FENCE POST.
 388.5' S. 05 + IN W. HEADWALL OF CULVERT.
 64.7' S.W. 03 X SPRS IN COR. POST 08
 Contour Fence

MONUMENT - BURIED - 12" DEEP

12-7

STAMPED -

7-13-39



N¹/₄ CORNER - Sec. 1 - T18N R14W

✓ MONUMENT - SET AT N.
END-OF-FARM-LANE-IN
LINE-WITH-S. FENCE
PREVIOUSLY BY J. RYAN - WHOSE
NOTES SHOW NO ORIGINAL
EVIDENCE FOUND.

86.3' N.E. of N.E. Cor. of E. Wing of Res.
68.0' S.E. of S.E. Cor. of Res.
56.3' S.E. of 14" Pine Tree
53.0' W. of XSPHS in cor Post


MONUMENT SURFACE LEVEL

36

STAMPED - 1

X

7-13-39



22

NE CORNER - Sec - 4 - 778N R-1W

✓ MONUMENT - Set - 18.8' W.
OF W. ROW, FENCE - OF N+S
ROAD - AND 487.5' S. OF ~~Q~~
OF S. RAIL - R.R. TRACK.
PREVIOUSLY - SET - BY - J.T. RYAN
WHOSE S. NOTES - SHOW - NO - ORIG.
EVIDENCE - FOUND.

650.8' W. of SE cor. Sec. 33-79-1W.

78.6' W. OF XSPKS - IN - COR. POST

12.3' W. OF 66.0' R.O.W.


18.8' W. OF Existing Fc. Line

487.5' S. OF CR14P. R.R. PARALLEL TO
EXISTING N+S ROAD & OS TRACK

MONUMENT - BURIED - 12" DEEP

43

STAMPED -



NE CORNER - Sec - 6 - T78N R-14W

✓ MONUMENT - SET 7.0' E. OF
E. ROW FENCE - N + S.

PREVIOUSLY SET BY - J. J. RYAN
WHOSE NOTES SHOW NO
ORIGINAL EVIDENCE FOUND.

72.4' E. N. E. of X SPKS in 5' Maple
96.9' E. N. E. of X SPKS in Power Pole
157.8' N. E. of N. E. Cor. of CL. MARTIN RES.
61.5' S. of X SPKS in Power Pole
83.7' E. S. E. of X SPKS in Tel Pole
77.7' E. S. E. of Geodetic # 390
18.2' S. S. E. of X SPKS in N. GATE POST
7.7' E. of X SPKS in S. GATE POST


MONUMENT BURIED - 12" DEEP

32

65

STAMPED -

7-13-39



N¹/₄ CORNER - Sec. 5 - T78N R14W

MONUMENT - SET - IN - LINE
 WITH - E + W + S. FENCES
 ON - N. SIDE - OF S. FENCE
 AND - E. OF N. FENCE

PREVIOUSLY - SET - BY - J. RYAN
 WHOSE - NOTES - SHOW - NO
 ORIGINAL - EVIDENCE - FOUND.

15.8' N. of Geopetic # 389
 102.0' N.E. of XSPKS in 44" Cottonwood


MONUMENT SURFACE LEVEL

32

STAMPED 5

X

7-13-39




S¹/₄ CORNER-SEC-32-T70N R1W
 MONU. PREVIOUSLY-Set By
 J-T-RIAN-W HOSES-NOTES-S400L
 ✓ No-ORIG. EVIDENCE-FOUND
 MONU. SET ON-S. SIDE-OF RRD
 1/4-MILE-WITH-N. FENCE,
 AND-E. OF S. FENCE-LINE.

- 250.7' ✓ N.W. of N.W. Cor of Rec. of A. G. T. T. T.
- 140.1' ✓ W.N.W. of 8 SPKS in 20" Maple
- 44.2' ✓ N.W. of 8 SPKS in 20" Maple
- 115.8' N. of N.W. Cor. of BERT
- 130.9' ✓ E.N.E. of 8 SPKS in Power Pole
- 87.7' ✓ N.W. of 8 SPKS in Cor. Post of
 BERTYARD Fence.
- 31.1' ✓ N.W. of Geodetic #286

MONUMENT BURIED-10" DEEP
 32
 STAMPED 5

X

7-14-39



MAPLE GRAVE BARN

Res. of A. G. T. T. T. MAPLE GRAVE FARM


S $\frac{1}{4}$ CORNER. Sec-34-T78N-R14W
 Twp PUB-AND-FOUND-RED-GRANITE
 ✓ STONE-8" X 8" X 7", LOWERED
 SAME-AND-PLACED-MONO.
 MONU. IN E. OF E. N. ROAD-IN
 LINE WITH-N.T.S, FENCES.

22.3' S. 08 XSPKS IN Cor Post
 17.2' S.S.E. 08 XSPKS IN 5" Hickory
 38.7' N. 03 XSPKS IN Cor Post
 30.9' NNW. 08 XSPKS IN 30" Hedge
 40.0' N.W. 08 XSPKS IN 16" Hedge
 50.9' S.W. 08 XSPKS IN 6" Hedge

MONUMENT-BURIED-8" DEEP
 34

STAMPED-3

7-14-39




W¹/₄ CORNER-SEA-33-T78N R-1-W
 ✓ MONU. PREVIOUSLY-SET BY J.T.
 RYAN-WHOSSES-NOTES-SHOW-NO
 ORIG. EVIDENCE-FOUND. MONU.
 IN & OF NTS, ROAD-IN LINE WITH
 E+W-FENCES.

88.8' NE. OF XSPKS-IN-5' COTTON WOOD
 84.2' E. OF XSPKS-IN-16" WALNUT
 575.1' NE. OF NE. COR. V. VAN CAMP RES.
 67.5' NW. OF XSPKS-IN-TEL. POLE
 22.9' E. OF IA-ROAD TIC. H 448
 56.0' SW. OF XSPKS-IN-30" COTTON WOOD
 226.6' SE. OF XSPKS-IN-POWER POLE

MONUMENT-BURIED-12" DEEP

32-33

STAMPED-



E 1/4-32


NE CORNER - Sec - 31 - T18N R11W
 MONU. PREVIOUSLY SET BY AT. RYAN
 ✓ IN HIS NOTES - SHOW NO ORIG.
 EVIDENCE FOUND - MONU SET IN
 E OF E+W, N+S, ROADS

- 39.0' NW. OF TA - GEODETIC # 308
- 252.5' SE. OF XSPKS - IN - POWER POLE
- 39.9' SE. OF XSPKS - IN - CORNER POST
- 111.3' SW. OF XSPKS - IN - TEL. POLE
- 40.5' SW. OF XSPKS - IN - CORNER POST
- 97.4' NW. OF XSPKS - IN - TEL. POLE
- 39.3' NE. OF XSPKS - IN - POWER POLE

MONUMENT - BURIED - 12" DEEP

29 28

STAMPED 31 33



NE. CORNER - Sec - 29 - T 28 N R 14 W

MONU. PREVIOUSLY SET BY J.T.

RYAN - WHOSES NOTES SHOW NO

ORIG. EVIDENCE FOUND. MONU.

SET IN RESENTS, ROAD IN LINE
WITH E-FENCE

46.8' NE. OF XSPKS - IN LANE COR POST

117.6' SW. OF XSPKS - IN 18" ELM

92.8' SW. OF XSPKS - IN POWER POLE

33.5' W. OF XSPKS - IN 6" HEDGE

20.2' W. OF XSPKS - IN CORNER POST

226.6' NNW OF XSPKS - IN POWER POLE


27.2' SE. OF IA-Geodetic #327

MONUMENT - BURIED - 19" DEEP

20 21

29 28

STAMPED



31

✓ E $\frac{1}{4}$ Cor. Sec. 4-781W.


FOUND ORIGINAL stone 6x6
x12. Buried stone under
MONUMENT.

33.2' E. S. E. of x spks in gate post
35.9' N. E. of " " " tel. pole
33.6' W. of " " " Cor. post
41.8' S. W. " " " " brace post
289.0' S. E. " Geodetic #421

MONUMENT set in E of N
+ S. Road in line with
fence line.

MONUMENT 12" deep 4-3

Entered 5-19-41 by S.F.M.



32

NE Cor. Sec. 34-78-1W

Mon. Previously set by J. Ryan, whose
notes show no orig. evidence found.
Mon. had to be taken up for bridge
constr.

Mon. reset + retied by J.G. Gartzke
from ties. Mon. stamped $\frac{27}{39} \frac{26}{55}$

TIES


57.4' SE of NE Cor. Conc. Twin CULV

66.1' NE of SE Cor. " " "

39.8' SW of SW Cor. Conc. Ret. Wall

31.5' N. of Tel. Pole (Xook)

441.9' NW of T.G.S. BM #1304



A I G S R W 1304

E.V.

✓ S.E. Cor. Sec. 31-78-1W.

Mon. previously set by B.K. Williamson and reset on Apr. 28, 1942 by request of County Engineers of Rice, Mon. reset 2' 8" E, + 0.5' N. where 2" iron pipe was found. Mon stamped

$\frac{31.32}{6.5}$

63.8' W. of Bell Tel. Co. Cable Marker
39.1' N.W. of power pole.
57.5' N.E. of P.I.G.S. B.M. # 785
18.4' N.E. of corner post.


4-28-42

F.E.C

N

Sec 31-78-1W

Sec. 32-78-1W



Sec 6-77-1W

Sec 5-77-1W

E.N.

34


S $\frac{1}{4}$ corner Sec. 31-78-4W.

Monument previously set
by J. J. Ryant but was reset 1-
25-12 by request of County
Engineer's Office. Mon. reset
48' N. where original stone
was found. Original stone is
2' x 6" x 6" lowered original
and set S.C.M. above. Mon. is
stamped.

332' S. of R.O.W. Pc. on N. side of R.O.W.
36.1' N.W. of Brace post of S. R.O.W. fence
34.1' N. of Cor. post. Fence S.

1-28-42

F.T.G.



1-28-42

S.W. Cor. Sec. 6-78-1W

Monument sets 36.0' W.
 of E of abandoned R.I.
 R.R. right of way. From the
 information found in the
 County Auditor's office
 showing the old R.R.
 survey this location
 has been accepted as
 being correct. C.M. sets in
 line with fence E. Stamped

Monument Deep 12.7

36.0' W. of E of abandoned R.O.W.

36.9' W.N.W. of I.C.S. Mon. # 253

86.0' W. of cor. post on E. fence line


12.9' E. of R.O.W. fence N.E.S. on W. side of R.O.W.

52.7' N.N.W. of p.w. pole.

88.2' S.S.W. " " "

5-25-42

S.F. 17, 1/5



Abandoned R.O.W.

W $\frac{1}{4}$ Cor. Sec. 7-78-1W.

From information found in County Auditor's office from P.R. survey location Ran C. Mills found to be 11.5' W. of E. of P.R. right of way. This location accepted as correct and C.M. was moved and retired.


Monument 6" Deep

- 11.5' W. of cor. post of N. & S. Fence which has been set on E.
- 14.4' W. S.W. of I.G.S. Mon. #461
- 87.7' W. of Blazed 8" Wild Cherry
- 94.6' S.E. " " 6" Elm tree

Monument stamped

12-7

E.V.



Abandoned
R.R. R.O.W.

E.V.