

22

78-2W

22
78-2W

K & E
REG. U. S. PAT. OFF.

COLLEGE FIELD BOOK

360 C

Book
4 B

NAME MOSCOW TWP

CLASS _____ COURSE _____

22

County Closed
July 1-1942
K & E
REG. U. S. PAT. OFF.
E.V.

COLLEGE FIELD BOOK

Showing the quality of the Paper and Engraving in the Standard K & E Field Books described on one of the following pages.

At the end of this book will be found general information relative to a few of the items of the extensive K & E line, which will be of interest to the Engineering Teacher and Student.

KEUFFEL & ESSER CO.

NEW YORK, 127 Fulton Street,	General Office and Factories, HOBOKEN, N. J.
CHICAGO 516-26 S. Dearborn St.	ST. LOUIS 817 Locust St.
SAN FRANCISCO 30-34 Second Street	LOS ANGELES 720 S. Flower St.
	DETROIT 77 W. Elizabeth St.
	MONTREAL 7-9 Notre Dame St., W.

Drawing Materials, Mathematical and Surveying Instruments, Measuring Tapes.

*Final Check
EK 8-14-42.
All information
Copied*

7/15/42

1/4 Cor. Sec 9 T78N-R2W.

Cor established from
Hwy strip map of survey of
#6 and transit line.


Designated by brass cap in
top slab Good evidence.
Brass Cap $\frac{9}{16}$

50.0' S.E. of 6" White Ash tree
Range Sta. # 827 + 16.2

6-6-42

S.E. 1/4

N
4



6-6-4

5A-11/16
N
A

✓ S $\frac{1}{4}$ cor. Sec. 10 T78N-R9W
Cor. established by an
Hwy. strip map and transit
line.


Mon. stamped $\frac{10}{15}$

- 20.0' S. of \pm of slab Hwy #6
 - 37.0' N.N.E. of 20" Lion tree
 - 39.4' N.W. of 8" Cottonwood tree
- No Other Ties Available.

" " " "

#6

#6



✓ S $\frac{1}{2}$ Cor. Sec. 11 T78N-R2W.

Cor. established from
Hwy strip map of survey
of #6 and a transit line.
Good fence evidence.

Brass Cap $\frac{1}{14}$


104.8' N.W. of tel. pole.

33.6' N.E. " " "

49.8' S " R.O.W. marker.

6-6-42

S.F. 111
N
4



4
✓ E $\frac{1}{2}$ Cor Sec 1-T78N-R21W

From information found on city plat of the town of Wilton Vt; it was learned that the $\frac{1}{2}$ cor is 120.0' W. of a point 17.0' S. of the S.E. cor. of a building. This information accepted as correct and C.M. was set accordingly.

Main St. 6' wide. 1+6

Buried 6" Deep

16.9' S. of x spts. in purple

27.3' N.W. " " " " "

36.9' N.W. " " " " "

88.8' N.W. of N.W. cor. of building


62.0' W.S.W. " S.W. " " " "

Cor Established by
H. H. Fitzgerald

6-16-47

S.E. 1/4

N
A



N 1/4 Cor Sec 17-78-2W

✓

102' N. ...
 with it ...
 H ...
 102' N. ...
 CR ...
 ... This ...
 direct ...
 a set ...
 Bl. sec 9 1/4

1/2 ...
 Scurbin ...
 Silk ...
 loc ...
 Pa. Sta. 178 + 93.5'

6-17-17

57-18-11

