

78-2W

78-2W

21

78-2

6	5	4	3	2	1
7	8	9	10	11	12
					31
18	17	16	15	2 14	13
		27	27 26	2 3	26 25 20
17	20	24 21	22	23	24
		24 23	23 22	3 2 21	21 20
30	29	25 28	27	26	25 20
17 17 14	16	15 15	6 6 4	5	14 13 13
18 31	11 32	33 8	34	35	36 19
14 12 11	12 11	9 8	7 4	5	10 9 10

Index to notes on
TWP. 78 N. - R. 2. W.


E. 1/4 COR. Sec. 27

- 102.1' SE. OF 30" ASH
- 62.0' E. OF 24" ELM
- 123.5' SW. OF B.M. 70-17
- 33.3' E. OF COR. POST
- 61.8' SE. OF SE. CORNER OF HEDGE AROUND YARD.
- 37.8' W. OF S. Gate Post


E. 1/4 COR. Sec. 22.

- 48.4' SE. OF nail in Fence Post
- 32.3' E. OF nail in Fence Post.
- 40.2' N.E. OF nail in Fence Post.
- 26.3' W. OF nail in COR. Fence Post
- 136.5' W. OF nail in Hedge tree.

T.C. 7-13-38




T.C. 9-22-38





N $\frac{1}{4}$ COR. Sec. 23

31.3' N. of nail IN FENCE POST
 72.1' W. of nail IN CABLE POLE
 57.6' E. of nail IN CABLE POLE
 106.5' S. of nail IN 6" HEDGE TREE




N.E. Sec. COR. Sec. 27

129.4' ~~126.5'~~ S.W. OF NAIL IN 20" BURR OAK
 49.5' ~~149.8'~~ W. OF NAIL IN 16" WALNUT
 56.0' ~~56.1'~~ N.W. OF NAIL IN FENCE POST
 103.0' S.E. OF 12" BLAZE HICKORY ^{Tree}




N.W. Sec. Cor. Sec. 34

- 76.4' SE. of nail in Burr oak 20" Di.
- 628' E. of nail in Hackberry 12" Di
- 42.3' NW. of nail in Burr oak 20" Di
- 40.8' NW. of nail in Elm 10" Di
- 15.3' W. of Cor. fence post



N. 1/4 Cor. Sec. 34

- 129.2' S.W. of Elm 20" Di
- 32.8' ~~27.1'~~ E. of Cor. fence post
- 43.7' NW. of Wildcherry 4" Di
- 119.4' N. of Wildcherry 4" Di
- 39.8' SE. of Cor. fence Post
- 43.0' SE. of Maple 36" Di
- 26.6' N. of X Spks. in Cor. Post




E. 1/4 Cor. Sec. 34

158.6' E. of Walnut tree 16" Diem
 67.6' N.E. of Walnut tree 12" Diem
 131.6' N.E. of Walnut tree 14" Diem
 1.8' S.W. of Cor. fence Post


S. 1/4 Cor. Sec. 34

21.3' S. of Cor. fence Post
 20.2' N. of fence on South
 Side of road
 95.0' N.E. of Pump on South
 Side of road




5 1/4 Cor. Sec. 34 30.2' S. of
 U.S.B.M. 70-176

T.C. 7-11-38




1/4 Sec. 34 TWP. 78 N., R. 2 W.



Sec. 3 TWP. 77-2W. Monument
 97.9' N. of Monument at S. 1/4 Cor.
 Sec. 34 - TWP. 78 N. - R. 2 W.


SE. Sec. Cor. Sec. 33

103.0' SW. of Pine 8" Diam
 36.3' SW. of Cem. Cor. fence post
 Void 42.6' NW. of Tel. Pole
 172.1' NE. of Walnut 20" Diam
 20.9' S. of Cor. fence post
 NW Cor. Sec. 3 TWP. 77
 R. 2 W. 140.1' NW. of
 Walnut 20" Diam
 NW. Cor. Sec. 4 77 N. - R. 2 W. is 127.5'
 W. of Sec. Cor. 33 78 N. - R. 2 W.




E. 1/4 Cor. Sec. 33

14.7' NW. of Walnut 20" Diam
 89.0' NW. of Elm 24" Diam
 424' S of nail in hedge Shrub
 27.0' N. of nail in hedge Shrub
 47.8' E. of nail in hedge Shrub



S. 1/4 Cor. Sec. 33




- 61.6' N.E. of X SPKS in Tel. Pole
- 127.4' S.W. of ~~top~~ X SPKS. in fence post
- 96.0' S.W. of ~~top~~ X SPKS. in fence post
- 106.1' ~~106.2'~~ N.E. of N.E. Cor. of Farmhouse
- 70.0' N.E. of nail in Cor. fence post
- 194.5' 194.7' N.E. of nail in 20" Maple
- 169.3' N.E. of nail in 8" Maple
- 37.1' S.E. of nail in Cor. Fence post



S. 1/4 Cor. Sec. 33 is 388.3' N.E. of U.S.B.M. 70-179


S. 1/4 Cor. Sec. 36

- 33.5' N. of nail in Cor. fence post
- 33.5' S. of ~~top~~ X SPKS. in Cor. fence post
- 52.7' S.E. of nail in Cottonwood Stump
- 84.5' S.W. of nail in Tel. Pole
- 549.4' S.W. of U.S.B.M. 70-171



S.E. Sec. Cor. Sec. 36



49.5' SE of nail in Ash 20" Diam
 37.8' NE of nail in Maple 48" Diam
 58.6' NE of nail in Maple 24" Diam
 48.2' NE of U.S.B.M. 70-170
 154.6' NE of NE. Cor. of Farmhouse
 32.8' S. of 4" Hedge Cdn. post



SE. Cor. sec. 36 48.2' NE.
 of U.S.B.M. 70-170

S.W. Sec. Cor. Sec. 36

S.W. Sec. cor. sec. 36 78 N.
 R.2 W. is designated by Mark
 in center of pavement U.S.#38
 49.7' SW. of State Hwy Ref Post
 345' NE. of U.S.B.M. 70-172
 67.2' NE. Cem. ref. post
 161.9' SE of nail in Maple 20" Diam
 96.8' SE of nail in Pine 14" Diam
 182.8' SE. of SE. Cor. of Farmhouse



SE. Cor. Sec. 32

Moscow
Twp


21.5' S. of nail in corner post

91.2' N.E. of nail in 24" Elm

82.9 ~~82.9~~ N.W. of nail in 20" Maple

109.5 ~~109.5~~ N.W. of nail in 24" Maple

80.8' S.W. of nail in 5" Hedge



SE. Sec. Cor. Sec. 32 287.2'
S.E. of U.S.B.M. 70-180


N.W. Sec. Cor. Sec. 4 77 N. R.2 W.
206.3' ~~206.3'~~ W. of S.E. Cor. 32 78 N.
R.2 W.

SE. Sec. Cor. Sec. 31


224.6' S.W. of nail in tel. pole

15.7' N.W. of nail in wild cherry shrub

51.1' N.E. of nail in fence post




SE. Cor. Sec. 31



See Page 29

Sec 56 5 77 N. R.2 W.




S. 1/4 Cor. Sec. 32



S. 1/4 Cor. Sec. 32 564.0' SE.
 of 70-183


S. 1/4 Cor. Sec. 31

- 136.7' SE. of nail in 30" Elm
- 37.9' S.E. of nail in 15" Hedge
- 15.9' N. of nail in 10" Hedge
- 15.6' S. of nail in 6" Hedge
- 49.6' N.W. of nail in 40" Elm Cluster






SE. COR. Sec. 25

- 256.4' S.E. X spks 36"
- 224.5' S.E. OF nail in 36" Cottonwood
- 58.2' S.E. OF nail in Fence Post
- 59.8' N.E. OF nail in CoR. Fence Post
- 57.3' S.W. OF nail in CoR. Fence Post
- 57.4' N.W. OF nail in CoR. Fence Post
- 48.8' N. OF U.S. 70-193




S. 1/4 CoR. Sec. 25

- 32.0' N. OF nail intel. Pole
- 33.8' S. OF nail in CoR. Fence Post
- 38.3' S.W. OF nail in 10" wildcherry



S.E. COR. SEC. 26.



- SEC. COR. designated by MARK in E. Hi-Way IA # 38.
- 72.2' S.E. of CEM. REF. Post.
- 45.8' S.W. of CEM. REF. Post.
- 61.8' N.W. of CEM. REF. Post
- 73.6' N.E. of IRON R.O.W. STAKE



S.W. COR. SEC. 31.


Monument sets at Foot of SW. edge of 28" Birch tree.

- 31.6' N.W. of nail in 5" Hedge
- 61.0' N.E. of nail in 30" Elm
- 43.4' S.E. of nail in 20" Maple
- 53.1' S.W. of nail in 20" Elm



5. 1/4 COR. SEC. 28.



59.0' S.E. OF Nail in COR. Fence Post
 91.0' W.E. 6" Nail in tel. Pole
 100.7' N.W. OF Nail in 8" Hedge
 44.8' S.W. OF U.S. 70-192.



(1)


SE. COR. SEC. 29.

36.0' S.W. OF Nail in 14" Hedge
 30.2' S.E. OF Nail in Hedge clump
 39.5' N.E. OF Nail in Hedge clump
 54.9' N.W. OF Nail in Hedge clump.




S. 1/4 CoR. Sec. 29

21.4' N. OF U.S. 70-205
9.3' E. OF CoR. Fence Post




S.E. CoR. Sec. 30

- 48' S.W. OF Blazed 14" Oak
- 52' N.W. OF Blazed 6" Elm
- 67.7' ~~67.6'~~ N.E. OF Blazed 25" Birch
- 47.1' S.E. OF Blazed 28" Maple
- 40' N.W. OF U.S. 70-206
- 10.3' N. of X spks in 18" Birch




121.3' N. of X spks in 18" Birch
178.1' S.S.W. of Blazed 26" Elm




S.W. COR. SEC. 30.

102' S.W. of Blazed 36" Ash
 165.3' S.W. of Blazed 16" Oak tree
 13.2' N. of COR. Fence Post
 4.1' 0.7' S of Gate Post




S. 1/4 COR. SEC. 30

54.9' S.E. of Blazed 16" Oak
 81.3' N.E. of Blazed 30" Elm
 66.8' N. of Blazed 30" Oak
 29.8' W. of Blazed 20" Locust
 47.4' S. of U.S. 70-209




Tic. 8-16-38

17.



Tic. 8-16-38




W. 1/4 CoR. Sec. 31

- 1.3' N. of CoR. Fence Post
- 79.4' SW. of Blazed 40" Oak
- 29.8' N. of CoR. Fence Post
- 121.8' N.E. of Blazed 40" Oak

W. 1/4 CoR. Sec. 32

- 31.9' N. of Blazed locust shrub
- 11' E. of wild cherry shrub




E. 1/4 COR. SEC. 32

- 3.9' W. OF COR Fence Post
- 33.0' N.W. OF Blazed 36" Locust
- 9.0' S. OF Blazed Hedge Shrub
- 6.4' S.E. of U.S.B.M. 70-180

E. 1/4 COR. SEC. 36

- 55.6' E. OF COR. FENCE POST
- 44.9' W. OF NYS. FENCE
- 87.7' W. OF Blazed 6" Locust
- 143.7' E. OF Blazed 5" Hedge




N.E. COR. Sec. 25

83.5' S.E. of Blazed 6" Hedee

41.5' S.W. of Blazed 8" wildcherry

74.9' N.E. of COR. Fence Post

31.9' N.W. of Tel. Pole



E. 1/4 COR. SEC. 25

61.7' E. of COR. Fence Post



37.5' W. of R.R. R.O.W. Stone

37.6' N.W. of 6" Blazed Box Elder

51.1' N.W. of 14" Blazed Locust


Sec 25 NW

20



N. 1/4 COR. SEC. 25

45' N.E. OF Blazed Hedge Stump
25.5' N. OF Blazed Hedge Stump



S.E. COR. SEC. 23



Section corner designated
by spike in E of Pavement
of I.R. # 38

90.3' S.W. OF Blazed 40" Maple

69.4' N.W. OF COR. Fence Post


130.5' N.E. OF N.E. COR. Farm House

VOID 80.1' S.E. OF U.S. 70-214





S. 1/4 COR. SEC. 23

231' N. OF COR. Fence Post
 345' W. OF 40" Blazed Elm
 231.8' N.E. OF 40" Blazed Oak
~~231.8'~~ N. OF U.S. 70-216




S. 1/4 COR. SEC. 22.

77.5' S.W. OF Blazed 14" Oak
 28.5' S.E. OF Blazed 20" Oak
 69.5' N.W. OF Blazed 24" Elm
 18.9' N.E. OF Blazed 14" Oak
 177.3' 151.3' S. OF U.S. 70-221





S.W. COR. SEC. 22.

- 31.5' S. OF Blazed 30" OAK
 63' W. OF Blazed 12" Elm
 16.5' N.E. OF Blazed 10" Elm
 21.3' E. OF Blazed 24" OAK
 107' S.E. OF U.S. 70-224



S. 1/4 COR. SEC. 21

- 76.5' S.W. OF Blazed 6" OAK
 77.5' S.W. OF Blazed 8" OAK
 23.8' S. OF U.S. 70-226
 12.2' S. OF Gate Post
 155.2' N.W. OF Blazed 12" Walnut




W. 1/4 COR. Sec. 28

Monument located at
intersection of fence
running east & fence
running south.


N. 1/4 COR. Sec. 24

20.7' S. of nail in CoR. Fence Post
26.4' S.W. of nail in wild cherry shrub
71.1' N.W. of nail in Tel. Pole
19.5' N. of nail in CoR. Fence Post
46.6' N.E. of nail in CoR. Fence Post



25


July 7-19-38



N.W. CoR. Sec. 24.



Section corner designated by cross + 45' east of $\frac{1}{4}$ Pavement of E.R.#38.

- 46.8' S.E. of cem. Ref. Post
- 54' N.W. of cem. Ref. Post
- 33' E. of CoR. Fence Post
- 63.9' S.W. Iron CoR. Fence Post




N. 1/4 CoR. Sec. 22.

1/4 CoR. section corner Monument located at intersection of N+S & E+W Fence lines.





N.W. COR. SEC. 22.

85.8' S.W. OF Blazed 6" Elm
 50' N.E. OF Blazed 48" Elm
 342.1' S.E. OF U.S. 70-238





N. 1/4 COR. SEC. 21

14.5' S. OF COR. Fence Post
 71.5' S.W. OF Blazed 40" Elm
 6.6' N. OF U.S. 70-239



✓
 E 1/4 con. Sec. 26-78-1
 Spike in E of con. Slab - Ia Hwy #38

40.6' E. of X spikes in 20" Elm
 48.9' W. of Iron ROW Marker
 60.1' E. of Iron ROW Marker
 60.2' N.W. of X spikes in 18" Maple




S.E. cor. Sec. 31-78-2

- 17.2' N. of X spks. in 4" Wild Cherry
- 51.0' N.E. of X spks. in fc. post
- 59.4' S.W. of X spks. in 4" Birch tree
- 229.1' E. of N.E. cor. Sec. 6 T79N R2W
- 291.7 S.W. OF - GEODETIC. 70-183

N.E. cor. Sec. 6 - 77-211

- 19.5' N. of X spks. in fc. cor. post
- 31.8' N.E. of Placed 14" Willow
- 48.9' W.N.W. of " 6" Wild Cherry
- 22.4' S.W. of X spks. in E. Gate post
- 111.9' S.S.E. of Geod. #70-183
- 229.1' W. of S.E. cor. Sec. 31-78-2



✓
N.E. cor. Sec. 24-78-2


98.3' S. of E. of Concrete Tel. Marker

28.4' S.E. of X spks. in fence post

41.0' S.W. of X spks. in tel. pole

56.4' N.W. of X spks. in 26" Maple tree

66.8' N.E. of X spks. in tel. pole



✓
N.E. Cor Sec 14-78-2

Cor. designated by cross in
pavement 4 ft E of 1/4 of paving

37.8' S.E. of X spks. in Power pole


43.4' N.E. of Iron R.O.W. Marker


63.4' N. of Paving Sta. # 457

38.3' S.W. of Paving Sta. # 458

54.7' W. of S.W. of tel. pole

57.2' N.W. of Iron R.O.W. Marker






S. 1/4


SW CORNER OF Sec 33 T-78R-21W
Mon. previously set by J. J. Ryan

- 40.4' N. OF IRON PIN
- 40.5' NNE OF IRON PIN
- 83.0' N. OF XSPKS-IN 20" MAPLE
- 109.3' NW. OF XSPKS-IN 24" MAPLE
- 134.1' NE OF XSPKS-IN 34" ELM
- 59.8' S. OF XSPKS-IN CORNER POST
- 80.9' SW. OF XSPKS-IN 6" HEDGE TREE
- 50.3' S. OF XSPKS-IN 12" HONEY LOCUST
- 178.6' SW. OF XSPKS-IN 34" COTTON WOOD
- 238.4' W. OF CENTER OF S. HEADWALL OF CONCRETE CULVERT
- 206.3' E. OF N.W. COR SEC 4

5-27-39



S. OF X SPKS - IN 24" OAK TREE
 S.E. OF X SPKS - IN 24" OAK TREE
 S.E. OF X SPKS - IN TWIN 30" OAK TREE
 N. OF X SPKS - IN 36" WHITE OAK
 W. OF X SPKS - IN 12" Bk. LOCUST TREE
 E. OF X SPKS - IN 24" HICKORY TREE




V
N.E. Cor. Sec. 4-98-2

Mon. previously set by J.J. Ryan

- 30.8' W. OF XSPKS-IN-20" ELM TREE
- 912.1' S.E. OF SE. CONCRETE COR. OF BARRY
- 148.9' S.S.E. OF XSPKS-IN-36" ELM TREE
- 23.9' N.E. OF XSPKS-IN-36" ELM
- 76.2' S.E. OF XSPKS-IN-24" ELM

6-12-39




✓ N. 1/4 cor. Sec. 4 T78N R3W.

In E. of E. + W. County line rd. and E. of rd. S. dug hole 4' x 4' x 3' deep. Found flat limestone 26" x 19" x 6" one ft. deep. No other evidence found. Lowered same & placed C.M. above stamped $\frac{1}{4}$

31.3' N. NW. OF XSPKS-IN Power Pole
196.2' SW. OF XSPKS-IN-CORNER POST
40.7' NW. OF XSPKS-IN CORNER POST
40.7' NE. OF XSPKS-IN-CORNER POST
48.0' NE. OF XSPKS-IN Tech. Pole
206.9' N. NE. OF XSPKS-IN Power Pole

Done on Br 25 p 30



N.E. Cor. Sec. 5 T7EN R3W

Established on testimony of Geo. Creese
who owns 80 ac. each side of N. & S. Sec. line. So.
An iron fence post marks the sec. line at S. Row
fc. of F. & W. County line rd. At point on straight
line between the adjacent cor's. E. & W. at
rt. angles with Sec. line set C.M. stamped


5-14

- 116.4' SW. OF XSPKS-IN Power Pole
- 310.5' NW. OF NW CORNER OF RES.
- 83.1' NE. OF XSPKS-IN 24" PINE POLE
- 119.7' SE. OF XSPKS-IN Power Pole
- 72.6' N. OF XSPKS-IN 20" MAPLE TREE
- 33.2' N. OF STEEL FENCE POST
- 46.4' NE. OF XSPKS-IN T. Pole
- 191.9' W. OF E. OF ROAD RUNNING NORTH

Done at BR 25 p 31


6-13-39

R.K.W. - C.C.P.



✓ V
 W $\frac{1}{4}$ Cor. Sec. 35 - 78-2
 stone 4" deep


- 62.1' N.E. of 1st post in 10" Walnut (blazed)
- 65.2' E.N.E. of 1st post in Cor. Post
- 14.7' N. of Gate post (x spurs)
- 1.8' SW of Cor post (x spurs)
- 12.3' S.S.W. of brace post.
- 131.4' N.E. of 1st post in 12" blazed Walnut



✓ N.E. COR Sec 34 - 18-2
stone 12" Deep


35.6' S.W. of X SPKS in Cor Post
47.0' N.W. of X SPKS in 8" Cedar
39.7' N.E. of X SPKS in Cor Post
46.1' N.W. of X SPKS in Cor Post
42.0' S.E. of X SPKS in Cor Post
204.5 N.E. of N.E. COR of JOHN UMANDT RES.
65.7 SE of G.O. Lot 20 #70-198
66.0' R.O. N. in ROAD N+S.
66.0' R.O. N. in ROAD E+W

7-1439



W 1/2 Cor. Sec. 26 - 18-2
Stone 10" Deep

- 33.3' E.N.E. of 7 SPKS in Cap Post Fence West
- 101.9' S.E. of 7 SPKS in 30" blazed Ash
- 147.1' S.E. of N.E. Cor. of J. TUFFEL RES.
- 61.7' E. of 2 SPKS in 24" Elm
- 116.3' S.S.E. of 16" blazed Cherry
- 37.8' W.S.W. of South Gate Post
- 36.8' W. of 5 SPKS in brace post
- 70.5' R.O.W. in Road N+S.



N $\frac{1}{4}$ CORNER - Sec - 3 - 77N R 7W


98.0 W. OF S $\frac{1}{4}$ COR. T 78N R-7W MONU.
33.2' N. OF 1/8 PK. IN CORNER POST
265.0' SW. OF CENTER N. HEAD OF CULVERT
262.6' NW. OF CENTER S. HEAD OF CULVERT

MONUMENT - BURIED - 4' DEEP

STAMPED

H. P.

7-17-39



N.E. CORNER Sec. 4 T77N R-2W.

127.5' N. OF SW COR. Sec. 34- T78N R-2W
36.9' S.W. OF IRON-ROW. PIN
33.6' SE OF IRON-ROW. PIN
132.8' N. OF X SPKS-IN- 24" WALNUT
153.2' NE OF X SPKS-IN- TEA. POLE

MONUMENT-BURIED 12" Deep

53 134
4 3

A.P.

7-17-39

