

Front Land Corner Ties

Muscatine County

78-9W  
**DIETZGEN**

XII  
FIELD BOOK

Book

I

**No. 403P**

Moscow Township

T78N R2W

78-9W

Checked 10/11/39 - E.H.O.

(17)

# County Closed

## July 1, 1942 E.V.

29 31	30 29	28 27	25 24	23 22	21 20	19 18	17 16	15 14	13 12	11 10	9 8	7 6	5 4	3 2	1
6	5	4	3	2	1										
7	8	9	10	11	12										
18	17	16	15	14	13										
19	20	21	22	23	24										
30	29	28	27	26	25										
31	32	33	34	35	36										

Index to books #12-34 - T.28N-R.R.W.

Book #1 plain

" #2 O

Book #3 □

" #4 △

Completely Copied


7th L. 8-10-42

Final Check  
E.V. 8-17-42

W $\frac{1}{4}$  CORNER - Sec. 25 - T. 78 N. R. 2 - W.  
 CORNER - ESTABLISHED BY  
 J. F. RYAN - WHISES - NOTES - SHOW  
 CORNER. DEC. 8 VOTED - BY A  
 CROSS - IN - P. of PAVEMENT -  
 HIGHWAY # 38. COR. 1/4 - LINE - WITH  
 E. W. FENCES.

247.4' N. E. of Geodetic #475  
 60.5' E. N. E. of Iron Rd. Marker  
 40.6" E. of X.S.P. in 18" Elm Tree  
 60.3' N. W. of X.S.P. in 18" Maple  
 60.2' W. of Iron Rd. Marker  
 319.7" N. W. of N. W. Cor. of Farm Residence

SEE Book 3 pages  
 for correct location



NE CORNER Sec. 26 T70N R. 24W



CORNER ESTABLISHED BY THE  
FARM WHOSE NOTES SHOW

CORNER DESIGNATED BY CROSS  
IN S.O.F. PAVEMENT HIGHWAY 38  
AND IN S.O.F. E. ROAD AND IN  
LINE WITH W. FORM LINE.

1939


- 82.7' N.W. of GEODETIC # 214
- 68.5' N.W. of Iron Rd. Marker
- 63.8" S.W. of Iron Rd. Marker
- 130.4" N.E. of NE Cor. of Farm Residue
- 203.1" S.S.E. of + IN W. END of CALVERT
- 56.5' S.E. of Iron Rd. Marker

1942

- 55.3' S.E. of Iron Rd. Marker
- 61.6' W. SW. " " " "
- 70.8' N.W. " " " "
- 86.0' N.W. " Geod. # 214
- 132.0' NE " Farm Res.




7-17-39



N<sup>1</sup>/<sub>4</sub> CORNER - Sec 25 - T78N R-7-LU  
 MON. PREVIOUSLY SET BY EAT-  
 RIAN. WHOSES NOTES SHOW A  
 STONE WAS FOUND - MON. SET  
 IN. SIDE E.W. ROAD - IN LINE  
 WITH N.E.S. FENCES.

- 31.4' S.E. of XSPK IN PWT Pole
- 299.9' S.W. of XSPK IN PWT Pole
- 88.8' N.E. of XSPK IN TEL Pole
- 24.0' N of XSPK IN CAR Post
- 29.8' S of XSPK IN CAR Post

MONUMENT BURIED - 12" Deep  
 24  
 STAMPED - 25




4  
 W 1/4 CORNER - Sec 24 - T78N R-2-W  
 CORNER - ESTABLISHED - BY J. J.  
 RYAN - WHOSES - NOTES - SHOW  
 CORNER DESIGNATED - BY  
 CROSS - IN ROOF PAVEMENT -  
 HIGHWAY - #38 CORNER - IN - LINE  
 WITH E + W, FENCES.

See below for  
 correct location  
 of marker

- 64.6' SW of X SPK IN TEL Pole
- 134.0' NW of X SPK IN TEL Pole
- 50.2' E of Iron Rd Marker
- 55.0' W of Iron Rd Marker
- 57.9' SSW of Paving Sta # 378
- 48.0' NNW of Paving Sta # 377
- 485.3' S.E. of Geodetic #216

Cross mentioned above is highway P.I. Sta. 377+18  
 According to Plans #38 of file in Auditor's office  
 the corner stone lies 0.1' W of Sta. 377+45.4  
 Cap. located at this point in line with fc East

- 46' E of Conc. tie marker
- 402.6' SE of I.G.S. BM # 216
- 58.5' SE of Conc. tie marker
- 76.0' NW of " " "
- 54.0' W " " "




5  
 NE CORNER - Sec-23-T78N R-2-W  
 CORNER ESTABLISHED BY  
 H.T. AYRN - WHOSE NOTES SHOW  
 CORNER DESIGNATED BY  
 H. CROSS - IN S. OF PAVEMENT  
 HIWAY #38 CORNER - IN S. OF  
 E-ROAD - AND - IN - LINE - WITH  
 W. FENCE

- 199.0' N.W. of Farm Residence
- 178.9' S.E. of Farm Residence
- 55.4' S.W. of Geodetic # 472
- 68.2' S.W. of Iron Rd. Marker
- 52.5' N.W. of Iron Rd Marker
- 32.8' E. of Iron Rd Marker
- 86.4' N.E. of X SPK IN PWT Pole

ACCORDING TO plans of Pr. Rd #38  
 and iron pin was found over cot. stone  
 at P.I. - Sta. 404+15.1 ... S.P. COR  
 is identical with P.I. of curve  
 designated by Highway Curve with + in page.  
 Set Cap. at this point  
 stamped

H/13  
 29/24  
 J.C. Smith






1  
 N $\frac{1}{4}$  CORNER - Sec. 15 - T18N R. 7 - W.  
 CORNER ESTABLISHED - BY  
 H-T-PLAN WHOSES NOTES  
 SHOW CORNER DESIGNATED  
 BY CROSS-ING. OF PAVEMENT  
 HIGHWAY - # 38 IN. E. OF W.  
 ROAD - AND IN. E. OF -  
 ABANDONED ROAD.

SEE below for  
 CORRECT LOCATION  
 TEXT

55.5' S.E. of Iron Rd. Marker  
 59.2' N.E. of " " " "  
 61.5' N.W. of " " " "  
 51.3' S.W. of " " " "  
 12.7' S.W. of Paving Sta # 431

(# 8-D)  
 According to Row. plat of Pri. Rd # 56 on file in Auditor's office  
 Con. stone lies 47' W of Paving Sta. 430 + 89.  
 Set Cap. in Conc. Slab at this location  
 checks in line with to East. F.E. Gartzke 5-21-42

52.8' SW of R.R. Rail Row Marker  
 60.3' W " " " "  
 54.6' SE " " " "  
 58.2' NE " " " "  
 14.1' SW of PAVING STA. APPROX 431




8  
NE CORNER Sec 14-T 78N-R 7-W

↓ CORNER ESTABLISHED BY  
ST. PLAN - WHOSES - NOTES -  
SHOW CORNER DESIGNATED  
BY A CROSS IN R.C.F. PAVEMENT  
HIWAY #38 CORNER IN R.  
OF E & W ROADS.

37.8' S.E. of X SPR IN PWT Pole  
43.3' N.E. of ITOX Rd. Marker  
54.4' S.W. of GEODETIC #140  
58.8' N.W. of X SPR IN TEL Pole  
38.1' S.S.W. of PAVING Sta #458  
63.4' N.N.W. of PAVING Sta #457

SEE Page 33

BOOK 3 for correct  
location




9  
 N $\frac{1}{2}$  CORNER Sec. -13- T78N R. 2-W  
 MON. PREVIOUSLY-SET-BY-T  
 RYAN-WHOSES-NOTES-SHOW-  
 A-STONE-WAS-FOUND-MON.  
 SET-IN E.O.E. E+ N+ N ROADS  
 AND-IN-HOLE-WITH-S.F.

26.3'	N.W.	08	X 5 PKS IN Tele Pole
124.7	W.N.W.	05	X 5 PKS IN Tele Pole
110.1	S.E.	08	X 5 PKS IN Tele Pole
40.9'	S.W.	08	X 5 PKS IN Power Pole
146.2'	E.S.E.	05	X 5 SPK IN PINT Pole
46.4'	N.E.	05	X 5 SPK IN TEL Pole
138.5'	S.	1.04	X 5 SPK IN TEL Pole
82.0'	W.S.W.	05	10" BLOESD PIN
336'	N.	05	X 5 SPK IN CAR POST


MONUMENT- RUSTED - 12" DEEP

STAMPED - 13



10  
 W<sup>1</sup>/<sub>4</sub> CORNER - Sec-12-T8N R-2-W  
 CORNER - ESTABLISHED BY ATIT-  
 RYAN - WHOSES NOTES SHOW -  
 CORNER DESIGNATED BY A -  
 CROSS IN <sup>2</sup>/<sub>3</sub> OF PAVEMENT -  
 HIGHWAY-38 AND U.S.H.6. COR  
 NER - IN - LINE - WITH - E.  
 FENCE.

- 139.7' S.W. of X SPK IN TEL Pole
- 198.2' S.E. of X SPK IN Car Post
- 47.4' W. of Geodetic #141
- 77.5' N.N.W. of Paving Sta 981
- 25.2' S.W. of " " " " 982
- 58.0' W.N.W. of Pwr. Pole
- 49.8' E. of Hedge Gate post






12  
 N $\frac{1}{4}$  CORNER Sec. 12-778N R-2-W.  
 MON. PREVIOUSLY SET BY J.T.  
 RYAN. IN WHOSE NOTES SHOW A  
 STAKE - WAS FOUND. STONE, -  
 FLAT SANDSTONE 13" X 9" X 3"!!

- 24.2' N. of XSPK IN 12" Elm Tree  
 81.2' N.E. of XSPK IN 12" Hickory Tree  
 58.0' S.W. of GEODETIC # 254  
 127.2' S.S.E. of 40" Elm Tree  
 72.8' S.E. of XSPK IN 24" Birch Tree

MONUMENT SURFACE - LEVEL

STAMPED -

1  
 12



W $\frac{1}{4}$  CORNER - Sec-1 T78N-R-2-W.


MON. PREVIOUSLY SET BY J. T. RYAN. WHO'S NOTES SHOW  
 H-IRON PIN WAS FOUND MON.  
 SET IN E. OF GRAVEL ROAD.  
 HW #1 #38, AND IN E. OF W.  
 ROAD.

- 46.7 S.W. of CEMENT R.d. Marker  
 217.4 S.S.W. of GEODETIC # 442  
 41.0 S.E. of IRON COR Post  
 70.0 N.E. of XSPK IN TEL Pole  
 158 N.W. of N.W. Cor of double Corn Crib

MONUMENT - BURIED - 12" DEEP

2-1

STAMPED -



NE CORNER Sec - 2 - T18N R-2-W

MONUMENT - PREVIOUSLY SET BY

H-T RYAN - NHOSS'S - NOTES -

SHOW - A STONE - WAS FOUND.

MON. SET - IN S. & E. E + W.

ROAD - AND - E. OF S. FENCE.

- S. L. ...
- 199.6' S.W. of XSPK INTEL Pole
  - 112.6' N.W. of XSPK IN 6' Wild Cherry
  - 112.0' N.E. of XSPK IN 4' Hedge Tree
  - 30.6' N. of Geodetic # 468
  - 39.5' N.E. of CEMENT Rd Marker
  - 41.8' S.E. of CEMENT Rd Marker
  - 42.0' S.W. of CEMENT Rd Marker
  - 37.2' N.W. of CEMENT Rd Marker


MONUMENT - BURIED - 8" Dec. P

STAMPER - 21

W

N

7-20-39



S<sup>1</sup>/<sub>4</sub> CORNER Sec. 33-T78N R. 7-W.

MONUMENT- PREVIOUSLY- Sec. -

By. at. PHAN- WHOSES- NOTES

SHOW- A- STONE- WAS- FOUND.

Mon- Set- IN-  $\phi$  OF E+ W+ N

ROADS.

112.3' N.W. of X SPK IN TEL Pole

106.0' N.E. of N.E. Coy of Farm RESID

300' S.W. of N.E. Coy of Farm RESID



96.0' S.W. of X SPK IN FENCE POST

61.9' N.E. of X SPK IN TEL Pole

MONUMENT- BURIED- 12" Deep

33

STAMPED -



W 1/4 CORNER Sec-33-T18N-R-2-W  
 MON. PREVIOUS SURV. SET-BY-RTT-  
 RYAN-WHOSSES-NOTES-SHOW-  
 A. STONE-WAS-FOUND-MON.  
 IS-SET-4'-W.OF E. FENCE  
 AND N+ S. FENCE LINE


- 33.0 N.W. of XSPK IN 36" LOCUST
- 6.4 S.E. of GEODETIC # 180
- 4.0 W. of XSPK IN CO. POST
- 9.2 S.W. of XSPK IN 4" HEDGE

MONUMENT - SURFACE - LEVEL

32-33

STAMPED -

32-33



NE CORNER - Sec - 32 - T18N R-2 W.

✓ MONUMENT - PREVIOUSLY BY  
J. T. RYAN - WHOSES NOTES -  
SHOW - NO ORIGINAL EVIDENCE  
FOUND - MONUMENT SET IN  
E OF E+W ROAD - IN LINE  
WITH N+S FENCES.

- 36.0' S.W. of X SPR IN 16" Hedge
- 30.2' S.E. of X SPR IN 8"
- 36.0' N.W. of X SPR IN 6"
- 32.6' N. of X SPR IN COR POST


MONUMENT - BURIED - 12" Deep

29 28  
32 35

STAMPED

29 28  
32 35

X



N $\frac{1}{4}$  CORNER - Sec-33-778N R-2-W.

✓ MONUMENT - PREVIOUSLY SET BY  
H. T. RYAN - WHOSE NOTES SHOW  
A STONE - HAS FOUND - MON.  
SET IN S $\frac{1}{2}$  OF NTS, AND W.  
ROADS.


100.8' N.W. of XSPK IN 8" HEDGE  
44.4' S.W. of GEODETIC #192  
46.6' S.E. of XSPK IN COT POST  
69.3' N.E. of XSPK IN TEL Pole

MONUMENT - BURIED - 18" DEEP

28

STAMPED - 33

N 7-21-39



W 1/4 CORNER Sec-28-T78N-R-2-W

✓ MONUMENT PREVIOUSLY BY  
E.T. RYAN - WHOSES NOTES  
SHOW A STONE WAS FOUND.  
MONUMENT SET ON W. SIDE  
OF E.T.S. FENCES.

37.5 W. of Geodetic # 190  
0.9 E. of X SPR INCOY POST


MONUMENT SURFACE LEVEL

29-28

STAMPED -

X

7-21-39



20  
NE CORNER Sec - 29 - T78N R. 2 - W

MONUMENT PREVIOUSLY SET

✓ BY - E. T. RYAN - WHOSES NOTES

SHOW - A - STONE - WAS - FOUND.

MONUMENT SET - IN - LINE

WITH - E + W - FENCE AND

W. OF S. FENCE LINE, AND E

OF - N. FENCE - LINE.

30.8' S. of Geodetic # 228  
44.5' E. of X SPRING COY POST  
69.6' W. of X SPRING " " "  
29.0' N.W. of X SPRING 12" ELM. TREE

MONUMENT SURFACE - LEVEL

20	21
29	28

STAMPED.


20	21
----	----

29	28
----	----

X

N

7-21-39



20

N $\frac{1}{4}$  CORNER Sec-28-T78N R-2-W  
 MONUMENT - PREVIOUSLY Set  
 ✓ BY H. T. RYAN WHOSES NOTES  
 SHOW A WHITE-LIME STONE 18"  
 X 10" X 7" WAS FOUND LOWERED  
 AND PLACED MON. ABOVE MON  
 SETS - E. OF S. ROAD - POW. EC.  
 AND - E. OF S. LANE - FENCE.


- 157.3' N.W. of XSPK IN 12" Walnut Tree  
 19.5" S. of Geodetic #226  
 75.8' S.W. of XSPK IN 8" OAK  
 63.5' S. of XSPK IN 18" OAK  
 9.2' S. of XSPK IN Gate Post  
 8.8' N.E. of XSPK IN COR POST

MONUMENT - BURIED - 10" Deep

21

STAMPED - 28

7-21-39




22  
 W $\frac{1}{4}$  CORNER - Sec. 21 - T 78N R. 2 - W  
 ✓ MONUMENT PREVIOUSLY  
 SET BY STATE SURV. - WHOSES  
 NOTES - SHOW A STONE  
 WAS FOUND - MONUMENT  
 SET N. OF S. FENCE.

- 35.2' S.W. of XSPK IN 36" MAPLE
- 24.4' N.E. of XSPK IN 30" ELM.
- 34.2' W. of XSPK IN 24" ELM.
- 36.8' N.E. of GEODETIC 509
- 4.2' N. of XSPK IN COY POST

MONUMENT SURFACE LEVEL

10-21

STAMPED




NE CORNER Sec 20-T78N-R20  
MONUMENT PREVIOUSLY

✓ SET BY JAT RYAN - WHOSE  
NOTES SHOW A STONE WAS  
FOUND - MONUMENT SET  
ON N/S FENCE LINE AND  
S. OF E. FENCE LINE.

- 106.9' S. of GEODETIC # 241
- 30.4' S.W. of X SPK LN 20' HACKBERRY
- 27.3' N.W. of X SPK LN 15' HACKBERRY
- 35.1' S. of X SPK LN 30" OAK
- 9.0' S. of X SPK LN COY POST


MONUMENT SURFACE LEVEL



STAMPED - 20 | 21



7-24-39



24

N $\frac{1}{4}$  CORNER P. Sec. 21 - T78N R. 20W

MONUMENT - PREVIOUSLY

✓ SET BY - J. F. RYAN - WHOSES

NOTES - SHOW - A STONE - WAS

FOUND - MONUMENT - SET -

IN. S. OF - E. LANE - ON - LINE

WITH S. FENCE - AND - S. OF

E. W. FENCE.

6.6' N. of GEODETIC # 239

71.6' S.W. of X SPR IN 40' E/M

14.8' S. of X SPR IN COR POST

MONUMENT BURIED 12" DEEP


16

STAMPED - 21

16

X ↑  
N

7-24-39



25  
W 1/4 CORNER - Sec-16-T78N R-2-W.

✓ MONUMENT - PREVIOUSLY - SET  
BY - H. T. RYAN - WHOSES - NOTES  
SHOW - NO - ORIGINAL - EVID-  
ENCE - FOUND - MONUMENT  
IS - SET - IN - LINE - WITH - E/W  
+ S, FC, LINES, AND - W. OF  
N. FENCE - LINE.


23.4 W, OF X SPR IN COR POST  
7.3 N, OF X SPR IN COR POST  
19.9 E OF GEODETIC # 512  
73.5' NE OF NE COR FARM RESID  
82.0' NE OF S.E. COR FARM RESID

MONUMENT - SURFACE - LEVEL

17-16

STAMPED -

7-24-39





27

NE-CORNER-SEC-4-T78N-R-2-W


MON. PREVIOUSLY SET BY  
 T. J. PEAN - IN HOSE - NOTES  
 SHOW - NO - ORIG. EVIDENCE  
 MON. IN - HOLE - WITH - N.  
 FENCE - AND - N - OF E + W - FC.

30.8' W. OF XSPKS - IN - 20" ELM  
 912.1' SE. OF SE. CONCRETE - COR. BARN  
 148.9' S. SE. OF XSPKS - IN - 36" ELM  
 23.9' NE. OF XSPKS - IN - 30" ELM  
 76.2' SE. OF XSPKS - IN - 24" ELM

MONUMENT - SURFACE LEVEL

43

STAMPED -

A.P.  
6-12-39

N $\frac{1}{4}$  CORNER - Sec - 3 - T78N R - 2 - W


HT. POINT INDICATED BY  
MEASURE - DUG - HOLE 3' X 3' X 2'  
DEEP - FOUND - CRACKED - LINE  
STONE 8" X 6" X 3" ALSO - WOODEN  
HUB - LOWERED - FLA - THE  
ABOVE - AND - PLACED - MONU.

10.4' S. OF IA-Geodetic # 70-266  
37.0' N. OF ASPKS-IN-18" HICKORY  
16.9' W.N.W. OF ASPKS-IN-24" ELM  
64.1' S. OF ASPKS-IN-30" ELM  
41.7' W. OF ASPKS-IN-12" OAK  
116.6' E. OF ASPKS-IN-20" HICKORY

MONUMENT SURFACE LEVEL 6

STAMPED 3

6-12-39



SW CORNER Sec-35-T18N R-20W

MON. PREVIOUSLY SET BY T.T.

RYAN, WHOSES NOTES SHOW

NO ORIGINAL EVIDENCE

FOUND

MON. SET IN R. OF E+W, ROAD  
AND E. OF N. FENCE.

273.1' NE. OF XSPKS IN 36" Cotton Wood

32.2' S. OF I.R. Geodetic # 173

483.5' W. OF SE. COR. OF BRIDGE

130.3' NE. OF XSPKS IN CORNER POST

31.7' SE. OF XSPKS IN CORNER POST

34.9' SW. OF XSPKS IN E-BRACE POST


MONUMENT BURIED - 18" DEEP

35"

STAMPED - 1

X

6-13-39



COR. POST.

COR. POST.

36"  
Cotton Wood

SW. COR.

BRIDGE

66.0'

I.R. Geodetic #173

E. BRACE-POST

130.3'

483.5'

223.1'

36"

SE CORNER Sec-34-T78N R-2-W.

MON. PREVIOUSLY - Set. By - J. J. -  
 PLAN - WHOSE - NOTES - SHOW - A  
 STONE - WAS - FOUND - AND - MON.  
 PLACED - IN - R of E + W - ROAD.

39.1' SE. OF XSPKS - IN - CORNER POST

69.6' NW. OF NW. COR. H. PILGRIM - RES.

69.7' NNW. OF XSPKS - IN - 36" PINE

33.1' NE. OF XSPKS - IN - CORNER POST

108.9' NE. OF XSPKS - IN - TEL. POLE

103.9' E. SE. OF XSPKS - IN - CORNER - POST

80.7' S. OF SW. COR. C. McCONNARA RES.

65.2' E. OF R of N. S. ROAD


MONUMENT - BURIED - 18" DEEP

34 35

STAMPED - ?

X

7-14-39



W<sup>4</sup> CORNER. Sec. 35-7780 P-2-W

✓ MON. PREVIOUSLY SET BY IT-  
 ROAD - WHOSES NOTES - SHOW A  
 STONE - WAS FOUND MON. SET  
 S. OF E. W. FCS AND ON E-  
 SIDE OF ROAD.

62.6' NE. OF XSPKS - IN - 10" WALNUT

65.3' SE. OF XSPKS - IN - COR. POST

14.7' N. OF XSPKS - IN - GATE POST

1.8' SW. OF XSPKS - IN - CORNER POST

12.3' S. SW. OF XSPKS - IN - BRACE POST


131.4' NE. OF XSPKS - IN - 15" WALNUT

MONUMENT BURIED - 4" DEEP

34-35

STAMPED -

7-14-39



E.W.



N<sup>1</sup>/<sub>4</sub> CORNER Sec-35-T7EN R-2-W

✓ MON. PREVIOUSLY SET BY J.T.

RYAN - WHOSE NOTES SHOW A

STONE WAS FOUND MON. SET

IN R.O.F. & W. ROAD - IN LINE WITH

NTS, FENCES.

24.2' S. OF NSPKS - IN CORNER POST

30.0' S. OF IA GEODETIC #197

60.7' SW. OF NSPKS - IN 14" ASH

116.2' SW. OF SW. COR. OF SCHOOL HOUSE

53.3' N. OF NSPKS - IN CORNER POST

89.1' NE. OF NE. COR. K. OBERHAUS RES.


141.6' SW. OF NSPKS - IN 24" ELM

MONUMENT BURIED - 12" DEEP

26

STAMPED - 35

7-14-39



W $\frac{1}{4}$  CORNER Sec-26-T28N R-2W

✓ MON. PREVIOUSLY - SET BY 4th  
PLAN - WHOSES NOTES - SHOW.  
A. STONE - WAS FOUND - MON.  
SET - IN - S OF NTS, ROAD - IN  
LINE - WITH - E HEDGE - FENCE.

33.3' E. NE. OF XSPKS - IN - CORNER POST

101.9' SE. OF XSPKS - IN - 30" FSH.

147.1' SE. OF NE. COR. - T. TUE FEL - RES.

61.7' E. OF XSPKS - IN - 24" ELM.

116.3' SE. OF XSPKS - IN - 16" CHERRY.

37.8' W. OF XSPKS - IN - S. GATE POST

36.8' W. OF XSPKS - IN - BRACE POST


MONUMENT BURIED - 12" DEEP

27-26

STAMPED -

X

7-14-39



Z.V.

35  
S<sup>1</sup>/<sub>4</sub> CORNER Sec. - 36 - T<sup>1</sup>/<sub>2</sub>N R-7-W

✓ MONUMENT - PREVIOUSLY SET BY  
A. T. RYAN - IN HOUSES - NOTES - SHOW  
IT - STONE - WAS - FOUND - MON.  
SET IN -  $\pi$  OF E. W. ROAD - IN  
LINE WITH - N. S. FENCES.

642.9' N.E. OF N.E. COR. OF FARM HOUSE  
33.5' N. OF ASPKS - IN - CORNER POST  
33.6' S. OF ASPKS - IN - CORNER POST  
592.8' S.W. OF I.A. GEODETIC #171


MONUMENT - BURIED - 18" DEEP  
36

STAMPED -

See also Bk 54  
p 9

X

7-14-39



E 1/2 Cor. 25-78-2W.

From information found  
from an old railroad plat of  
R.R. survey it was found  
that the 1/4 section corner was  
17.5' E. of the E of the  
right of way. This was taken  
as the correct location  
and corner was reset.

Mon. stamped 25-3

Buried Surf. elev.

17.5' E. of E of right of way.

65.9' ESE of cor. post

33.0' W.S.W. " " "

33.0' W.N.W. of 10" W. 1st Cherry tree

22.1' N.E. of T.C. SH 465

Reset & retied 5-26-86

S.F. 11/13  
N  
4

