

18 Gov't Land Corner Ties

Muscatine County

78-2W
DIETZGEN

XIII

FIELD BOOK

Book

2

No. 403P

Moscow Township

T78N R2W

78-2W

County Closed

8-25-41

Lee

18

County Closed

July 1, 1942

E.V.

See Book #1 for Index

Completely Copied

M.L. 8-10-42

Final Check
E.V. 8-18-42


X-11-A

S¹/₄ CORNER - Sec 34 - T 78 N - R 2 - W
 MON. PREVIOUS S¹/₄ S. E. T. BY T. T.
 RYAN - WHOSE NOTES SHOW NO
 ORIG. MEAS. EVIDENCE FOUND MON.
 IN S. OF E. W. ROAD - IN LINE -
 WITH N. FENCE. AND 98.0' E. OF N¹/₄
 COR. SEC. 3 - T 77 N - R 2 - W

165.3' NW OF CENTER - S. CULVERT - HEAD
 167.4' SW OF CENTER - N. CULVERT - HEAD
 32.8' S. OF 45 PK5 - IN - CORNER POST
 98.0' E. OF N¹/₄ COR. SEC. 3 - T 77 N - R 2 - W

MONUMENT BURIED - 3' DEEP
 34

STAMPED




S.E. CORNER Sec-33-T77N-R-2W
 MON. PREVIOUSLY SET BY J.T. RYAN
 WHOSE NOTES SHOW NO ORIG.
 EVIDENCE FOUND - MON. SET IN
 E. OF E.W. ROAD - IN - HIDE - WITH
 N. FENCE AND - 127.5' E. OF NW
 COR. Sec-4-T77N-R-2W.

- 103.1' S. OF X SPKS - IN - 8" PINE TREE
- 36.2' SW. OF CEMENT - COR. POST
- 33.5' S. OF X SPKS - IN - CORNER POST
- 127.5' E. OF NW COR. Sec-4-T77N-R-2W
- 172.0' NE. OF X SPKS - IN - 24" WALNUT

MONUMENT - BURIED DEEP
 33 34
 STAMPED - 3



7-17-39
 R.K.W. CAP



W $\frac{1}{4}$ CORNER - SEC - 34 - T18N - R2W.
 MOD. PREVIOUSLY - SET BY ST. F.
 RYAN. WHOSES NOTES SHOW THAT
 STONE WAS FOUND - MON. SET ON
 W. SIDE OF N $\frac{1}{2}$ S. FC. AND IN
 LINE WITH E+W. FENCES.

59.0' NW OF XSPKS-IN-30" EXM
 47.5' S. OF XSPKS-IN-12" HEDGE
 47.9' E. OF XSPKS-IN-10" HEDGE
 14.7' N. OF XSPKS-IN-20" WALNUT
 26.5' E. OF IR-GEODETIC #501


MONUMENT - SURFACE LEVEL

33 - 34

STAMPED

7-17-39

R. W. COLE



NE CORNER - SEC - 33 T78N R-2W
 MON. PREVIOUSLY SET BY STATE
 PLAN - WHOSE NOTES SHOW NO
 ORIG. EVIDENCE FOUND MON.
 SET ON N. SIDE OF S, F. AND
 ON LINE WITH E+W FENCE.

308.5' E. OF IA GEODETIC #201
 40.8' NW. OF XSPKS - IN - 12" OAK
 22.3' NW. OF XSPKS - IN - 8" WHITE OAK
 42.6' N. OF XSPKS - IN - 30" BURR OAK
 84.6' SE. OF XSPKS - IN - 24" OAK


MONUMENT - SURFACE - LEVEL

78 27

STAMPED - 34 33

7-17-39

R.W. C.E.P.



W¹/₄ CORNER Sec-2-T78N R-2-W
 MON. PREVIOUSLY SET BY JET-
 RYAN WHOSES NOTES SHOW -
 A STONE WAS FOUND MON-SET
 E. OF E. OF N.E.S. ROAD


27.8' NW. OF XSPKS-IN. FENCE POST
 26.9' SW. OF XSPKS-IN. FENCE POST
 39.1' SE. OF XSPKS-IN. FENCE POST
 167.9' SSE. OF XSPKS-IN- 24" BURROAK
 283.9' NNW. OF XSPKS-IN. 16" HICKORY
 45.5' NE. OF XSPKS-IN. FENCE POST
 444.9' NNW. OF XSPKS-IN. 10" HICKORY

MONUMENT BURIED- 18" DEEP

3-2

STAMPED -

7-20-39




E.V.

N¹/₄ CORNER - Sec. 1, T78N, R=7-W
 MON. PREVIOUSLY SET BY ST. RYAN
 WHOSE NOTES SHOW NO EVIDENCE FOUND. MONUMENT
 SET IN R & FF + V - RARR - IN
 LINE WITH SOUTH FENCE.

- 367.9' S.E. 08 XSPKS in 36" Twin Elm
- 27.5' S.E. 08 XSPKS in Tel Pole
- 26.0' N.N.E 08 XSPKS in 10" Wild Cherry
- 27.9' N. 08 XSPKS in 12" Hedge
- 43.7' N. 08 XSPKS in 16" Hedge
- 27.0' N. 08 XSPKS in Co-Post
- 47.9' W.S.W. 08 XSPKS in Co-Post
- 143.1' W.S.W. 08 16" Pine

Monument - BURIED - 1st Dec

STAMPED -



7
N¹/₄ CORNER - Sec - 32 T18N-R2W
MON. PREVIOUSLY SET BY J. H. RYAN - IN HIS NOTES - SHOWING NO. ORIG. EVIDENCE FOUND - MON. SET - S. OF S. LANE - FENCE AND - E. OF S. FENCE.

185.8' E. OF XSPKS - IN - 6" ELM

21.6' NE. OF IA - GEODETIC # 205


9.4' E. OF XSPKS - IN - CORNER POST

593.8' E. OF E. SIDE OF - SILO

1.8' S. OF XSPKS - IN - FENCE POST

MONUMENT SURFACE LEVEL
29

STAMPED 32



NE CORNER Sec. 31-T78N-R-2-W

Mon. PREVIOUSLY-SET-BY-J.T.

RYAN. WHOSE NOTES SHOW NO

ORIG. EVIDENCE-FOUND, Mon.

SET-ON-W. SIDE-OF-N.T.S.

FENCE.

48.0' SW. OF X SPKS-IN-14" OAK

51.5' W. OF X SPKS-IN-26" ELM

47.1' SE. OF X SPKS-IN-30" MAPLE

67.5' NE. OF X SPKS-IN-30" BIRCH

10.3' N. OF X SPKS-IN-20" BIRCH

66.8' N.N.W. OF IA-Geodetic # 206

MONUMENT-SURFACE LEVEL

30 29

31 32

STAMPED-

7-24-39

WOODED-AREA

30"
MAPLE

47.1'

14"
OAK

48.0'

WOODED
AREA

51.5'

26"
ELM

67.5'

30"
BIRCH

30"
BIRCH

10.3'

IA-Geodetic
206

W $\frac{1}{2}$ CORNER - Sec. 31 - T78N - R-2W.
 MONUMENT - PREVIOUSLY SET BY
 AT RYAN - WHOSES NOTES SHOW
 NO ORIG. EVIDENCE FOUND - MON
 SET IN LINE - WITH NTS, FC. AND N.
 ROW. HANE - FENCE.


- 341' NE. OF IA - Geodetic # 189
- 1.2' N. OF XSPKS - IN - CORNER POST
- 79.5' SW. OF XSPKS - IN - 36" OAK
- 29.8' N. OF XSPKS - IN - CORNER POST
- 121.5' NE. OF XSPKS - IN - 40" OAK

MONUMENT SURFACE LEVEL

STAMPED 36-31

X

7-24-39



N $\frac{1}{4}$ CORNER - Sec - 31 - T18N R - 21W
 MON. PREVIOUSLY SET BY W.T. RYAN
 ✓ WHOSES NOTES SHOW NO ORIG.
 EVIDENCE FOUND MON. SET
 ON W. SIDE OF NTS FENCE.

55.0' SE. OF SPKS - IN - 20" OAK
 81.2' NE. OF X SPKS - IN - 30" ELM
 66.7' N. OF X SPKS - IN - 24" LOCUST
 47.3' S. OF IA-GEODETIC # 209
 29.8' W. OF X SPKS - IN - 20" LOCUST


MONUMENT SURFACE LEVEL

30

STAMPED 31

X

7-24-39



SW CORNER - Sec - 30 - T7S N R - 2 W
 MON. PREVIOUSLY SET BY J. T. RYAN
 WHOSES NOTES SHOW NO ORIG.
 EVIDENCE FOUND MON SET
 IN. S. OF E. GATE IN ALIVE
 WITH NETS, FENCE.

- 20.7' S. OF XSPKS - IN - CORNER POST
- 102.0' SW OF XSPKS - IN - 30" ASH
- 165.0' SW OF XSPKS - IN - 10' CRAB TREE
- 4.0' S. OF XSPKS - IN - N. GATE POST
- 13.1' N. OF XSPKS - IN - CORNER POST


MONUMENT - SURFACE - LEVEL

25 50
 36 31

STAMPED

X

7-24-39



E.V.

SE CORNER - Sec 35-T8N-R7W.

✓ Corner designated by
cross in E of Hwy. #38 and
an E-W local road.


67.2' N.E. of concrete reference post
182.8' S.E. of S.E. corner of residence
49.7' S.W. of concrete ref. post
96.8' S.E. of N.W. in 14" Pine Tree.

SEE Page

32 BOOK 3

for correct location

7-24-39




W¹/₄ CORNER. SEC. 36: T¹/₄N. R-2-W
 CORNER-ESTABLISHED-BY-STAT-
 RYAN-WHOSIES-NOTES--SHOW
 CORNER-DESIGNATED-94-A
 CROSS-IN-R. OF-HIGHWAY#38
 IN-LINE-WITH-F.W.FENCES.

252.0' SE. OF XSPKS-IN-POWER POLE
 67.8' NE. OF XSPKS-IN-POWER POLE
 63.0' E. OF CONCRETE-POW. MARKER
 58.1' W. OF CONCRETE-POW. MARKER
 140.0' SW. OF XSPKS-IN-TELE. POLE
 146.4' NW. OF XSPKS-IN-TELE. POLE

See Page 34

Book 3 for location
 + files
 J.C.J.



N $\frac{1}{4}$ CORNER - Sec - 36 - T 78N R 2 - W
 MONUMENT - PREVIOUSLY SET
 BY - T. RYAN - WHOSES - NOTES
 SHOW - NO - ORIGINAL - EVIDENCE
 FOUND - MON. SET - IN - R. OF
 E. & W. ROAD - IN - LINE - WITH
 N. & S. FENCES.


76.7.6' SW. OF IA - GEODETIC # 194
 34.1' S. OF KSPKS - IN - CORNER POST
 33.5' N. OF KSPKS - IN - CORNER POST
 152.7' NE. OF KSPKS - IN - TEL. POLE
 334.7' SW. OF BM. IN - N. HEAD - WALL - COLVERT.

MONUMENT - BURIED - 12" DEEP

25

STAMPED - 36

7-14-39



S.E. CORNER Sec. 5-7 T11N R. 2W
 ✓ MONUMENT - PREVIOUSLY SET BY
 SET-RMAN. WHOSES - NOTES - SHOW
 A STONE - WAS FOUND. MAN.
 SET IN - & 2 FEET IN - POLE IN
 LINE WITH N. FENCE


40.4' NNW. OF IRON - ROW - PIN
 40.5' NNE. OF IRON - ROW PIN
 83.0' N. OF XSPKS - IN - 20" MAPLE
 109.3' NNW. OF XSPKS - IN - 24" MAPLE
 134.1' NE. OF XSPKS - IN - 36" ELM
 39.8' S. OF XSPKS - IN - CORNER POST
 80.9' SW. OF XSPKS - IN - 6" HEDGE
 50.3' S. OF XSPKS - IN - 12" LOCUST
 178.6' SW. OF XSPKS - IN - 36" COTTON WOOD
 238.4' W. OF CENTER OF S. HEAD-WALL - CONCRETE
 206.3' E. OF NE COR. SEC. 5-7 T11N R. 2W

MONUMENT - BURIED - 18" DEEP

32 33

STAMPED -

5-27-39



NE CORNER - SEC - 24 - T18N - R - 7 - W

MONUMENT - PREVIOUSLY SET BY

W. T. RYAN - WHOSES NOTES SHOW

IRON PIN - WEST BOUND - MON.

SET IN E. OF - F. W. ROAD

AND - E. OF - ABANDONED - R.R.

98.3' SE OF CONCRETE TEL MARKER

28.4' SE OF XSPKS - IN FENCE POST

40.0' SW OF XSPKS - IN TEL. POLE


56.4' NW OF XSPKS - IN 2" MAPLE

66.8' NE OF XSPKS - IN TEL. POLE

MONUMENT - BURIED - 12" DEEP

see BK 15 p 34

7-17-39



SE CORNER - Sec. 31 - T78N - R. 2 - W.

MONUMENT - PREVIOUSLY - SET BY

ST. RYAN - WHOSES - NOTES - SHOW

NO ORIGINAL EVIDENCE.

MONUMENT - SET - IN - E. OF E+W
ROAD.

17.2' N. OF SPKS N. 4" K-ID HFP

51.0' VE. OF XSP N. FENCE POST

59.4' SW. OF XSP N. 4" BIRCH


229.1' E. OF W.F. Co. P. Sec. 6 - T77 - R. 2 - W

291.7' SW. OF TA - GEODETIC # 183

MONUMENT - BURIED - 12' DEEP

X

7-14-39



W 1/4 cor sec 7 T78N-R2W


On E side of N+S Road
found W limestone 9 1/2" x 7" x 5"
Buried 7" deep a large flat
limestone lies adjacent to the E
lowered the smaller stone & placed
it on above stamped 12 1/7" Mon
at surface level

Road records in County Court
House show entire N+S rd. is
taken from land to west.

3.8' E of XSPNS 11 cor post E side of Rd.
15.0' S of XSPNS 11 gate post
42.3' S.W. of Blazed 12" Wild Cherry
59.2' W. of Blazed 42" Triple Maple
59.5' N. of XSPNS 11 Purpole
138.4' W. of S.E. Cor. of farm Res

11-20-39

R/W-C. O.S.P.



W 1/4 Cor Sec 17 T78N-R2W-


✓ AT INTERSECTION of fcs N.S. & W.
 dug hole 6' x 4' x 4' deep. No evidence
 found. Corner restored. The location of this corner
 has been perpetuated by acts of adjacent
 landowners and agrees very well with proportional
 measurements between known Sec. corners
 N. & S.

Set C.M. at fc. intersection stamped
 18717
 at surface level.

No local ties available

11-20-39

R.R. - Co. P.



21

NE 6


✓ N.W. Corner Sec 5-78-2 N
Monument

14.2 South of 24" W. Oak

7.0 S.E. of 30" Ash

4.1 N.E. of 36" P. Oak

56.7 N.W. of G. Red Pine



22

N.E. cor. Sec. 19. T78N R2W

At intersection of fcs. N.E.S. + W. found flat W. limestone 12" x 11" x 3 1/2" on edge print exposed 1" above surface


lowered same & placed S.M. above stamped 8/17 at surface level - 1
17/20

100.7' N.W. of Blazed 24" Ash

130.5' S.S.W. " " 24" Bl. Oak

6-14-40

R.K. Williamson - G.G.P.



23


N.W. cor. Sec. 19-78-2W.

At intersection of C.S. E. & S. found
 W. limestone 15" x 11" x 5" at surface level.
 lowered same & placed C.M. above
 stamped 13/18 at surface level.
 24/19

129.2'	W.N.W.	of	Blazed	12" Burr Oak
96.3'	X S.W.	"	"	14" " "
38.2'	S.E.	"	"	20" " " (twin)
58.3'	X N.E.	"	"	24" Birch

6-14-40

R. K. Williamson - C. of P.




25

N.E. Cor. Sec. 5 - 78-2W

In N+S. for found corner. Mon.
previously set by st. Ryan whose
Notes show

6-16-40

R.K.W. - Co. of R.



W 1/4 Cor. Sec 5-78-2W

In N. & S. Sec line fc. at approx. dist.
N. from sec cor. dug hole 3' x 3' x 2' deep,
found limestone* buried
6" deep. Saw red same & placed C.M.
above stamped 675 at surface level.

* Stone broken into many pieces - not able to
determine size


899.5' N. of head line cable pole

8.5' S. of X 700 2 ft. post

4.2' N. " " " "


11-30-40

R. K. Williamson - Chief of
Party



✓ So. 1/4 Sec. 31-78-2 N.

29.4' S.S.E. of X SPKS IN 10" BRAZED WALNUT
 74.8' W.S.W. " " " 36" " E. 2 m.
 15.4' N.N.W. " " " 6" " "



W. 1/4 Cor. Sec. 19 - 7E - 2W


Found Limestone 23" x 11" x 7 1/2" near point indicated by measure. A survey made in 1860 as recorded on page 93

Bk. 2 of Surveyor's Record calls for a stone and a bearing tree - Cottonwood 26" S. 53° E. 67 1/2 Ks. A Cottonwood tree 50" in diam. now stands at the approx. bearing, a distance of 49.5' S.E.

Accepted the above stone, lowered same + placed C.M. above stamped 2/1/19


There are no fences in any direction from this corner.

- 14.9' S.S.E. of Blazed 10" Ash
- 42.6' E.N.E. " " 12" Elm (group)
- 89.6' N.E. " " 16" twin Ash
- 95.2' N.N.E. " " 16" triple locust
- 49.5' N.W. " " 50" twin cottonwood
- 75.7' S. of creek



8-20-90

R.K. Williamson, C. of P.



W. 1/4 cor. Sec. 6-98-2 W


In N. & S. twp. line f.c. in line with
Hedge f.c. W. dug hole 4' x 4' x 2 1/2' deep.

No evidence found. Corner restored. Both
f.c.s. are old and best evidence as to the
location of original corner. Set C.M. at
intersection of f.c.s. Mon. stamped 1/6 +
set of surface level.

- 88.4 NW of XSPK in 4" Cotton Wood
5 E of XSPK in C. Post
14.6 E of XSPK in 6" Red Oak
32.3 W of XSPK in 3" cluster Red Oak

12-2-90

R.K.W. - C of P.



31


N. 1/4 Cor. Sec. 7 - 78-21W

At intersection of fcs. E., W. + S. dug
hole 4'x4'x2' dp. Found limestone
12" x 8" x 6" buried 14" deep. Lowered
same & placed C.M. above stamped $\frac{6}{1}$ at
Surface level.

4.8' S. of Blazed 26" Elm
35.9' S. " " 18" Hackberry
27.5' W.S.W. of " 24" Burr Oak
60.8' N.W. " " 18" " "

12-3-40

P.K.W. - Conf.P.




N.W. cor. Sec. 7-28-2W.

At approx. location of corner dog
hole 15' x 6' x 3' deep. No evidence found.
Corner restored. On a true line between
the N.W. cor. of Sec. 6 and the W. 1/2 cor. of
Sec. 7-28-2W.

12-3-90

R.K.W. - G.F.P.



33

N.E. Cor. Sec. 7-28-2W

On S. side of rd. which curves from N. to
W. at end of sec. line for from S. found
Limestone 28" x 22" x 8" thick lying flat on
N. side of cor. post. lowered same & placed
C.M. above stamped $\frac{45}{18}$

32.5' W. S. W. of X split in 12 Pul. pole


133.5' E. " " " " " "

68.9' S. of Blazed 12" Walnut

67.5' S.E. " " 8" "

12-3-90

P.K.W. - C. of B




W. 1/4 con. Sec. 8 - 28 - 2W

At intersection of fcs. E., W. and S.
Dug hole 4' x 4' x 2 deep. No evidence
found. Corner restored. Location of
corner has been preserved by acts
of adjacent land owners by fences.
Accepted local evidence and placed
C.M. on N. side and adjacent to corner post.
Morr. stamped 7/8 x set at surface level

11.8'	W. of	Blazed	14" W. Oak
30.3'	S.S.E. "	"	18" Burr Oak
34.4'	E. "	"	24" W. Oak
31.0'	N.N.W. of "	"	10" " "

12-3-90

B.K.W. - C.O.S.P.



✓ W. 1/4 cor. Sec. 20-78-2 W

At intersection of fcs. N, S. + W.
dug hole 4' x 4' x 2' dp. Found broken
remains of white limestone, approx. size -
12" x 10" x 8", howered same + placed
C.M. above stamped 19+20 at surface
level.

21.5' E. of Blazed 24" Ash

49.4' S.S.W. of " 8" Burr Oak


95.2' S.W. " " 24" Walnut

101.8' N.E. " " 36" Ash

728.0' N. of R. bank Cedar River

8-19-40

R.K.W. - C. of P.





SA¹ Corp. Sec. 7 T18N-R2W.
 Information taken from
 strip map of survey of
 Hwy #6 shows section line
 to be 0.3' N. of slab. Information
 accepted as correct and
 a brass cap was set.

Brass Cap $\frac{7}{18}$

- 0.3' N. of E. of slab, #6 Hwy.
 - 112.6' S.S.E. of S.E. cor. of Res.
 - 49.8' S. of P.O.W. marker
 - 51.8' N.N.E. " " " "
 - 117.2' S.W. of tel. pole.
 - 54.8' S.E. " " " "
- Point Sta. # 721+46.6
 6

