

1920's Land Corner Ties
Muscatine County

DIETZGEN

78-2W

FIELD BOOK

Book

3

No. 403P

Moscow Township

T78N R2W

78-2W

S 1/4 Sec 3- 78- 2W

Set Mon on IOW Fence Line at Junction
with Fence N. No Evidence
Mm Stamped $\frac{B}{10}$

July 1st - 1942


H H Fitzgerald

(19)

Mk. 8-11-42

County Closed 8/7/41 Van 1
July 1, 1942

E.V.



* H/A

Final check
all information taken
out E.V. - 8-19-42

N¹/₄ CORNER - Sec - 26 - T78N - R. 21W

MONUMENT - PREVIOUSLY SET

By J. T. Ryan - WHOSES NOTES

SHOW - F. STONE - WAS FOUND

MONUMENT SET ON E. SIDE

OF NTS, FENCE

126.0' S. ~~E~~ of X SPKS in 20" blazed Box Elder
344.8' W. of X SPKS in 40" blazed Elm
231.6' N.E. of X SPKS in 40" blazed OAK
265.0' N.W. of X SPKS in 42" blazed Elm
230.8' N. of X SPKS in Oak Post. fence line

MONUMENT - SURFACE - LEVEL

23


STAMPED - 24

X

N

7-17-39

JK



NE. CORNER - Sec - 27 - T78N - R. 2 - W.
 MONUMENT - PREVIOUSLY - SET BY
 J. T. RYAN - W. HOSES - NOTES - SHOW
 A - STONE - WAS - FOUND - MON -
 SET - ON - W - SIDE - OF - N. 75
 ROAD.


- 687.4' S. of E of Ramp West
- 508.7' N. of N.W. Cor. of bridge
- 129.3' S.W. of X SPKS. in 18" Blazed BUR OAK
- 276.0' W. of N.W. Cor. of Charles Mathias Res.
- 197.5' N.W. of 7 SPKS. in Cor. Post N. Side of drive
- 295.2' N.W. of X SPKS. in Cor. Post S. Side of drive

MONUMENT - BURIED - 18" DEEP

22 23

27 26

STAMPED




W⁴ CORNER - Sec - 22 - T78N R. 1 - W
 MONUMENT - PREVIOUSLY - SET BY
 J. J. RYAN - WHOSES - NOTES - SHOW
 A - STONE - W. S. FOUND - MON.
 SET - IN - ϕ OF NTS, ROAD - IN
 LINE - WITH - E. FENCE

- 36.7' S.W. of X SPKS in Gate post
- 26.3' W. of X SPKS in Gate post
- 535.6' S.W. of CROSS in C² vent Wing E. Side of Rd.
- 537.9' S.E. of CROSS in C² vent Wing W. Side of Rd.
- 48.4' S.W. of X SPKS in fence post, W. R.O.W. Co.
- 40.2' NE
- 89.3' W MONUMENT BURIED - 12" DEEP

22-23

STAMPED -

✓ X
 8 7-17-39
 74



NE CORNER - Sec - 22 - T78N R. 7W
 MONUMENT - PREVIOUSLY SET -
 BY - J. F. RYAN - WHOSES - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MON. SET - IN - E. OF N.S. ROAD
 IN - LINE - WITH - E + W. FENCES

- 32.3' E. of X SPKS. in Cor. Post. Fence West
- 33.2' W. of X SPKS. in Cor. Post. Fence East
- 63.9' E. of X SPKS. in High Line Pole.
- 35.1' W. of X SPKS. in " " "
- 35.8' N.W. of X SPKS. in brace post. Fc. N.S.
- 45.9' N.E. of X SPKS. in fence post. Fc. N.S.
- 45.4' S.E. of X SPKS. in fence post. Fc. N.S.
- 65.5' R.D. W. Road N.S.

MONUMENT BURIED - 18" DEEP

14 15

22 23

STAMPED


332
 535
 867

✓

N

7-17-39

113




✓ N¹/₄ CORNER - Sec - 23 - T¹S¹N¹ R - 2 - W
 MONUMENT - PREVIOUSLY - SET
 BY - J. T. RYAN - WHOSES - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MON. SET - IN - LINE - WITH -
 N¹/₄S, E + W. FENCES.

- 31.2' N. of X SPKS. in Cor Post. Fence S.
- 35.6' W. of X SPKS. in Cor Post. Fence E
- 72.1' W. of X SPK. in High Line Pole
- 57.5' E. of X SPKS. in " " "
- 106.3' S. of X SPKS. in 6" Hedge

MONUMENT SURFACE - LEVEL

14
 STAMPED - 23




W³/₄ CORNER - Sec - 14 - T¹N - R - 7 - W
 MONUMENT - PREVIOUSLY SET
 BY - J. F. RYAN - WHOSES - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MONUMENT - SET - IN - E - OF
 E. W. N. S. ROADS.

- 43.5' S.E. of N. 27 in 20" brazed 67 m.
- 86.1' S.E. of S.E. Cor. of School House.
- 89.3' S.E. of S.W. Cor. of School House.
- 37.7' S.W. of X SPKS. in Cor. Post.
- 37.4' N.W. of X SPKS. in Power Pole.
- 42.6' N.W. of X SPKS. in Telephone pole.
- 37.4' N.E. of X SPKS. in Cor. Post.
- 41.0' N.E. of X SPKS. in Cor. Post.

MONUMENT - BURIED - 18" DEEP

15-14

STAMPED -



9
N¹/₄ CORNER Sec-11-770N R-2 W

MONUMENT PREVIOUSLY SET

BY - F. J. P. F. N. W. HOSSES - NOTES

✓ SHOW - NO - ORIGINAL EVIDENCE

FOUND - MON. SET - IN - E. OF

NTS. ROAD - AND - S. OF - W.

FENCE.

35.6' S.E. OF SPKS. in telephone pole

44.3' S.E. OF SPKS. in Cor. Post. Fence West

65.0' S.W. OF SPKS. in tele. pole

36.9' S.W. OF X SPKS. in tele. pole

260.8' N.W. OF S.W. COR. of H. Yearhoun Res.

126.7' N.E. OF N.E. COR. of W. Thompson Residence


140.7' N.W. OF X SPKS. in tele. pole

98.4' W. OF S.W. COR. OF MACHINERY SHED

60.0' R.O.W. in Road N + S

10-11

STAMPED-



NE CORNER - Sec - 3 - T78N R-1-W.

MONUMENT - PREVIOUSLY

SET BY J.T. RYAN WHOSE NOTES

SHOW A STONE WAS FOUND.

MONUMENT SET IN EOT E+W ROAD.


- 20.6' SW 1/4 of SPKS in fence post. N.R.O.W. fence
- 25.7' SE 1/4 of SPKS in fence post. S.R.O.W. fence
- 372.3' E.N.E. of Mt. Cor. of I.R. Babcock Res.
- 60.2' N.E. of X SPKS IN 16" GRAZED P2M.
- 125.5' N.W. of X SPKS IN 12" GRAZED HICKORY
- 75.8' S.W. of X SPKS IN 20" GRAZED BUR OAK
- 95.2' S.W. of X SPKS IN 16" GRAZED HACKBERRY
- 444.7' W.S.W. of GEODETIC MONUMENT #262

MONUMENT - BURIED - 14" DEEP

34
—
32

STAMPED -

7-20-37
R.M.W. Catp.



N $\frac{1}{4}$ CORNER P-SEC 2-T 18N R-7W
 MONUMENT PREVIOUSLY SET
 ✓ BY J. F. RYAN - WHOSES NOTES
 SHOW - P - STONE WAS FOUND.
 MON. SET - N - E. OF - E. W.
 ROAD - AND - E. OF - FENCE N


103.6' N.W. of N.W. Cor. of P. B. Bldg. Residence
 36.2' N.E. of Geodetic Mark H 261
 42.8' N.N.E. of X SPKS in 20" Burr Oak
 84.6' W.N.W. of X SPKS in 24" Elm
 45.4' S. of X SPKS in 11" Burr Oak
 87.2' E.S.E. of X SPKS in Compass
 97.6' S.W. of X SPKS in 12" Burr Oak

MONUMENT - BURIED - 12" D - CP

STAMPED - 2


7-20-39

J.H.



N $\frac{1}{4}$ CORNER - Sec. 11 - T. 78 - N. - R. 2 - W.
 MONUMENT - PREVIOUSLY - SET -
 BY - T. T. RYAN - WHOSE - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MONUMENT - SET - IN - LINE
 WITH - N + S + E - FENCES.

- 28.2' N. of Condotic Mon # 354
 9.0' W. of 14" 17.0" ed Hedge in Wood
 50.5' S.W. of 2 SPKS IN 24" Cottonwood
 63.8' E.N.E. of 2 SPKS IN 24" Hawthorn
 64.8' N. of 4 SPKS IN 24" Ash Tree
 150.9' N.W. of 4 SPKS IN 24" Walnut
 232.1' S.S.E. of Center of S. Head W 22 of
 Concrete Culvert in
 C.R. I & P. Railroad R. 9. W.



N¹/₄ CORNER - Sec. 34 - T18N R. 2-W
 MONUMENT - PREVIOUSLY SET - BY
 H. F. RYAN - WHOSE NOTES SHOW
 A STONE - WAS FOUND MARK
 SET - IN - E. OF E. & W. ROAD - IN
 LINE - WITH - NTS. FENCES.

- 32.9' S. of P. Post in Cor. Post. E. Side of Lane
- 43.3' N.W. of x SPKS in 4" Wild Cherry
- 39.9' S. of P. Post in Cor. Post
- 42.8' S.E. of x SPKS in 36" Maple
- 119.7' N. of x SPKS in 20" Wild Cherry
- 26.7' N. of x SPKS in Cor. Post
- 40.8' N.E. of x SPKS in Entrance Post
- 35.9' S.W. of x SPKS in brace post
- 59.0' R.D.W. in Road E & W

MONUMENT - BURIED - 14" Deep


27

STAMPED - 34



7-21-39
 0

S.F.M.



16

W. $\frac{1}{4}$ Co. A Sec. 27-78-2W

At intersection of fcs. E. W. + N and
W. fc of old road S. dug hole 3' x 3' x 2' deep.
Found flat limestone 20" x 16" x 4" buried
12" deep. Lowered same + placed
C.M. above stamped 38/27


71.9' E. of Blazed 26" Red Oak

11.9' E.N.E. of " 6" Twin Elm

37.9' N. " " 30" Group Ash

44.7' N.N.W. " " 8" Elm

109.2' S.S.E. " " 24" Bl. Oak



NE CORNER - Sec - 28 - T 78 N R - 2 - W
 MONUMENT - PREVIOUSLY - SET - BY
 J. T. RYAN - WHOSE - NOTES - SHOW
 A - STONE - WAS - FOUND - MON
 SET - IN - LINE - WITH - NTS, Fc's
 AND - IN - LINE - WITH - F + W
 FENCE.

166.0' S. of Genetic Monument # 222
 32.0' S. of x spks in 30" blazed Bl. Oak
 16.4' N.E. of x spks in 10" blazed Elm
 21.1' E.N.E. of x spks in 24" White Oak
 8.9' W. of x spks in brace w/ost fence
 125.6' W.W. of x spks in 12" Hickory


MONUMENT SURFACE - LEVEL

21 22

STAMPED 28 27

7-21-39

S.F.M.



N $\frac{1}{4}$ CORNER - Sec. 27 - T7S - R. 7 - W
 MONUMENT - PREVIOUSLY - SET
 BY - J. J. RYAN - WHOSES - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MONUMENT - SET - IN - LINE
 WITH N+S, E+W, FENCES.

10.4 S of X SPKS in 40" barked Black OAK
 28.1 S.E. of X SPKS in 20" barked Black OAK
 18.5 N.E. of X SPKS in 12" barked Black OAK
 8.3 N.O.F. X SPKS in 12" barked Black OAK
 83.5 N.W. of X SPKS in 30" barked Elm
 56.2 S.W. of X SPKS in 14" barked Elm
 69.0 N.O.F. X SPKS in 20" barked OAK


MONUMENT - SURFACE - LEVEL

22

STAMPED - 27

7-21-39
 0

S. F. M.
 14



W¹/₄ CORNER Sec-22-T8N R-7-W
 MONUMENT. PREVIOUSLY SET
 BY J. T. RYAN - WHOSES NOTES
 SHOW NO ORIGINAL EVIDENCE
 FOUND. MON. SET ON N.
 SIDE OF S. FENCE - IN LINE
 WITH E & W S, FENCES.

0.6' North of fence post
 118.3' S.W. of 2 SPKS in 60" E 2m
 55.8' W.S.W. of 4 SPKS in 20" W 2 Cherry
 22.1' N. of 4 SPKS in 6" E 2m
 52.6' E of 4 SPKS in E 20" W 2 note
 755.2' W.N.W. of N.W. Cor. of Corn CRIB


MONUMENT - SURFACE - LEVEL

21-22

STAMPED.

X

7-21-39



20

NE CORNER - Sec. 21 - T78N R. 2-W
 MONUMENT - PREVIOUSLY SET -
 BY J. T. RYAN - WHOSE NOTES -
 SHOW - A STAKE - WAS FOUND.
 MON. SET - IN LINE - WITH -
 NTS, & W. FENCES

85.7' S. of X SPKS. in 10" Elm
 50.0' E. of P. of SPKS. in 48" bl. red Elm
 341.8' E. of P. of Geodetic Monument #238
 382.5' S.E. of X SPKS. in 60" Elm

MONUMENT - SURFACE - LEVEL


16 15

STAKE TO

21 22

7-21-39

21 22



N¹/₄ CORNER - Sec. 22 - T78N R. 2 - W




MONUMENT - PREVIOUSLY - SET
BY - AT - PLAN - WHOSES - NOTES
SHOWS - A - STONE - WAS - FOUND.
MONUMENT - SET - IN - LINE
WITH - NTS, + E + W - FENCES.

- 21.1' E. of x spks in 4" Wild Cherry
- 48.7' N. of x spks in 6" Wild Cherry
- 10.4' S. of x spks in brace post. Fence N
- 5.4' W. of x spks in fence post. Fence E

MONUMENT - SURFACE - LEVEL

15

STAMPED - 22



22

W $\frac{1}{4}$ CORNER - Sec - 15 - T78N R - 1 - W
 MONUMENT - PREVIOUSLY - SET -
 BY - J. T. RYAN - WHOSES - NOTES
 SHOW - NO - ORIGINAL - EVIDENCE
 MONUMENT - SET - IN - E - OF - W.
 ROAD - AND - IN - LINE - WITH
 S. FENCE.


Stones in line with E.P. Road West
 82.7' W. of 4 SPKS in 2 1/2" blazed oak
 79.7' SW. of 4 SPKS in 10" blazed Hickory
 67.1' S.E. of 4 SPKS in 8" blazed Hickory
 1254.8' E.S.E. of Geodetic Mon. # 236
 83.4' S. of 4 SPKS in 10" Hickory
 99.0' N. of E. of E.W. Road
 78:0' N.E. of Power Anchor P. 20.

MONUMENT - SURFACE - LEVEL.

16-15


STAMPED.

7-24-39 TL



NE CORNER. Sec-16-T8N-R-3-W
 CORNER. ESTABLISHED -
 PREVIOUSLY - BY - T. RYAN
 WHOSES - NOTES - SHOW -
 CORNER - IS - DESIGNATED
 BY - A - Cap in the S. OF - PAVEMENT
 U.S. #6 CORNER - IS - IN - LINE
 WITH - HIS - FENCES.
 Brass Cap 110
 16.15


- 113.1' S.S.E. of X SPKS. in Car Post
- 116.2' S.S.E. of IRON HIGHWAY MARKER
- 173' N.N.E. of X SPKS. in Car Post
- 33.0' W.S.W. of Pavement Sta. # 854
- 67.4' E.S.E. of Precursor Station # 853



W4COR. 25-78-2W

✓ COR. originally Estab. by J. Ryan and re-established. FE Gortuke According to plans for Pri. Road #38 on file in office of Co. Auditor. a 12"x15"x22" stone was found 04" W of E of Pavement at Sta. 323+99.2 Located corner from ties given on and set cap. marked 25

- 248.5 NE of Highway Sta. 324 Mark on Edge
- 61.6 NW of 18" Maple (original)
- 40.0 E of 18" Elm " Highway tie
- 4.6 W of R.R. Rail R.O.W. Marker



E.V.

26

N.E. Cor. Sec. 9 T7S R12W
Monument


8.2 No. E. of Corner Post.

33.5 So. E. of 8" Elm.

40.5 So. E. of 10" Elm.

✓

N



27


✓ N.E. cor. Sec. 1-78-2 W.
Conc. Mon. previously set by
J. J. Ryan, whose notes show no
original evidence found.

- 42.2' W. S.W. of X spruce in Pine pole
- 38.5' N.W. " " " cor. post
- 40.8' N.E. of 2 1/2" ed 4" W. L. cherry
- 632.4' W. of S.E. cor. Sec. 36-79-21 W.

~~X~~

9-24-40

R.K.B. - Cor. P.



Same as BK 14 p 31


28

W. of cor. sec. 30-78-2W

At intersection of sec. S.E. dug hole
 6'x6'x3' dp. Found fragments of Stone
 3.9' S.E. of cor. post.

8-15-90.

B.H.W. - C. of P.



29

N. 1/4 cor. Sec. 4 - 28 - 21W

In Ex. W. Cedar^{Co.} - Muscatine County
 line for in line with f.c. S.
 found S.C.M. set by J.J. Ryan
 17 ft. W. of cor. post

10.5 W. of 1 sp. Ks. in brace post

4.8' W. S.W. of " " " 30" Wild Cherry stump

X

4-29-41

R.H.W. - C.G.P.

Cedar County

County line f.c.

30" Wild Cherry
stump

10.5

4" Nails

Near Top Brace Post

4" Nails

Top Brace Post

De. Tied
12-18-63


Muscatine County

✓ N. $\frac{1}{4}$ cor. Sec. 5 - 78 - 2 W

In E. & W. Musc. - Cedar County line
 fc in line with $\frac{1}{4}$ sec. Line fc. S.
 found S.C.M. previously set by
 J. J. Ryan.

17.1' N. of I.G.S. B.M. 70-273

5.17' W. of Blazed 6" Hedge stump




✓ N. 1/4 cor. Sec 6-7B-2W

39.6' E. of Blazed 14" Cottonwood
8.8' N.W.E. of Blazed 8" Maple

X

4-29-91



33

NW COR. 13-78-2W

According to plans of #38
 on file in office of Co Auditor
 a 6x8x16" stone was found
 5.1 W and 1.3' N of the P.I.
 at sta. 457+62.7

Cap. Located from highway.
 Ties for stone + checked
 with ties for P.I.


Cap Marked $\frac{11\ 12}{14\ 13}$

TIES

42.0' SE of Highway Marker (orig tie)
 44.3' NE of " " "
 71.5' SW of " " "
 73.2' NE of " " "

5-16-42

J.P.




34 ✓

W4 COR. 36-78-2W

According to Right-of-Way Map
on file in office of Co. Auditor
Corner Stone is located 1' W
of P.I. (Sta. = 70+53.0). found
P.I. indicated by t in pavement.
Placed cap 1' West of P.I.
Cap stamped $\frac{35}{56}$

Ties

59.2' W of CONC. MON'T TIE
68.0' NW of I.G.S. BM # 476
62.1' E of CONC. TIE MONO.

5-20-42
F.E. Gartzke

35


NW COR. 36-78-2W

According to Right-of-way Plat of
 Pci Road #38 on file in Auditor's office
 a gas pipe was found over a
 13x16x16" Stone 1.6' E of P.C.
 Semi. Tan. Station 297 + 26.7
 found P.I. of curve and located
 Stone according to directions
 Stamped cap $\frac{26}{35} \frac{25}{36}$

90.4' NE of CONC. MON. TIC
 67.6' SE of I.G.S. #195
 61.6' NW of CONC. MON. TIC
 42.2' SW of " " "

5-20-42

JEN



36
S.E. Cor. Sec. 7-18-2W.

From information that was found from the survey of Hwy #6 it was learned that the section line was the $\frac{1}{2}$ of slab. This information accepted as correct and a brass cap was set.

Brass Cap $\frac{7.8}{18.17}$

60.1' N. of R.O.W. marker

65.4' S.S.W. of R.O.W. marker

143.0' S.E. " " " "

Pausing Sta # 748 + 23.3
6

