

25 Fort Land Corner Ties

Muscatine County

78-3W
DIETZGEN

XVII

FIELD BOOK

Book 1

No. 403P

T 78N R 3W

Goshen Township

Checked 1974/37 - FAD

25

Co. Closed July 1, 1942 Van

Index for books # 1-2 78-36

Book # 1 plan Book # 3
Book # 2

18	17	14	11	30	29			25
6	5	4	3	2	1			
	15	14	16	25				22
7	7	8	7	12-10	10		11	12
32	15	14	17	17	17	20	21	22
								23
27	18	17	16	21-15	14			13
34	33	34	24	13	13	16	32	
2	19	20	20	21	22	19	23	24
	10	7	6	21	22	11		
30	27	27	28	27	26			25
18	11	12	4	3	17			13
27	31	32	2	33	34	35		36
27	32	31						

7-8-42

Ev. Final Ck
9-24-42
Latest Work

X HVA

1
 SE CORNER - Sec 31 - T78N - R3W
 MONUMENT - IRON - SET
 B.F.F. PLAN - IN H.S. - NOTES
 SHOWN A STONE - WAS FOUND
 MON. SET IN - E. OF F.W.T.N.
 R.O.D.S. AND E.O.T. MON. FOR
 N.E. CORNER Sec - 4 - T78N - R3W

30.0' N. of F.W. Right of Way fence. S.S. road

134.5' E. of the N.E. Cor. Sec. 5 - 77N - R3W.

99.4' N.E. of X SPKS in power pole

111.3' S.E. of X SPKS in 28" E2m.

36.75' F.X. SPKS in 28" pole

48.8' S.W. of X SPKS in power pole

166.1' S.S.E. of X SPKS in 28" pole

25.2' S.W. of NW. Cor. of Head Wall in Culvert

23.3' W.N.W. of S.W. " " " "


MONUMENT - BURIED - 12" DEEP

32 33

STAMPED -

W.P. of
 1841

N 8-7-39



N¹/₄ CORNER - Sec 32 - T.78N - R.3-W
 MON. PREVIOUSLY SET BY AT
 PLAN - WHOSES NOTES - SHOW A
 STONE - WAS FOUND - MON.
 SET IN E. OF E + W - ROAD, AND
 IN - LINE - WITH - N + S, FENCE
 LINE.


- 33.2' N. of X SPKS in Cap Post fence S
- 29.8' S. of X SPKS in power pole
- 42.3' S.W. of X SPKS in 36" Maple
- 37.1' N.W. of X SPKS in 4" Maple
- 39.0' N.E. of X SPKS in Gate post N. Side of lot
- 161.5' S.E. of X SPKS in power pole
- 61.7' N.E. of X SPKS in Le Zehner pole
- 68.0' P.O.W. in Road F&M
- 251.7' N.W. of the N.W. Corner of BRANN BROS. RES.

MONUMENT BURIED - 12' DEEP
 29
 STAMPED - 32

X N

8-7-39
 0

517.11
 -44




NE CORNER - Sec 29, T. 78N - R. 3-W
 MON. PREVIOUSLY - SET BY ST
 RYAN - WHOSES - NOTES - SHOW - A
 IRON - PIPE - WAS - FOUND - MON.
 SET - IN - $\frac{1}{4}$ - OF - N + S + E - ROADS.
 AND - IN - LINE - WITH - W. FENCE.

- 33.5' E. of X SPKS. in Cap Post. Fence W.
- 40.1' N.W. of X SPKS " " " " S.W.R.
- 40.0' S. W. of X SPKS. " " " " N.E.R.
- 83.5' N.W. of X SPKS. in corner pole.
- 92.1' N.E. of X SPKS in top of line pole
- 81.4' S.E. of X SPKS. in " " "
- 226.2' S.W. of X SPKS. in corner pole
- 453.6' S.E. of the S.E. Cor. of R.L. Lewis Rec.
- 72.4' N.W. of X SPKS. in 1/4" E. of m.
- 690 P.O. 20. in road N + S.
- 420 P.O. 21. in road East.

MONUMENT - BURIED - 12" DEEP

20 21

STAMPED - **28**



7
 N¹/₄ CORNER - Sec - 29 - T 78N - R 3 - W
 MONUMENT - PREVIOUSLY - SET
 BY - SET PLAN - WHOSES - NOTES
 SHOW - NO - ORIGINAL - EVIDENCE
 FOUND - MON. SET - IN - LINE
 WITH - N¹/₄ - E + W, FENCE -
 LINES.


0.7 N.E. of X SPKS in Co. Post. Fence West
 48.4' W. of X SPKS in 24" Elm.
 15.3' S. of X SPKS in fence post Fence N.
 17.0' N. of X SPKS in " " Fence S.
 16.4' E. of X SPKS in " " Fence W.

MONUMENT - SURFACE - LEVEL

20

STAMPED - 29

8-7-39
 9



W¹/₄ CORNER - Sec - 32 - T78N - R7 - W
 MONUMENT PREVIOUSLY SET
 BY E. J. RYAN WHOSES NOTES
 SHOW A STONE WAS FOUND
 MONUMENT SET IN ¹/₂ OF
 NTS ROAD AND IN LINE WITH
 E. FENCE AND N. OF W.
 FENCE LINE.


- 660.1' NE. OF NE COR. OF FARM BARN
- 189.0' SSE OF S PK'S IN TEL. POLE
- 22.2' W. OF S PV IN CORNER POST
- 25.4' E. OF S PK'S IN N. GATE POST
- 27.0' E. OF E. X PK'S IN COR. POST
- 28.4' W. OF E. X PK'S IN TEL. POLE

MONUMENT BURIED - 16" Deep

31 - 2

STAMPED -

8-7-39




W $\frac{1}{4}$ CORNER Sec-29-T8N-R-3-W
 MONUMENT PREVIOUSLY SET
 BY 6th T. RYAN IN HOUSE NOTES
 SHOWING NO OTHER EVIDENCE
 FOUND. MONUMENT IN S.W. CORNER
 N.E.S. ROAD IS ALIGNED WITH
 E-W FEATHER LINES.

176.5' N.E. OF X SPKS IN 8" WILD CHERRY
 29.5' E. OF SPKS IN CORNER POST
 29.5' W. OF X SPKS IN CORNER POST
 203.5' S.S.W. OF X SPKS IN 24" BOX ELDER
 44.5' S.W. OF SW. COR. 1/2nd INTERSECTION CRIB

MONUMENT BURIED 12" DEEP

30-29

STAMPED -



NE CORNER - Sec - 30 - T78N - R - 3 - W
 MONUMENT - PIPE VIALS 4 - SET -
 BY - J. T. RYAN - WHOSE NOTES -
 SHOW - A - IRON - PIPE - 1 1/2" -
 FOUND - MON - SET - IN - E OF
 N-S, ROAD - IN - LINE - WITH - W
 FENCE - LINE.


25.8' E. OF X SPKS - IN - CORNER POST
 27.3' W. OF X SPKS - IN - FENCE POST
 102.8' S. SW. OF X SPKS - IN - TEL. POLE
 933.7' S. SW. OF SW. COR. ROAD - BRIDGE
 933.3' S. SE. OF SE. COR. ROAD - BRIDGE
 543' N. NW. OF X SPKS - IN - TEL. POLE

MONUMENT - BURIED - 12" DEEP

19 20

20 29

STAMPED -




11
 N¹/₄ CORNER - Sec - 31 - T78N. R. 3-W
 MONUMENT - PREVIOUSLY - SET BY
 F. J. RYAN - WHOSES - NOTES - SHOW
 A - STONE - WAS - FOUND.
 MON. SET - IN - $\frac{1}{4}$ OF - COUNTY
 ROAD - "W" - E + W. AND - IN - LINE
 WITH N + S, FENCE - LINES.

34.0' N. OF XSPKS - IN - CORNER POST
 39.0' S. OF XSPKS - IN - CORNER POST
 76.8' S.W. OF XSPKS - IN - POWER POLE
 64.5' SE. OF SE COR. OF SCHOOL HOUSE
 83.5' NE. OF XSPKS - IN - TEL. POLE
 61.0' SE. OF XSPKS - IN - 24" OAK
 59.4' S. OF XSPKS - IN - 30" OAK
 63.1' NW. OF XSPKS - IN - TEL. POLE

MONUMENT BURNED - 1" DEEP

STRIPPED 31



NE. CORNER. Sec-31-T8N R-3-W
 MONUMENT. PREVIOUSLY SET BY
 F. F. RYAN. WHOSES NOTES SHOW
 A STONE WAS FOUND. MON.
 SET IN S. OF E. W. COUNTY
 ROAD "W" AND N. S. ROAD.

- 47.0' NE. OF XSPKS-IN-TEL. POLE
- 44.4' NW. OF XSPKS-IN-CORNER POST
- 44.5' SW. OF XSPKS-IN-CORNER POST
- 45.2' SW. OF XSPKS-IN-POWER POLE
- 229.9' W. SW. OF XSPKS-IN-POWER POLE
- 48.8' SE. OF XSPKS-IN-CORNER POST
- 129.4' E. SE. OF XSPKS-IN-POWER POLE

MONUMENT BURIED 12" DEEP


30 29

31 31

STAMPED -

X

8-7-39



SW CORNER - Sec. 30-798N-13-W
 MONUMENT - PREVIOUSLY - SET - BY -
 RYAN WHOSE NOTES - SHOW
 NO IRON - PIN - WAS - FOUND - MON
 SET - IN - E. OF E. COUNTY - ROAD
 "N" AND - IN - E. OF NTS, PRIMARY
 ROAD - "76"

100.6' SE. OF CONCRETE ROW-MARKER
 80.8' SE. OF XSPKS - IN - POWER POLE
 159.6' SW. OF XSPKS - IN - POWER POLE
 436.4' NW. OF SW. COR. OF FARM BARN.
 116.5' NNW. OF CONCRETE - ROW - MARKER
 82.7' NE. OF XSPKS - IN - 30" OAK
 82.4' NE. OF CONCRETE - ROW - MARKER.


MONUMENT BURIED - 12" DEEP

25-30

36-31

STAMPED -

8-7-39



W 1/4 CORNER - Sec. 4 T18N-R-3-W
 HT. INTER. SECTION - NTS, E & W -
 FENCES FOUND - CRACKED - LIMESTONE - 15" x 18" x 5" - BURIED 4" UNDER SURFACE. STONE WAS INDENTIFIED - BY Geo. C. P. C. S. A. FARMER - LIVING - NE. OF COR. AS - BEING CORNER LOWERED SAME END - PLACED - MON. ABOVE

171.8' W. OF XSPKS - IN. 30" ELM
 0.7 S. OF XSPKS - IN. CORNER POST
 249.38' S.W. OF S.W. COR Geo. C. P. C. S. BARN


MONUMENT SURFACE - LEVEL

5-4

STAMPED -

Same as in
 BK 24

X



6-14-39

BARN

SW. COR.

COR. POST

30" ELM


$N\frac{1}{4}$ CORNER S.E. - 9.778N. - P. 3 W.
 AT INTERSECTION OF N-S + W
 ROADS - AND IN-LINE WITH F.
 FENCE - DUG AND FOUND - A
 WHITE LIMESTONE - 17" x 14" x 7"
 STONE - IDENTIFIED AS COR.
 BY FARMER - LIVING - SE OF COR.
 LOWERED - SPAN - AND PLACED
 MON. ABOVE

- 34.5' NE. OF STEEL CORNER POST
- 38.8' NE. OF KSPKS - IN - 2" BOX ELDER
- 135.3' S. SE. OF 1/2" x 1/2" IN. POWER PILE
- 174.4' N. NE. OF KSPKS - IN. POWER PILE
- 117.8' N. NW. OF KSPKS - IN. 3/4" COTTON WOOD
- 229.5' N. N. OF KSPKS - IN - 4" COTTON WOOD
- 26.0' W. OF KSPKS - N-S. GATE POST
- 56.8' NNW. OF NW COR. OF FARM BARN

MONUMENT - BURIED - 13" DEEP
 STAMPED - 7

See also Br 24

6-14-39



NE. CORNER-SEC-6-778N-R-3-W
 AT POINT INDICATED- BY-
 MEASUREMENT- AND- LINE-
 FENCE- S. FOUND- A- WHITE
 LIMESTONE 21" X 13" X 9" BURIED
 1' UNDER- SURFACE- OF- E. W.
 ROAD. LOWERED- SAME- AND-
 PLACED- MONUMENT- ABOVE.


- 230.7' SE. OF XSPKS- IN- POWER POLE
- 33.0' N. OF XSPKS- IN- CORNER POST
- 39.7' NW. OF XSPKS- IN- TEL. POLE
- 154.5' NE. OF XSPKS- IN- TEL. POLE
- 231.8' W. OF 1/2 OF ROAD- N.

MONUMENT- BURIED- 12" DEEP
 STAMPED 65

Same as in BK 24

X

6-15-39




N $\frac{1}{4}$ CORNER - Sec - 34 - T78N - R3W
 MONUMENT - PREVIOUSLY - SET - BY
 H. T. BLEN - WHOSE - NOTES - SHOW
 H. STONE - WAS - FOUND - MON.
 SET - IN - E. OF COUNTY - ROAD "W"
 END - IN - LINE - WITH - N $\frac{1}{4}$ COR.

321.9' SW. OF SW. COR. OF FARM RES.
 112.0' NW. OF XSPKS - IN - POWER POLE
 247.9' NE. OF XSPKS - IN - POWER POLE
 33.3' S. OF XSPKS - IN - CORNER POST
 33.8' N. OF XSPKS - IN - CORNER POST

MONUMENT - BURIED - 18" DEEP
 27
 STAMPED - 34

8-14-39



20 E-21

W¹/₄ CORNER - Sec - 26 - T7N - R - 3 - W

MONUMENT - PREVIOUSLY SET BY

ST - ST - PLANNING - WHOSES - NOTES - FOUND

A - STAKE - WAS - FOUND - MIN. 20'

IN - 8' OF CORNER - ROAD - "W"

IN LINE - WITH - E - W - FCS.

35.43' NW. OF B.M. ON E. HEAD WALL OF CURV

35.39' NE. OF B.M. ON W. HEAD WALL OF CURV

34.2' W. OF VSPK - IN CORNER POST

33.5' E. OF VSPK - IN CORNER POST

32.2' ENE. OF VSPK - IN POWER POLE

38.6' SE. OF IRON ROW PIN


MONUMENT - BURIED - 18" DEEP

27-26

STAMPED

X

8-14-39



W $\frac{1}{4}$ CORNER - Sec - 15 - T78 N - R - 2 - W

MONUMENT - PREVIOUS 14 - SET - 34 - FT.

PLAN IN HASES - NOTES - SHOW - A.

STONE - WAS - FOUND - MON. SET ON

W. SIDE - OF - E - FENCE - AND - IN -
LINE - WITH - S. FENCE.

11.1' W. OF X SPKS - IN - CORNER POST

13.8' NE. OF X SPKS - IN - 30' ELM - TREE

29.0' N. OF X SPKS - IN - CORNER POST

513.1' N. OF X SPKS - IN - POWER PLE


419.3' N. OF X SPKS - IN - POWER PLE

MONUMENT - BURIED - 10" DEEP

14-15

STAMPED -

8-14-39



22

E-4

W $\frac{1}{4}$ CORNER - Sec - 10 - T78N - R-3-W

AT INTERSECTION OF E+W & S. FENCES

FOUND LIMESTONE - 33 $\frac{1}{2}$ " X 10 $\frac{1}{2}$ " X 6" A.T.

SURFACE LEVEL.

MON. SET. IN LINE WITH S.

FENCE LINE AND N. OF E+W

FENCE LINES.

212.4' E. OF XSPKS. IN CORNER POST

155.8' W. OF XSPKS. IN CORNER POST

.7' N. OF XSPKS. IN CORNER POST

495.4' N.N.E. OF XSPKS. IN 46" COTTONWOOD

418.4' S.E. OF XSPKS. IN 60" COTTONWOOD

2.4' NW. OF XSPKS. IN FENCE POST


MONUMENT SURFACE LEVEL

9-10

STAMPED -

X

8-14-39



23

NE CORNER - Sec. 9 - T. 78N. - R. 5 - W. 11

CORNER - ESTABLISHED - HT.

INTER-SECTION - OF - FENCES -

N. S. AND - E. W. THIS - POINT -

ACCEPTED - AS - CORNER - BY -

ADJOINING - LAND - OWNERS. MON

SET - ON - N. SIDE. OF COR. POST

AND - ADJACENT - THERE - To.

123.5' S. OF X SPKS - IN - 10" WILD CHERRY

87.9' W. OF X SPKS - IN - 30" DOUBLE WILLOW

47.6' N. OF X SPKS - IN - 5' WILLOW CLUMP -

MONUMENT - SURFACE - LEVEL

43

910

STAMPED -

Same as in BR 24

8-14-39

10" WILD-CHERRY

123.5'

30" DOUBLE
WILLOW

87.9'

47.6'

5' WILLOW
CLUMP

24

NE CORNER - Sec - 20 - T72N - R. 3 - W
 MONUMENT - PREVIOUSLY SET BY
 H. F. RYAN - WHOSES NOTES SHOW
 A STONE WAS FOUND MON. SET
 IN S. OF E+W. ROAD - IN LINE WITH
 N FENCE - LINE

- 86.8' E. NE. OF XSPKS - IN - TEL. POLE
- 33.4' S. OF XSPKS - IN - CORNER POST
- 35.6' S. SW. OF XSPKS - IN - CORNER POST
- 55.2' SW. OF XSPKS - IN - POWER POLE
- 198.5' W. NW. OF XSPKS - IN - 40" MAPLE
- 268.3' NW. OF NW. COR. OF FARM RES


MONUMENT - BURIED - 12" DEEP

17 16
 20 21

STAMPED -

X

8-14-39



25
E-17
W¹/₄ CORNER Sec-16-T78-N-R-3-W

MONUMENT- PREVIOUSLY-SET-BY
J. T. RYAN- IN HOSES- NOTES-SHOW
NO- ORIGINAL-EVIDENCE- FOUND
MON SET- IN- LINE- WITH- W-
FENCE- AND- IN- LINE- N+ S
FENCE- LINES.

861.4' E OF XSPKS- IN- 60" COTTON-WOOD
144.2' N OF XSPKS- IN- 10" WILD-CHERRY
1343.4' SE OF SE COR. OF--STACK BARN.


MONUMENT- SURFACE-LEVEL

17-16

STAMPED -

X

8-14-39



26

E-20

W $\frac{1}{4}$ CORNER-SEC-21-T75-N-R-3-W
 MONUMENT PREVIOUSLY-SET BY
 J-T-RUAN-WHOSSE-NOTES-SHOW
 A STONE-WAS-FOUND-MONUMENT
 IS 57 FT. S. BANK-OF-DRAINAGE
 DITCH ON W. SIDE-OF-FIELD-
 BRIDGE.


23.0' SE. OF IRON-PIN-IN-BANK-OF-DITCH
 22.0' NE. OF IRON-CORNER POST
 28.5' NE. OF IRON-GATE POST
 241.7' NNE. OF VSPKS-IN-TEL. POLE
 111.0' WSW. OF IRON-BRACE POST
 467.3' WNW. OF VSPKS-IN-12" WALNUT

MONUMENT SURFACE-LEVEL

20-21

STAMPED-

X
 8-14-39



21
S $\frac{1}{4}$ CORNER Sec-31-T-78-N-R-3-W


MONUMENT PREVIOUSLY SET BY
ST. AT BURN. WHOSES NOTES SHOW
NO ORIGINAL EVIDENCE FOUND.
MON. IS SET IN S. OF E+W ROAD
AND IN LINE WITH N. FENCE
LINE.

41.4' E. OF MON N $\frac{1}{4}$ COR. SEC-6-T-77-N-R-3-W
32.8' S. OF X-SPKS-IN. CORNER POST
29.9' S.S.E. OF X-SPKS-IN. POWER POLE
290.6' W.S.W. OF X-SPKS-IN. POWER POLE
25.1' N. OF S. ROW-FENCE-E+W.

MONUMENT BURIED - 12" DEEP
31

STAMPED -

8-30-39




W 1/4 Cor sec 3 T78N-R3W

AT POINT INDICATED BY fos
N4S4E & E of Edw. found FLAT
limestone 26 3/4" x 11" x 5" Point exposed
4". No other evidence found
lowered same & placed C.M. ABOVE
STAMPED 4/3

- 17.3' N. of N.W. Cor of BARN
- 80.9' N. of Blazed 28" Boxelder
- 36.4' W. of XSPKS in fc Post
- 36.7' ENE. of XSPKS in Cor Post
- 26.6' N.W. of N.E. Cor of BARN
- 283.8' N.E. of NE Cor. Res.
- 24.8' S. of XSPKS in Cor Post
- 227.6' E of Blazed 24" Cherry

Same as in BR 21

6-13-39
R.R.W. - C. of P.



29.

N.E. Cor sec 4 T77N-R3W


on E of E9W. County line rd in
line with fc so. dug Hole 4'x4'x3' deep
Found Broken limestone estimate
original size as 16"x12"x3" No other
evidence found lowered same &
Placed C.M. ABOVE STAMPED

4'3"

- 34.4' N of Steel fc Post
- 404.3' S.E. of XSPK517 Cor Post
- 167.9' N.E. of XSPK517 Tel Pole
- 33.6' N of XSPK517 Tel Pole
- 919.7' E of E of Rd turning No.
- 2052.9' S.E. of SW. Cor of Res
- 34.7' N. of XSPK517 Cor Post.

6-13-39

R.K.W. - C of P.



N 1/4 Cor Sec 4 T78N - R34W
 in E of E.W. County line Rd
 and E of Rd So. dug Hole 4' x 4' x 3' deep
 Found flat limestone 26" x 19" x 6" one
 ft. deep. No other evidence found
 lowered same & placed C.M.
 Above Stamped


4

- 31.3' NNW. of XSPKS 17 Pur Pole
- 296.2' SW. of XSPKS 17 Cor Post
- 40.7' NW. of XSPKS 17 Cor Post
- 40.7' NE. of XSPKS 17 Cor Post
- 48.0' NE. of XSPKS 17 Tel Pole
- 206.9' NNE. of XSPKS 17 Pur Pole

Per 21

James Gavin

G-13-39
 R.R.W. - Co. of P.



N.E. Cor sec 5 T78N-R3W.-

Established on Testimony of
Geo. Creese who owns 80 A. on each
side of N4S Sec line So. an iron for
post marks the sec line at So. Row.
for of E+W. County line Rd. at point
on straight line between the adjacent
Cors. EAW at RT. Angles with sec
line set em. STAMPED


5'4"

- 169.4' SW. of xSPKS in Pur Pole
- 310.5' NW. of NW. Cor of Rcs
- 83.1' N.E. of xSPKS in 24" Pine Pole
- 169.7' S.E. of xSPKS in Pur Pole
- 72.6' N. of Blazed 20" Maple
- 33.2' N. of Steel for Post
- 46.4' N.E. of xSPKS in Tel Pole
- 191.9' W. of C of Rd. Running No.

Rememoir BK 21

6-13-39

R.R.W. - C. of P.



NE Cor sec 23 T78N-R3W


117' of N & S Rd. on line with
 f.c.s. E & W. dug Hole 3' X 2' X 18" deep
 found w. limestone 12" X 11" X 5"
 Buried 14" deep. Lowered same
 and placed c. 17. Above stamped

14 | 13
 23 | 24

- 33.7' E of XSPK517 in Cor Post
- 27.3' W. of XSPK517 in Cor Post
- 42.8' W. of XSPK517 in Cor Post
- 107.8' N.N.W. of XSPK517 in Pur Pole
- 43.6' N.E. of XSPK517 in Tel Pole
- 171.8' S.S.E. of XSPK517 in Pur Pole
- 145.6' S.S.W. of SW. cor Hog Barn
- 178.3' S.E. of SE. cor L.A. Billick Res.

11-15-39


R.R.W. - Cor P.



W 1/4 cor sec 24 T78N-R3W-
 17' of as N45 Rd. in line with
 Farm lane E. Dog Hole 6' x 4' x 3' deep
 found w. limestone 17" x 15" x 16"
 Buried 24" deep. Point up. lowered
 same and placed C.T.L. above.
 STAMPED 2/24 Mon. Buried 12" deep
 No fc w. at this point.

161.4' NNW. of XSPHS 177 BRACE POST
 38.5' S.E. of XSPHS 177 Tel Pole
 84.3' S.W. of XSPHS 177 Pur Pole
 44.0' S.W. of XSPHS 177 Tel Pole
 34.8' WNW. of Steel Cor Post
 166.3' NNW. of XSPHS 177 Pur Pole


11-16-39
 R3W-C of P.



NE corner 19 - T78N-R3W -
 in E of E+W Rd in 1772
 with E of Rd So. found 3" Iron
 rod 14" long No other evidence
 found lowered same & placed
 C.M. ABOVE STAMPED 18/17
 Then Buried 12" deep. 19/20

20.5' SSW of cross in E wing of N Headwall
 Conc. Culvert
 39.8' S.S.E. of xSPKS 17 Pur Pole
 31.9' S. of Steel Cor Post
 40.2' N.E. of cross in W. wing of So.
 Headwall of Conc Culvert
 100.3' N.W.E. of xSPKS 17 Pur Pole
 43.3' N.W. of xSPKS 17 Tel Pole

11-20-39
 R.M.W. - C of P.



N.W. cor. Sec. 19-78-31W.

At points indicated by measure
and from county plat dug hole 5' x 5' x 5' dp.
Found 1/2" Iron rod 24" long. No other
evidence found. However same +
placed S.C.M. above stamped 13/18
buried 12" deep. 24/19

- 23.5' E.S.E. of X spks. in Pulv. Pale
- 44.0' S.S.W. " " " " " "
- 57.3' N.N.W. " " " " " "
- 40.0' S. " " " " Cor. Post
- 44.4' W.N.W. of cross in Mwing of E. Hd wall - conc. Culv.
- 47.1' N.E. " " " W. Hd wall of conc. Culv.
- 162.9' S.S.W. of S.W. cor. of Farm Res.

3-26-71
R.K.W. - C. of P.

