

16 75 710 8/10/10

26 Gov't Land Corner Ties

Muscatine County

(on Page 32 is NE 1/4 Sec 18. 78. 4W)

**DIETZGEN**

78-3W

**FIELD BOOK**

Book 2

~~XVIII~~

**No. 403P**

T 78 N R 3 W

Goshen Township

78-3W

Checked 10/4/39. EAO.

26

8/6/41 Van.  
County Closed July 1, 1942

See Book #1 for Index

7-19-42

Annual Check E.V.  
all information Copied  
9-30-42  
Latest Work.

F.H.J.

ml

E-33.

W<sup>1</sup>/<sub>4</sub> CORNER - Sec. 34 - T78N - R. 3 - W  
MONUMENT - PREVIOUSLY - SET  
BY - JAT - JAN. WILCOSES - NOTES  
SHOW - NO - ORIGINAL - EVIDENCE  
FOUND - MONUMENT - SET - ON  
W. SIDE - OF - NTS, FENCE AND  
IN - LINE - E. FENCE.

MONUMENT - SURFACE - LEVEL

33 - 34

STAMPED.

X

N

8-7-39

Δ

x x x x x

NE CORNER - Sec - 33 - T 78 N R - 3 - W  
 MONUMENT - PREVIOUSLY SET  
 BY - AT - T - R 4 AN - W H O S E S - N O T E S  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MON SET - IN - E O F  
 E T W - R O A D - I N - L I N E - W I T H - N  
 F E N C E - L I N E .

32.3" S. of X SPK IN 40" Cotton wood  
 107.7" N. E of . . . . . P W Y Pole  
 252.1" N. W. of . . . . .  
 42.9" N. W. of . . . . . Cor Post  
 32.2" N. of S. R. O. W. F E N C E L I N E

MONUMENT - BURIED - 18" Deep


28 27

32 34

STAMPED -

28 27

32 34



8-7-39


N<sup>1</sup>/<sub>4</sub> CORNER - Sec-33 T78N R3-W  
 MONUMENT - PREVIOUSLY SET -  
 34.1' AT - PLYM - W. HOUSES - NOTES  
 SHOW - A - PLYM - PLYM - WAS - FOUND  
 MONUMENT - SET - IN - E - OF  
 ET W. BRD - IN - LINE - WITH  
 N. S. FENCES.

- 33.0' N. of XSPK IN COR Post
- 34.1' S. of " " "
- 212.3" SW. of " " TEL Pole
- 150.1" NW. of " " PLYM Pole
- 51.1" N.W. of " " Pine TREE

MONUMENT - BRD - 2" Deep  
 18  
 STAMPED - 33



N 8-7-39



4

E-28

W $\frac{1}{4}$  CORNER - Sec. 27 - T78N - R3E - W  
 ON J. ... T. PREV. ... SET -  
 ... ST. ... PLAN - WHOSES - NOTES  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MON. SET - IN - LINE  
 WITH - N + S, FENCES, FIND - S.  
 OF E + W FENCE ... VES.


0.3' S of CO. Post

MONUMENT SURFACE LEVEL

28-27

STAMPED -

8-7-39



NE. CORNER - Sec - 28 - T18N - R. 7 - W  
 MONUMENT - PT. KLOUSH - SET  
 BY - F. T. RYAN - WHOSES - NOTES  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MONUMENT - SET -  
 IN -  $\frac{1}{4}$  OF E + W, ROAD - IN - LINE  
 WITH N + S FENCES.

33.8"	S. W. of	X SPR IN TEL Pole
37.0	N. W. of	X SPR IN Car Post
20.0	N. of	X SPR IN Car Post
20.4	S. of	X SPR IN Car Post
451.8"	N. E. of	Wind Mill PUMP

MONUMENT - RISE - 12" Deep

21 22


28 27

STAMPED -

X

N

8-7-39




6  
 N $\frac{1}{4}$  CORNER - Sec. 28. T78N R. 7. W  
 MONUMENT - PREVIOUSLY SET  
 BY - AT - ST. RYAN - WHOSES - NOTES  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MONUMENT - SET -  
 IN - S. OF E + W - ROAD - IN -  
 LINE - WITH - N + S, FENCES.

200.6" E.S.E. of N. End of Iron Pipe Culvert  
 27.2" S.W. of Iron Coy Post  
 22.1" N. of XSPK IN 12" COY POST  
 71.4" N.E. of XSPK IN 6" WILD CHEEZY  
 25.4" N.W. of XSPK IN BRACE POST

MONUMENT - BURIED - 12" DEEP.

STAMPED - 21  
28





NE CORNER - Sec 21 - T 78 N - R 3 - W  
 MONUMENT PREVIOUSLY SET  
 BY ST. P. & N. W. HOSES - NOTES  
 SHOW - A - STONE - WAS - FOUND.  
 MONUMENT SET IN E. OF  
 E. W. ROAD. IN LINE WITH  
 NTS, FENCE - LINE.

153.4'	N. W. of N. W. Cor Goshen School no. 3
86.9'	N. W. of X S.P.K. IN 30" Maple Tree
104.1'	W. N. W. of " " P.W.T. Pole
34.7'	N. of " " Cor Post
33.0'	S. of " " Cor Post
153.9'	N. E. of " " P.W.T. Pole


MONUMENT - BURIED - 12" Deep

16 15

21 22

STAMPED -

8-7-39



N<sup>1</sup>/<sub>4</sub> CORNER - Sec - 21 - T 78 N - R 3 W  
 MONUMENT - PREVIOUSLY SET BY  
 ET F. F. AN - IN NOTES - SHOW  
 A IRON PIN - WAS FOUND -  
 MONUMENT - SET IN E OF  
 E + W + N - ROADS - IN - LINE -  
 WITH - S. FENCE - LINE.

180.2' S. of SW cor of Bridge  
 240.7' N.E. of X SPR IN PWR Pole  
 43.5" NW of " " " " "  
 46.8' S.W. of " " " " " COR Post  
 33.1' N of " " " " " "


MONUMENT - BURIED - 12" DEEP

STAMPED -

16  
 21

N  
 N

8-7-39



NE. CORNER - Sec - 34 - T78N - R 3 - W  
 MONUMENT - PREVIOUSLY - SET BY  
 AT-AT-PLAN - IN HOUSES - NOTES - SHOW  
 A. STONE - WAS - FOUND - MON. SET  
 IN. E. OF NTS - East. R. 70 S.


- 168.9' NNE. OF IRON - CORNER POST
- 192.1' NE. OF NE. COR. CEDARVILLE School
- 81.7' E. NE. OF XSPKS - IN POWER POLE
- 60.3' SE. OF XSPKS - IN CORNER POST
- 236.5' S. SE. OF XSPKS - IN POWER POLE
- 42.7' SW. OF XSPKS - IN TEL. POLE
- 125.6' W. NW. OF XSPKS - IN POWER POLE
- 47.8' NW. OF XSPKS - IN CORNER POST

MONUMENT - BURIED - 12" DEEP

27 26

STAMPED 34 35

X F.P.  
 8-7-39




W 1/4 CORNER - Sec. - 35 - T78N - R-3-W  
 MONUMENT - PREVIOUSLY SET -  
 BY - 4 FT. R/R IN - WHOSES - NOTES -  
 SHOW - A - WOODEN - HUB - IN - FS -  
 FOUND - MON. SET - IN - E.O.F -  
 N.T.S - ROAD - IN - LINE - WITH -  
 E + W FENCE - LINES.

- 201.5' NE. OF NE COR. E. END OF R.O.S.
- 33.1' E. OF X SPKS. IN. POWER PALE
- 36.0' E.S.E. OF X SPKS. IN. N. GATE POST.
- 33.7' W. OF X SPKS. IN. CORNER POST.
- 153.8' N.N.E. OF X SPKS. IN. CORNER POST.

MONUMENT - BURIED - 12" DEEP

34-35

STAMPED -



E.  
L  
I  
N  
E  
S.



W $\frac{1}{4}$  CORNER. Sec - 23 - T 75 N. R. 3 - W  
 MONUMENT - PREVIOUSLY SET -  
 BY - H. H. RYAN - WHOSES - NOTES  
 SHOW - R. STONE - WAS - FOUND.  
 MON. SET - IN - E. OF - COUNTY  
 ROAD - "W" AND - IN - LINE - WITH  
 E. FENCE - LINE.


33.4' E. OF XSPKS - IN - S. GATE POST.  
 33.5' W. OF STEEL - CORNER POST  
 31.0' E. N.E. OF XSPKS - IN - COR. POST  
 46.7' N.E. OF STEEL - BRACE - POST  
 112.8' N.W. OF XSPKS - IN - TEL. POLE  
 46.5' N.W. OF XSPKS - IN - 20" MAPLE  
 42.0' S.W. OF XSPKS - IN - 8" CATALPHA.

MONUMENT - BURIED - 12" DEEP

22 - 23

STAMPED -

8-14-39



NE CORNER - Sec - 2-2 - T78N - R-3-W  
 MONUMENT PREVIOUSLY SET BY  
 T. T. Ryan - WHOSES - NOTES - SHOW  
 AN IRON PIN WAS FOUND - MAN  
 SET IN -  $\frac{1}{2}$  OF ROAD - W - END - IN - LINE  
 WITH - E. FENCE - AND - IN -  $\frac{1}{2}$  OF  
 COUNTY ROAD - "W" - N. S.

- 30.7' W. OF XSPKS - IN - CORNER - POST
- 45.9' SE. OF XSPKS - IN - TEL. POLE
- 50.2' NE. OF XSPKS - IN - TEL. POLE
- 152.9' NW. OF XSPKS - IN - TEL. POLE
- 138.8' SW. OF XSPKS - IN - TEL. POLE
- 51.3' N. OF  $\frac{1}{2}$  OF E. STREET CULVERT


MONUMENT BURIED - 12" DEEP

15 14  
 21 23

STAMPED -



8-14-39




N $\frac{1}{4}$  CORNER - Sec. 12 - T78N - R-3-W  
 MONUMENT - PREVIOUSLY SET BY  
 J. J. RYAN. WHOSES NOTES SHOW  
 A STONE WAS FOUND. MON.  
 SET IN  $\frac{1}{4}$  OF E+W ROAD - IN LINE  
 WITH NTS, FENCE LINES.

- 33.2' S. OF XSPKS - IN - CORNER POST
- 33.6' N. OF XSPKS - IN - CORNER POST
- 11.1' W. OF  $\frac{1}{4}$  OF CONCRETE CULVERT
- 48.3' NW. OF XSPKS - IN - POWER POLE
- 214.2' NE. OF XSPKS - IN - POWER POLE
- 211.8' SE. OF XSPKS - IN - TEL. POLE
- 111.2' SW. OF XSPKS - IN - TEL. POLE

MONUMENT - BURIED - 12" DEEP  
 15  
 STAMPED - 22

X

8-14-39



N $\frac{1}{4}$  CORNER - Sec. 23 - T78N - R3 - W  
 MONUMENT - PREVIOUSLY SET BY  
 J. F. RYAN - WHOSE NOTES SHOW  
 A STONE WAS FOUND. MON. SET  
 ON W. SIDE OF N.E. FENCES AND  
 IN LINE WITH E. FENCE.

- 0.7 W. OF X SPKS - IN. CORNER POST
- 403.0' W. OF X SPKS - IN. 10" MAPLE
- 10.8' S. OF X SPKS - IN. FENCE POST
- 144' W. OF X SPKS - IN. FENCE POST


MONUMENT SURFACE LEVEL



STAMPED - 23

X

8-14-39




11  
E-15  
W<sup>1</sup>/<sub>4</sub> CORNER - Sec - 14 - T78N - R-3-W  
MONUMENT. PREVIOUSLY SET BY  
ST. A. RYAN - WHOSES - NOTES - SHOW  
A STONE - WAS - FOUND - MON. SET  
E. OF E. OF COUNTY - ROAD - "W"  
N.T.S., AND - IN - LINE - WITH - E.  
FENCE LINE

33.5' W. OF XSPKS - IN - CORNER POST  
50.0' E. OF W. ROW FENCE LINE  
48.8' E. OF XSPKS - IN - POWER PLE  
282.1' S. OF  $\frac{1}{2}$  OF A STEEL CULVERT  
51.4' W. OF XSPKS - IN - POWER PLE  
648.2' SE. OF SE. COR. OF BARN  
162.3' NW. OF XSPKS - IN - TEL. POLE  
168.0' NE. OF XSPKS - IN - POWER PLE

MONUMENT BURIED - 18" DEEP

15-14


STAMPED -



NE CORNER - Sec - 15 - T. 78 N. - R. 3 W  
 MONUMENT - PREVIOUSLY SET BY  
 J. F. PARR - WHOSES - NOTES  
 SHOW A STONE - WAS FOUND  
 MON. SET N. OF INTERSECTION  
 OF U. S. # 6 + COUNTY - ROAD  
 "W"

- 154.9' N. OF PAVEMENT - STA. # 589
- 338.2' W. NW. OF IA - GEOD. TIC # 547
- 145.9' NNE. OF B.M. IN N. HED WALK OF C.W. VENT
- 477.9' ESE. OF SE. COR. E. PIER OF OVERHEAD BR.
- 48.6' SE. OF X SPKS - IN - TEL. POLE
- 113.8' SW. OF X SPKS - IN - TEL. POLE
- 100.8' W. OF X SPKS - IN - TEL. POLE
- 116.2' S. OF R. OF S. TRACK CRIP + P.P.

MONUMENT SURFACE - LEVEL




N<sup>1</sup>/<sub>4</sub> CORNER - Sec - 26 - T78N - R. 3 - W  
 MONUMENT - PREVIOUSLY SET BY  
 ST. ST. RICH - WHOSES - NOTES - SHOW  
 A STONE - WAS - FOUND - MON.  
 SET IN - LINE - WITH S. FENCE - AND  
 N. OF E. W. FENCES - AND E. OF  
 N. FENCE.

- 17.9' SSE OF XSPKS - IN GATE POST
- 217.0' E. OF XSPKS - IN POWER POLE
- 6.5' E. OF XSPKS - IN CORNER POST
- 133.0' W. OF XSPKS - IN POWER POLE

MONUMENT - BURIED - 6" DEEP

STAMPED - 26



NE CORNER - Sec - 26 - T78N - R3 - W  
MONUMENT - PREVIOUSLY SET BY  
A-T PLAN - WHOSE NOTES SHOW  
A STONE WAS FOUND. MON. SET  
IN LINE WITH E-W FENCES  
AND E. OF S. OF LANE ROAD


8.9' W. OF ASPKS - IN POWER PLE  
19.3' E. OF ASPKS - IN CORNER POST  
20.9' N. OF NW CORNER OF BARN

MONUMENT BURIED - 12" DEEP

23 24

STAMPED - 26 25

8-14-39




21  
N<sup>1</sup>/<sub>4</sub> CORNER. Sec. 27-T78N-R.3W  
MONUMENT. PREVIOUSLY SET  
BY J. F. RYAN. WHOSES NOTES  
SHOW. A STONE WAS FOUND  
MON. SET ON N. SIDE OF E+W  
ROAD IN LINE WITH N-E & W  
FENCES.

39.9' N. OF XSPKS IN CORNER POST  
132.5' E. OF XSPKS IN TEL. POLE  
87.0' W. OF XSPKS IN TEL. POLE

MONUMENT BURIED 10" DEEP

22  
|  
STAMPED 27

8-14-39



NE CORNER Sec - 27 - T8N - R-3W  
 MONUMENT - PREVIOUSLY - SET BY  
 F. T. RYAN - WHOSES - NOTES - SHOW  
 A - STONE - WAS - FOUND - MARK SET  
 IN -  $\frac{1}{2}$  OF N. S. ROAD - IN - LINE  
 WITH E. FENCE LINE - AND  
 N. ROW FENCE - W.

- 260.8' SW. OF SW. COR. OF FARM RES.
- 33.3' E. OF IRON CORNER POST
- 32.7' W. OF XSPKS - IN - CORNER POST
- 114.5' SE. OF XSPKS - IN - POWER POLE
- 52.0' NE. OF XSPKS - IN - CORNER POST
- 104.2' SW. OF XSPKS - IN - 16" PINE


MONUMENT BURIED - 12" DEEP

23 21

STAMPED - 27 26




8-14-39



SW Cot sec 32-T78N-R3W-

- 41.0' E of NE Cot sec 6-77-3
- 178.5' SSW of xSPK517 Pur-Pole
- 45.8' SE of Blazed 24" Elm
- 22.5' NE of xSPK517 Pur-Pole
- 268.0' NW of xSPK517 Pur-Pole

RKW-Cot P.




S. 1/4 Cor - sec 32 - T78N-R3W -

At

- 120.1' SW. of XSPKS 117 Tel Pole  
 31.1' N. of XSPKS 117 fence Post  
 90.2' NE. of XSPKS 117 GATE Post  
 156.4' NE. of XSPKS 117 Pwr Pole  
 120.1' NW. of XSPKS 117 Pwr Pole  
 122.7' SE. of XSPKS 117 W. GATE Post  
 24.5' SW. of XSPKS 117 fc Post fc.  
 Running N.  
 82.8' E. of NW Cor sec 5 - 79 - 3W -

RKW-C03P.



25

N.E. cor. Sec. 2-78-3 W


At intersection of E. & W. Mus. - Cedar  
County line for and for S. found Grey Granite  
stone 13" x 8" x 6" at surface level. lowered  
same & placed G.M. above stamped  $\frac{1}{2}$ "  
at surface level.

60.6'	S.W. of	Blazed 10" W. Oak
63.5'	S. of	" 14" Burr "
64.7'	S.S.E. "	" 10" W. "
94.6'	N.E. "	" 12" " "
105.4'	N. of	" 26" Elm



5-16-40

R.K. Williamson - G. of P.




N $\frac{1}{2}$  cor. Sec. 30-78N-R3W

At intersection of fc. lines N+5. and E+W.  
dug hole 3'x3'x1' dp. No evidence found  
corner restored. Location of corner preserved  
by adjacent landowners by fences. Accepted  
local evidence and set Mon. adjacent to cor.  
post on N. side. Mon stamped  $\frac{17}{30}$  set at  
surface level.

10.0'	N. of XSPNS in	Brace post
22.3'	S. " " " "	cor. "
22.4'	E. " " " "	" "
15.1'	S.E. " " " "	fence "
183.6'	W. of Blazed 10" Wild Cherry	

R.K.W. - C of P  
12-27-39



27


W. 1/4 cor. Sec. 31-78-3W

In line with Sec. line fc. N. which is also  
the W. R. O. W. fc. of Hwy #76, in line  
with 1/4 sec. line fc. E. + W. found Gray  
Granite stone 10" x 10" x 8" buried 4" deep.  
lowered same & placed C.M. above stamp  
36+31 at surface level.

170.6' E. of Blazed 12" Group Elm  
327.8' N. of " 30" Elm  
110.1' W. of X spks. in cor. post

10-16-40

P.K.W. - C. of R.



N.  $\frac{1}{4}$  cor. Sec. 12-78-31W.

At proportionate measure between  
Sec. cors. E. & W. dug hole 20' x 6' x 3' dp  
No evidence found. The only line fo.  
In the vicinity of this corner is one  
East which is bowed so as not to be a  
good guide as to the line. [Corner restored  
on true line and at proportionate dist.  
between the N.W. and N.E. cors. of Sec.  
12-78-31W. Set C.M. in field stamped  
 $\frac{1}{12}$  and buried 12" deep.

17.3' W. N.W. of X spks in Corn past


63.1' N.W. of Blazed 6" Willow

42.4' S.S.W. of X spks in fo. past

605.0' S.E. of Tile silo


12-9-90

P.K. Wi - Corp



Found limestone 15'x10'x9'  
 No other evidence found  
 set C.M. and stamped  
 13+18


250.2 S.W. of XSPKS 20" Elm oak  
 102.0 S.W. " " " 20" " "  
 130.2 S. " XSPKS 26" Burr Oak  
 15.6 W. " " " 50. Post  
 20.8 N.E. " " " Brace post  
 203.8 N.E. " S.E. S.P. 20"



W. 1/4 cor. sec. 6-78-3W

Found Gray Granite  
 22" x 5" x 3" No other evidence  
 found lowered same place  
 set C.M. on top and stamp  
 176

1499.3	N of XSPKS	Sci. Post
116.5	SW. " "	60" Elm
198.1	SE. " "	50" "
264.7	E. " "	40" "
662.5	N.W. " "	Brace post.
172.9	W. " "	cor. post.



N.E. Cor. sec. 7-78-3W

Found Lime stone 18" x 7"


No other evidence found

Lowered same place

Set C.M. at surface level

Stamped  $\frac{45}{118}$ 

10.9	N.	05	x	PKS	12	Brace post
12.6	E.	"	"	"	"	"
12.4	S.	"	"	"	"	"
11.1	W.	"	"	"	"	"




N.E. cor. sec. 13-78-4W

Found sand stone 10x8x6"  
14" deep no other evidence  
found. Lowered and set  
C.M. on Top and stamped

12.17  
13.18

Est - Checked this corner up  
on map & it is NE 13-78-4W

213.9 N.W. of XSPKS 16" coffee Bean  
491.5 N.W. of Signal Tower  
181.7 N.W. of XSPKS 14" Hack Berry  
187.3 S.W. " " " 30" " "  
216.2 S. " " " 36" Elm  
422.7 S.E. of E. span of Highway bridge  
236.4 S.E. of XSPKS 12 36" oak  
302.5 E " " " " 30" Elm

16-4-12  
S.F. Mills

N. 1/2 cor. Sec. 19-78-3W.

In E. of E. + W. rd. in line with  
 to S. of hole 3' x 3' x 3' deep. Found  
 pieces of white limestone  
 approx. 9" x 6" x 6" buried 12"  
 deep. Lowered same and placed  
 S.C.M. above stamped  $\frac{15}{19}$  Buried  
 12" deep.

36.6' S. of Iron Gate post

120.6' E.S.E. of X Spks. in Priv. Pole


137.2' W.S.W. " " " " "

88.0' N.W. of N.E. cor. of Machine Shed

78.6' N.N.W. of N.W. " " " "

3-24-41

P.K.W. - C. of P.





W. 1/4 cor. Sec. 17-78-3W

At intersection of E+W. fc. and fc.S.  
 dug hole 3'3" x 2' deep around cen. post.  
 On E side of post found broken limestone  
 approx. size 10" x 6" x 6" buried 8" deep  
 lowered same & placed C.M. above  
 stamped 18717 at surface level.

198.0' W. of fc.N.

154.5' W.S.W. of Blazed 60" Cottonwood

85.2' E. of Blazed 6' Box Elder

3-26-41.


P.K.W. - C. of P.

Blazed  
6' Box Elder

85.2'

198.0'

1/4 sec. line fc.



N. 1/4 Cor. Sec. 20-78-3W

In E. of Mts. rd. in line with f. E.  
dug hole 4' x 4' x 2' deep. An old wood plank  
culvert crosses the road at this point.  
No evidence found. A fence W. is 5.5' S. of the  
f. E. The owner of the land N. of the f. E.  
states that this fence (W.) is south of the true  
line to accommodate a drainage ditch for  
the mutual benefit of both land owners.  
Thus I assumed the f. E. to be the true  
1/4 section line and so I set 5 corners in E. of  
rd. in line with f. E. stamped 1920

34.0' E. of x spks. in Cedar corner post  
29.4' W. " " " " Hedge " "  
36.5' N. W. of " " " " Telephone  
141.9' S. S. W. " " " " " "

