

29 Gov't Land Corner Ties

Muscatine County

DIETZGEN

78-4W

FIELD BOOK

Book 1

No. 403P

T78N R4W

Wapsie Township

79-4W

Checked 10/4/39 - EAO

29

M.L.

all information taken out.

Index to Books #1-2-3 78-44

4	6	5	4	3	2	1
15	7	8	9	10	11	12
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

US#6

- Book #1
- Book #2
- Book #3
- Book #4

- plain
- circles ○
- squares □
- Triangle ▲

Final check  
EW. 9. 13-42

XHJA


$\frac{1}{4}$  CORNER - Sec. 31 - 78N - R. 4 - W.  
 MONUMENT - PREVIOUSLY SET -  
 BY H. J. RYAN - WHOSES - NOTES  
 SHOW - NO ORIGINAL EVIDENCE  
 FOUND - MONUMENT - SET - IN -  
 S. OF E + W - ROAD.

277.0' NE. OF NE. COR. OF BARN  
 81.9' NE. OF B.M. IN SE. HEAD - WALK - OF CULV.  
 28.4' N. OF XSPKS - IN - FENCE POST  
 25.9' S. OF N. FOW. FENCE - LINE  
 139.3' SW. OF XSPKS - IN - POWER POLE  
 129.5' W. OF MON. NE. COR. - Sec. 6 - 77N - R. 4 - W.

MONUMENT - BURIED - 12" DEEP  
 31

STAMPED -

8-12-39





W 1/4 CORNER Sec 31-778N-R-4-W  
 MONUMENT - PREVIOUSLY SET  
 BY WIT RYAN - WHOSES NOTES  
 SHOW - A STONE - WAS FOUND  
 MONUMENT SET IN - 1/4 OF  
 NTS ROAD - IN - LINE - WITH -  
 W. FENCE - LINE.


- 28.4' E. of XSPK IN COR POST
- 25.3' W. of E. ROCK. FC. NTS.
- 31.4' N.E. of XSPK IN GROUPE WildCherry

MONUMENT BURIED - 12" DEEP

36 — 31

STAMPED -

N 7-24-39



SW. CORNER - Sec - 30 - T78N - R4 - W  
 MONUMENT - PREVIOUSLY - SET  
 BY. H. RYAN - WHOSES - NOTES  
 SHOW - A - STONE - WAS - FOUND -  
 MONUMENT - SET - IN - R. O. F. -  
 NTS, & W. ROADS - IN - LINE - WITH -  
 E. FENCE - LINE.


- 38.9' N.E. of X SPR IN COY POST  
 59.2' S.E. of X SPR IN GROUPE of Willows  
 25.0' W. of IRON COY POST

MONUMENT - BURIED - 12" DEEP

25 30

36 31

STAMPED -



5

N<sup>1</sup>/<sub>4</sub> CORNER - Sec - 31 - T78N. R - 4 - W

MONUMENT - PREVIOUSLY - SET - BY

H. T. RYAN - WHOSES - NOTES - SHOW

NO - ORIGINAL - EVIDENCE - FOUND.

MONUMENT - SET - IN - LINE -

WITH - N. FENCE - AND - S. OF

E + W FENCE - LINE.


5. S. of X SPK IN LOT POST

MONUMENT

30

STAMPED - 31

7-25-39



W<sup>7</sup> CORNER - Sec - 30 - T<sup>8</sup>N - R - 4 - W  
 MONUMENT - PREVIOUSLY - SET -  
 BY - W. J. P. J. - WHOSE - NOTES -  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MONUMENT - SET - IN  
 $\frac{1}{2}$  OF NLS, ROAD - IN - LINE -  
 WITH - E. FENCE - LINE.

27.9' N.W. of X SPR IN BOX Elder TREE  
 28.0' W. of X SPR IN Cor Post  
 23.1' . E of GAS PIPE ON FENCE LINE


MONUMENT - BURIED - 12" DEEP

25 - 30

STAMPED -

N

7-25-39



7  
 SW CORNER - Sec - 19 - T78N - R4 - W  
 MONUMENT - PREVIOUSLY - SET  
 BY - JAT - RYAN - WHOSES - NOTES  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MONUMENT - SET - IN  
 E OF NTS, ROAD, AND - E. ROAD.


- 25.4' SE of XSPKIN Gate Post
- 22.5' N, E, of XSPKIN Gate Post
- 32.9' S, W, of XSPKIN Gate Post
- 33.8' N, W, of XSPKIN Gate Post
- 66.5' W, N, W, of XSPKIN TEL Pole
- 63.3' N, N, W, of XSPKIN TEL Pole

MONUMENT - BURIED - 12" DEEP

24 19

25 30

STAMPER




N $\frac{1}{4}$  CORNER - Sec - 30 - T-70N - R-1-W  
 MONUMENT - PREVIOUSLY - SET - BY  
 J-T-RYAN - WHOSE - NOTES - SHOW  
 NO - ORIGINAL - EVIDENCE - FOUND.  
 MONUMENT - SET - IN - A - OF -  
 E + W, ROAD - IN - LINE - WITH  
 N + S, FENCES.

31.4' NW of X SPRING GATE POST  
 28.6' S of IRON COR POST  
 59.6' N.E. of X SPRING PWT Pole  
 33.3' S.E. of X SPRING TEL Pole  
 27.0' N. of X SPRING COR POST  
 107.9' NW of SW COR of C. BOX COLVERT  
 98.1' S.W. of NW " " " " " "

MONUMENT - BURIED - 12" DEEP

STAMPED - 1930





SW CORNER - Sec. 18 - T78N - R-4-W  
 MONUMENT PREVIOUSLY SET BY  
 W-T-RYAN - WHOSE NOTES -  
 SHOW - A IRON - PIN - WAS - FOUND.  
 MONUMENT SET IN -  $\frac{1}{4}$  OF - E-W,  
 N-T-S, ROADS.


132.0' N.E. OF GEODETIC #52-785242  
 43.5' S.E. OF X SPK IN COR POST  
 47.5' S.W. OF X SPK IN COR POST  
 43.5' N.E. OF X SPK IN PWT POLE  
 44.6' N.W. OF I 2077 COR POST

MONUMENT BURIED - 18" DEEP

13 18

24 19



STAMPED -



N<sup>1</sup>/<sub>4</sub> CORNER - Sec. 19 - T18N - R. 4 - W  
 MONUMENT - PREVIOUSLY - SET - BY  
 F. J. RYAN - WHOSES - NOTES - SHOW  
 NO - ORIGINAL - EVIDENCE - FOUND.  
 MONUMENT SET - IN -  $\frac{1}{2}$  OF - E-W  
 ROAD - IN - LINE - WITH - N+S  
 FENCE - LINES.

- 55.5' S.W. of GEODETIC #689
- 263.3' S.E. of XSPK IN 20' Elm
- 98.4' N.W. of XSPK PWT Pole
- 69.2' S.E. of XSPK IN TEL Pole
- 33.0' S. of XSPK IN COR Post
- 33.6' N. of XSPK IN COR Post

MONUMENT - BURIED - 12" Deep



W $\frac{1}{4}$  CORNER - Sec-18-T78N-R-4-W

MONUMENT - PREVIOUSLY - SET BY

J. T. RYAN - WHOSE NOTES - SHOW

NO ORIGINAL EVIDENCE FOUND.

MONUMENT - SET - IN -  $\frac{1}{4}$  OF - N $\frac{1}{2}$ S

ROAD - IN - LINE - WITH - E $\frac{1}{2}$ W

FENCE - LINES.

338.0' S.E. of Geodetic #52-785134

62.3' SW. of X.S.P.K. IN TEL Pole

151.3' N.E. of X.S.P.K. IN P.W.T. Pole

28.8' E. of X.S.P.K. IN COY POST

28.9' W. of X.S.P.K. IN COY POST

136.3' N.W. of X.S.P.K. IN TEL Pole

242.8' S.E. of X.S.P.K. IN P.W.T. Pole

MONUMENT - BURIED - 12" Deep

13-18

STAMPED -

13-18-39

N

N

7-26-39

57

Geodetic

#52-785134

X.S.P.K. IN

P.W.T. Pole

338.0'

151.3'

62.3'

X.S.P.K. IN

COY POST

28.8'

28.9'

X.S.P.K. IN

COY POST

136.3'

242.8'

X.S.P.K. IN P.W.T.

Pole

X.S.P.K. IN

TEL Pole

SW CORNER Sec-7-T8N-R-4-W  
 MONUMENT- PREVIOUSLY SET-  
 BY- H. T. RYAN- WHOSE- NOTES  
 SHOW- NO- ORIGINAL- EVIDENCE  
 FOUND- MONUMENT- SET  
 IN- A OF N/S, E & W, ROADS.


- 47.6 N.E. of X SPR IN COY-POST
- 36.5 S.E. of " " " " " "
- 25.9' NW of " " " " " "
- 40.0' S.W. of X SPR IN PW- Pole

MONUMENT- BURIED- 12" DEEP

12-7

13-18

STAMPED-





W<sup>1</sup>/<sub>4</sub> CORNER - Sec - 7 - T78N - R4 - W  
 MONUMENT PREVIOUSLY SET  
 BY J. J. RYAN - WHOSES NOTES -  
 SHOW NO ORIGINAL EVIDENCE  
 FOUND - MONUMENT SET IN  
 E. OF N.T.S. ROAD - IN LINE - WITH  
 W. FENCE LINE.

- 175.6 N.W. of X SPR IN Cotton Wood
- 49.6 S.E. of " " " " TEL Pole
- 147.5 S.W. of " " " " PWY Pole
- 26.5 E. of " " " " Coy Post

MONUMENT BURIED - 12" Deep


12-7

STAMPED -

X

N  
53

7-26-39





NE. CORNER - Sec. 34-778N-R-4-W  
 MONUMENT - PREVIOUSLY SET - BY  
 J. F. FLAN - WHOSES - NOTES - SHOW  
 A - STONE - WAS - FOUND.  
 MONUMENT - SET - IN - S. OF N.  
 E. W. ROADS.


- 61.6 N.E. of N.E. Cor of Farm Road
- 46.0 N.W. of X SPR IN P.W. POLE
- 43.0 S.E. of " " " TEL POLE
- 87.9 E.N.E. of " " " P.W. POLE
- 37.5 N.E. of BISED 36" MAPLE

MONUMENT - BURIED - 12" Deep

27 26  
 34 35

STAMPED -

X



7-27-89


W $\frac{1}{4}$  CORNER - Sec-26-T78N-R-4-W  
 MONUMENT PREVIOUSLY SET BY  
 J. T. HAN- WHOSE NOTES SHOW  
 NO ORIGINAL EVIDENCE FOUND.  
 MONUMENT SET IN  $\frac{1}{2}$  OF  
 N+S ROAD.

890.2' N.E. of N.E. C. Farm RESIDENCE  
 323.4' S.E. of X.SPK IN 36" MAPLE  
 26.6' N.W. of " " PWT POLE  
 24.6" W. of FENCE LINE  
 21.8' E. of " " " "  
 455.6' N.N.E. of N.W. Cor. of Bldg.  
 254.5' S.W. of X.SPK IN PWT POLE

MONUMENT BURIED - 12" DEEP

27-26

STAMPED -



NE CORNER - Sec. 27-778N-R. 4-W  
 MONUMENT PREVIOUSLY SET  
 BY H. T. R. HAN - WHOSES NOTES  
 SHOW - A STONE WAS FOUND  
 MONUMENT SET IN  $\frac{1}{4}$  OF  
 N + S + E ROADS - IN LINE -  
 WITH - W. FENCE - LINE


- 58.2' S.W. of X SPK IN P.W. Pole
- 235.5' N.E. of BUCKEYE TREE
- 30.1' N.W. of X SPK IN COY POST
- 50.5' W.N.W. of " " IN TEL POLE
- 70.4' W.S.W. of " " IN P.W. Pole
- 42.6' E.N.E. of " " IN TEL POLE
- 32.3' E of " " IN COY POST

MONUMENT BURIED - 12" DEEP

22 23

27 26

STAMPED -



W $\frac{1}{4}$  CORNER - Sec - 13 - T78N - R-4-W

MONUMENT - PREVIOUSLY SET BY

J. H. RYAN - WHOSES NOTES SHOW

A WOODEN HUB WAS FOUND.

MON. SET IN E. OF N. S. ROAD

IN HIVE WITH E+W FENCE

MINES.

318.3' S.E. of S.E. Cor of Barn

529.2' S.E. of S.E. Cor of Farm Resd

130.1' N.W. of X SPR IN PWT POLE

72.0' S.E. of X SPR IN TEL POLE

33.3' W. of X SPR IN COR POST

33.4' E. of X SPR IN COR POST

49.9' S.E. of W END STEEL COLVERT


37.9' S.W. of E END STEEL COLVERT

MONUMENT - BURIED - 12" Deep

22 — 23

STAMPED

7-27-39




21  
 NE CORNER - Sec-22-T78N-R-4-W  
 MONUMENT - PREVIOUSLY - SET  
 BY - JET-PLAN - WHOSES - NOTES  
 SHOW - A - IRON - PIN - WAS - FOUND  
 MONUMENT - SET - IN -  $\phi$  OF -  
 NTS. ROAD - IN - LINE - WITH  
 E + W FENCE - LINES.

31.1' E. of Geodetic # 150  
 194.1' S.E. of XSPK IN TEL Pole  
 55.1' N.E. of XSPK IN " "  
 134.1' S.W. of XSPK IN PWT Pole  
 236.7' N.W. of XSPK IN " "  
 33.2' W. of XSPK IN COY Post

MONUMENT - BURIED - 12" Deep

15	14
22	23

STAMPED -



W<sup>4</sup> CORNER - Sec - 14 - T8N - R. 4 - W

MONUMENT - PREVIOUSLY SET

By - J. J. RYAN - WHOSES - NOTES

SHOW - A - STONE - WAS - FOUND

MONUMENT - SET - IN - R. OF

N.T.S., ROAD - IN - LINE - WITH

E. IN, FENCE - LINES.

- 210.9' S. E. of S.E. COY. of Farm Resid  
 134.6' S. W. of X SPR IN PWT Pole  
 54.3' S. E. of " " 18" Elm Tree  
 33.3' W. of " " COY Post  
 137.8' N. W. of " " PWT Pole  
 33.4' S. E. of Wind Mill Pump


MONUMENT BURIED - 12" DEEP

15-14

STAMPED -

X

7-28-39




NE CORNER - Sec-15-T.78N-R.4-W  
 MONUMENT - PREVIOUSLY SET  
 BY - AT - AT - RYAN - WHOSES - NOTES  
 SHOW - NO - ORIGINAL - EVIDENCE  
 FOUND - MONUMENT - SET  
 IN - LINE - WITH - NTS, FENCE,

2.52.7 N. of Geodetic # 148  
 79.3 S. E. of XSPK IN 24" Walnut Tree  
 32.2 N. W. of XSPK IN 20" B. OAK  
 11.4 S. W. of XSPK IN 10" Elm  
 127.9 S. of XSPK IN Car Post

MONUMENT - SURFACE - LEVEL

10/11  
 15/14  
 STAMPED -

7-28-39



NE CORNER SEC - 35 T78N R4W

MONUMENT - PREVIOUS SURV. SET BY

J. H. FRIAN WHOSES NOTES SHOW

A STONE WAS FOUND MON 15 SET

IN E OF E+V ROAD IN LINE

WITH N.S. FENCE LINES.

96.4' SE OF XSPKS IN 18" W. OAK TR =

61.9' SE OF XSPKS IN 20" B. OAK

80.0' SSE OF XSPKS IN 30" OAK TREE

27.0' S OF XSPKS IN 30" OAK TREE

72.6' SW OF NW COR OF BRIDGE

39.7' N OF XSPKS IN 6" WILD CHERRY


31.1' NNE OF XSPKS IN W. GATE POST

MONUMENT - BURIED - 12" D.C.P

26 25

STAMPED - 35 36

8-14-35



SE CORNER - Sec 34 - T-78-N - R-4-W  
 27.0' W. OF MONUMENT OF NE.  
 COR. Sec 3 - T-77-N - R-4-W. FOUND  
 A WHITE-LIME STONE - 16" X 8" X 7"  
 LOWERED - SAME AND - PLACED  
 MON. ABOVE.

27.6' W. OF ASPKS - IN - CORNER POST  
 318.5' E. OF P. OF CRI + P. R. TRACK  
 2.9' S. OF 3 ROW. FENCE - F + W.  
 253.6' SE. OF B. MON. N. HEAD - WALL F. P. W.  
 27.0' W. OF MON. NE - COR. Sec 3 - T-77-N - R-4-W


MONUMENT - BURIED - 12" DEEP

34 35

STAMPED -

Same as in Bk 24

6-30-39



26


NE CORNER - Sec - 36 - T78N - R14W  
 AT POINT INDICATED - BY LINE  
 FENCE - N - AND - IN - 50 FT  
 W - ROAD - DUG - AND - FOUND  
 AN - 1/2" IRON - PIN - 30" LONG  
 LOUVERED - AND - PLACED - MAY  
 28 1894

22.8' SSW OF XSPKS & W. GATE OUT  
 2.4' S. OF XSPKS - IN 8 CEDAR  
 1.1' SW. OF XSPKS - IN "APPLE"  
 6' NW. OF X.P. 1 & 2 IN  
 065.1' W. OF 1. OR. OF FARM RES

N ... ROAD - 12 ... CP  
 23 24  
 STAMPED - 26 25

Done as in 1824

6-15-39



RES

SW. C. P.

8" CEDAR

GATE POST

12" APPLE

10" EXHA

N $\frac{1}{4}$  CORNER - Sec - 25 - T78N - R-4W

DUG-IN  $\frac{1}{2}$  OF E-W ROAD AND

IN-LINE WITH N-FENCE AND

E ROW FENCE SOUTH AND -

FOUND - WHITE-LIME STONE

12" X 10" X 6" - LOWER END - SAME AND

PLACED - MON. ABOVE.

20.9' S. OF XSPKS - IN - CORNER POST

38.2' NW. OF XSPKS - IN - BRACE POST

39.6' NE. OF XSPKS - IN - CORNER POST

39.9' NE. OF XSPKS - IN - 24" HICK BERRY

211.9' SE. OF SE. COR. OF COTTAGE

90.8' SW. OF XSPKS - IN - 20" OAK

61.9' SE. OF XSPKS - IN - 18" HICK BERRY

104.7' S. OF XSPKS - IN - 24" OAK

MONUMENT - BURIED - 12" DEEP


24

STAMPED - 25

Same as in Bk 24

X

6-15-39



NE CORNER - Sec-1-78N-R-4-W

HT. POINT INDICATED - BY MEASURE  
 MENT AND LINE - FENCE - S. IN  
 § OF E-W ROAD - DUG AND FOUND  
 AN 1" IRON PIN - 34" LONG. HOWEVED  
 SAME AND PLACED - MAN ABOVE

33.5' N. OF XSPKS IN - CORNER POST  
 39.6' NW. OF XSPK - IN ANCHOR OVER LIE  
 35.3' SW. OF XSPKS - IN POWER POLE  
 169.0' SE. OF XSPKS - POWER POLE  
 105.8' NE. OF X PYS. N. TEL. POLE  
 53.8' NW. OF X PYS. N. TEL. POLE  
 207.7' W. OF § OF ROAD - N.


14. 11-10-10 2 DEG P

STAMPED

Same as in BR 24

6-15-39

CEDAR  
 COUNTY



N. 1/4 Cor. Sec. 26-78-4 W.

In E. & W. rd. in line with a section of abandoned rd. S. found 3/4" Iron pin 16" long. County plans of road relocation note that this pin is accepted corner. No other evidence found. Hole dug was 8' x 6' x 2' deep. Lowered pin & set C.M. above stamped buried 12" dp.


25  
26

86.2' W. of X spike in pwr. pole  
 35.9' N.N.W. " " fc. post  
 39.9' N.N.E. " " " "  
 217.2' W.N.W. " " cor. post

10-3-40

R. K. Hill - C. of P.

Col. F. C. Harrington - buried today



N. E. Cor. Sec. 4-78-4 W

At point indicated by old survey  
Notes found Blue Flint 24" x 18" x 6"  
point exposed 2". Corner is in  
Creek flat in line with local road N.  
into Cedar County.


lowered stone & placed C.M. above  
stamped  $\frac{1}{3}$  2" above surface

Although the Ex. W. line is a correction  
line this corner is common to both tracts  
according to the original survey notes.

44.3'	S.W.	of Blazed 14" Bl. locust
28.4'	W.	" " 12" Elm
21.7'	N.N.E.	" " 4" Box Elder
60.6'	E.	" " 28" Elm
51.1'	S.E.	" " 50" Bl. locust
122.3'	S.	of R.O.W. of road

10-3-40

R. K. W. - C. of P.



31 NW cor of SW 1/4 of NW 1/4 Sec 2-78-4W

~~W. 1/4 cor Sec 2-78-4W~~

At intersection of E. + W. fc. and  
fc. S. dug hole 8' x 4' x 2' dp. Approx. 6 ft  
S. of E. + W. fc. and 1 ft. E. of fc. S. found  
White Sandstone 20" x 9" x 6" point 2"  
under surface.

Lowered same & placed C. M. Moore  
stamped 3' fc. at surface level and cap  
ob. terminated.

195.6' N. of Glazed 12" Wild cherry

4.5' N. of X spks. in brace post

5.2' S. " " " " cor. "


43.71 W.S.W. " " " 3rd fc. post E.

Connected - 6-2-41

by S.F.M.

10-7-40

R.K. 1/4 - C. of P.



32

W. 1/4 Cor. Sec. 5-78-4W

In N. + S. rd. in line with wood fc.  
post on E. side of rd, 2647.3' N. of  
S.W. cor. of Sec. 5; dug hole 5' x 3' x 2' deep  
Found 1" solid Iron pin 18" long buried  
1' deep. No other evidence found.

lowered same + placed C.M. above  
stamped GFS buried 12" deep.

339.1' N. of fc. W.

163.8' N.N.W. of X spks. in Pur. pole


33.0' W.S.W. " " " " "

63.5' N.N.E. " " " " Tel. " #5

42.5' E.S.E. " " " " fc. post

10-7-40

R.K.W. - C. of F.



W. 1/4 cor. Sec. 9-78-4W

At intersection of f.c.s. E. + S. in line with f.c.s. N. + W. found fragments of white limestone. Unable to estimate size because of condition of pieces. No other evidence found. Accepted the above as evidence of corner and set C.M. at surface level stamped 8+9.

12.6' W. of X spks. in Hedge Gate post


13.4' E. " " " " " "

26.9' S. " " " " Oak brace post

Start here

10-8-10

RK.W. - C.F.F.





W.  $\frac{1}{4}$  cor. Sec. 13-78-4 W.

Dug hole 4' x 4' x 3' deep in line with  
E. of N. side in line with  $\frac{1}{4}$  sec. line for  
W. No evidence found. Road shows evidence  
of being on deep fill on W. side of old creek bed.  
Corner restored. Used the fence W. and E. of  
rd. as evidence for establishment.

Set C.M. stamped 1713 buried 12" dp.

303.7' N.N.E. of cross in W. Hdwall of Conc. Cnly.

52.2' E.S.E. of Xspks. in Pur. Pole


66.8' N.E. of Steel cor. post

113.1' N.N.E. of Xspks. in Pur. Pole

16.8' " S. " " " " Teh. "

10-10-40

R.K.W. - C. of P.



36

15.4 East of Monument.

26+523