

30 Gov't Land Corner Ties

Muscatine County

DIETZGEN

78-4W

FIELD BOOK

Book 2

No. 403P

T78N R4W

Wapsie Township

Checked 11/13/39 LRO

30

See Book #1 for Index

M. L.

Final checks
E.V. 9-14-42
all information
taken out.

X //


W $\frac{1}{4}$ CORNER-SEC-33-T78N-R-4-W
 MONUMENT-PREVIOUSLY-SET-By
 ET-PLAN-INPOSES-NOTES SHOW
 A STONE-WAS-FOUND, MON.
 SET-IN-R OF-N $\frac{1}{2}$ S, ROAD END
 N $\frac{1}{2}$ E-WITH-ETW FENCE.

42.0' S.E. of XSPK in 12" Elm
 31.9' E. of XSPK in 12" Burr Oak
 44.2' N.E. of XSPK in 16" Burr Oak
 54.0' N.W. of XSPK in Power Pole
 25.8' W. of XSPK in Co. Post
 79.5' S. of S. End of E. Steel Girder of
 Bridge #65

MONUMENT PLUMBED 12" Deep

32-33

STAMPED-



W $\frac{1}{4}$ CORNER - Sec. 28 - T78N - R4 - W
 MONUMENT PREVIOUSLY SET
 BY H.T. PEARSON WHOSE NOTES
 SHOW A STONE WAS FOUND
 MON. SET IN E. OF NTS,
 ROAD IN LINE WITH E & W
 FENCE LINES.


- 33.0' E. OF XSPKS IN COR POST
- 34.9' W. OF XSPKS IN BRACE POST
- 47.0' S.W. OF XSPKS IN Power Pole
- 112.2' S.S.E. OF XSPKS IN TEL. POLE
- 33.3' W. OF XSPKS IN COR POST
- 706.0' S.S.W. OF S.W. COR. OF CORN. PR. 13.
- 50.9' N.E. OF XSPKS IN TEL. Pole

MONUMENT BURIED - 13" DEEP

29 - 28

STAMPED -

X




²³
 N¹/₄ CORNER - Sec - 33 - T78N - R4W
 MONUMENT - PREVIOUSLY SET BY
 F. T. RYAN - WHOSE NOTES SHOW
 NO ORIGINAL EVIDENCE FOUND.
 MON. SET IN $\frac{1}{4}$ OF E. W. ROAD
 IN LINE WITH NTS, FENCE
 LINES.

24.9' S. of XSPK517 Cor Post
 23.2' N. of XSPK517 Hedge Cor Post
 214.8' E.N.E. of Cor. Gate Pillar
 47.1' S.E. of XSPK517 Tel. Pole
 353.6' S. of XSPK517 30" Wild Cherry
 205.8 W.S.W. of XSPK517 Power Pole
 204.1' E.S.E. of XSPK517 Power Pole
 324.6' E.N.E. of N.W. Cor. of Res.

MONUMENT BURIED - 12" DEEP

28

STAMPED - 33




~~2007~~
 N $\frac{1}{4}$ COR 1st P-SEC-28-T75N-R-4-W
 MONUMENT PREVIOUSLY SET
 BY E. F. RYAN - WHOSES NOTES
 SHOW - 17 - STONE - WAS FOUND
 MON. SET IN - E. OF E. W. ROAD
 IN - LINE - WITH - FENCE - S.

29.3'	N.	05 X 5 P	17 W. - T. Pole
25.1'	N.	05 X 5 P	17 Cor. Post
41.2'	S.E.	05 X 5 P	17 Cor. Post
158.9'	S.W.	05 X 5 P	17 T. Pole
32.1'	N.W.	05 X 5 P	17 S. IN Power Pole
174.5'	S.S.E.	05 X 5 P	17 Power Pole
35.7'	N.	05 X 5 P	17 Cor. Post
294.2'	W.S.W.	05 X 5 P	17 FENCE Post

MONUMENT - BURIED - 12" Deep

21

STAMPED - 28



NE CORNER Sec. 29-T. 78N-R. 4-W
 MONUMENT PREVIOUSLY SET
 BY J. F. P. IN WHOSE NOTES
 SHOW A STONE WAS FOUND.
 MON. SET IN E. OF NTS, E+W
 P.R.D.S.


37.8' S.E. of xSPK517 Cor. Post
 36.2' S.W. of xSPK517 Cor. Post
 47.2' N.W. of IRON PIN
 112.1' N.W. of xSPK517 Power Pole
 43.1' S.E. of xSPK517 Tel. Pole
 232.7' E.N.E. of xSPK517 Power Pole
 108.9' N.N.E. of xSPK517 Power Pole
 748.9' N.N.E. of N.E. cor of school
 38.7' S.W. of IRON PIN

MONUMENT BURIED - 12" DEEP

20 21

29 28

STAMPED-




W $\frac{1}{4}$ CORNER-SEC-21-T78N-R-4-W
 MOD. PREVIOUS SURV-SUR-BY-STAT-
 PLAN-WHOSSES-NOTES-SHOW
 NO-ORIGINAL-EVIDENCE-FOUND.
 MON-SUR-IN-S OF N'S ROAD
 IN-LINE-WITH-E+W FENCE
 LINES.

342.6' S.S.W. 0.5 x 3.5 IN " Elm
 119.9' S.S.E. 0.5 x 3.5 IN Tel Pole
 62.8' N.E. 0.5 x 3.5 IN Tel Pole
 25.1' E. 0.5 x 3.5 IN Cor Post
 26.6' W. 0.5 x 3.5 IN Cor Post

MONUMENT-BURIED-12" Deep

20-21

STAMPED-




NE CORNER - Sec - 20 - T78N - R4 - W
 MONUMENT - PREVIOUSLY SET
 BY - ET - ET - PHAN - WHOSES - NOTES
 SHOW - A - STONE - WAS - FOUND.
 MON. SET - IN - $\frac{1}{2}$ OF ET W. LINES
 ROADS.

48.4' S.W. of Geodetic #1 608
 41.0' S.W. of 25 x 25 P.K.S. 117 Power Pole
 42.1' S.W. of 25 x 25 P.K.S. 117 Cor Post
 115.1' S.E. of S.E. Cor of M.P. Church
 41.4' N.E. of 25 x 25 P.K.S. 117 Cor Post
 39.1' N.W. of 25 x 25 P.K.S. 117 80" PINE
 61.5' S.E. of 25 x 25 P.K.S. 117 38" MAPLE
 98.5' N.W. of N.W. Cor. of Parch of Res.

MONUMENT - BURIED - 12" DEEP

17 16

STAMPED - 20 21



NE. CORNER - Sec. 17 - T78N. - R. 4 - W.
 MON. PREVIOUSLY - SET - BY -
 PLAN - WHOSES - NOTES - SHOW
 NO - ORIGINAL - EVIDENCE
 FOUND - MON. SET - IN - E. OF
 E & W
 EAST S. ROADS, AND - E. OF
 N. LINE - FENCE.

35.8'	S.S.W.	of XSPK517 24" Pine
33.9'	S.	of S.W. cor of GARAGE
41.3'	N.W.	of XSPK517 cor. Post
38.7'	N.E.	of XSPK517 cor. Post
111.3'	E.N.E.	of XSPK517 Power Pole
215.1'	W.N.W.	of XSPK517 Power Pole
288.3'	N.N.E.	of N.E. cor of BARN
140.6'	S.W.	of cor. Filled Steel Gate Post.

MONUMENT - BURIED - 12" DEEP


89

1916

STAMPED -

X

7-26-39




N $\frac{1}{4}$ CORNER P-SEC-16-T78N R-4-W
 MON. PREVIOUSLY SET BY AT-T-
 P. I. N. WHOSES NOTES SHOW
 F-IRON-PIN WAS FOUND. MON.
 SET IN E. OF E. W. ROAD - IN -
 LINE - WITH S. FENCE.

34.8' S. 05 X 5 PINS IN Tel Pole
 33.1' S. 05 X 5 PINS IN E. GATE POST
 133.9' S.E. 05 X 5 PINS IN Tel Pole
 49.5' N.E. 05 X 5 PINS IN Power Pole
 114.9' W.S.W. 05 X 5 PINS IN Tel Pole
 313.1' W.N.W. 05 X 5 PINS IN Power Pole
 42.9' N. 05 X 5 PINS IN 12" WALNUT
 33.7' N. 05 X 5 PINS IN C.H. POST

MONUMENT - BURIED - 12" Dec. P

STAMPED - 16

7-26-39



S.W. CORNER - Sec - 6 - T78-N - R4-W
 MON. PREVIOUSLY - SET BY - IIT
 PLAN - WHOSES - NOTES - SHOW
 NO ORIGINAL EVIDENCE FOUND.
 MON. SET IN A.O.F. N.E. + W-
 ROADS.

- 35.6' S.E. of X5PRS in Tel Pole
- 35.0' S.E. of X5PRS in Cor Post
- N.N.W. of X5PRS in N. Gate Post
- 67.8' N.N.E. of X5PRS in Tel Pole
- 34.2' N.E. of X5PRS in Cor Post
- 470.0' S. of Q. of E. Headwall of 40" Cor. Culvert
- 458.1' S. of Q. of W. Headwall of 40" Cor. Culvert


MONUMENT BURIED - 12" DEEP

16

STAMPED - 12 7

X

7-28-59



NE CORNER - Sec 6 - T78N - R4W


At intersection of E. of Rds. South + East and Co. West. Found 30" iron pin at surface level. No other evidence found. Located same + placed C.M. above.

780.8'	S.	05	S.W. Cor. BARN
23.7'	S.S.E.	05	Steel Cor Post
24.3'	E.	05	X SPK 117 Cor Post
82.1'	E.N.E.	05	X SPK 117 Power Pole
201.1'	N.	05	X SPK 117 Power Pole
280.6'	W.O.F.	X SPK 117	20" WILD-CHERRY
28.1'	E.N.E.	05	S. Steel GATE Post
101.8'	N.N.W.	05	X SPK 110" Wild Cherry

MONUMENT SURFACE-LEVEL

65

STAMPED



SE. CORNER SEC. 32-77N-R-4-W

MONUMENT PREVIOUSLY SET BY

H-T. PHAN - WHOSES - NOTES - SHOW

NO. ORIGINAL EVIDENCE FOUND.

MON. SET IN E. OF E+W+N. R. ADS

110.0' W. OF MON. NE. COR. SEC. 5

77N-R-4W

43.0' SW. OF XSPKS - IN. POWER PALE

32.3' SW. OF XSPKS - IN. CORNER PST

61.4' SE. OF XSPKS - IN. 24" MAPLE

31.4' N. OF XSPKS - IN. TEL. PALE

32.6' NW. OF XSPKS - IN. POWER PALE

110.0' W. OF MON. NE. COR. SEC. 5-77N-R-4W


MONUMENT BURIED - 12" DEEP

32-33

STAMPED -

X

8-17-39



NE. COR. SEC. 5
77N-R-4W

E.V.

18

S $\frac{1}{4}$ CORNER Sec. 33-778N-R-4-W
 MONUMENT PREVIOUSLY SET BY
 H. T. RYAN - WHOSE NOTES SHOW
 NO ORIGINAL EVIDENCE FOUND.
 MON. SET IN $\frac{1}{4}$ OF E-W ROAD.
 117.5' W. OF MON. N $\frac{1}{4}$ COR. Sec. 4-777N
 R-4W.


75.9' NE. OF XSPKS-IN. POWER POLE
 30.4' SE. OF XSPKS-IN. TEL. POLE
 252.7' SW. OF C.W. # 73 IN N. HEAD-WALL REC. W.
 253.3' NW. OF B.M. IN S. HEAD-WALL OF CULV.
 117.5' W. OF MON. N $\frac{1}{4}$ COR. Sec. 4-777N R-4W

MONUMENT BURIED - 14" DEEP

33

STAMPED -

8-12-39



N $\frac{1}{4}$ CORNER - Sec - 36 - T78N - R-4 - W.

MONUMENT - PREVIOUS 14 - SET BY

A-T. RYAN - WHOSES - NOTES - SHOW

A - STONE - WAS - FOUND - MON - 15 - SET

IN - $\frac{1}{4}$ OF N $\frac{1}{4}$ S, PIED - IN - LINE - WITH

W. FENCE - LINE

26.5' E. OF STEEL - CORNER POST

29.5' SE OF XSPKS - IN - POWER POLE

149.4' SE OF SE COR. HARRY NEUMAN RES.

41.0' SW OF XSPKS - IN - CORNER POST

180.8' SW OF XSPKS - IN - POWER POLE

64.4' NE OF XSPKS - IN - CORNER POST

73.9' NW OF XSPKS - IN - POWER POLE

46.5' NW OF XSPKS - IN - CORNER POST


MONUMENT - BURIED - 12" DEEP

25

STAMPED -

36

8-14-39



S.W. cor. Sec. 36-78-4W


In E. & W. rd. in line with f.c.N. dug
hole 6' x 4' x 2' deep. No evidence found.
Corner restored. On true line between
S.E. cor. Sec. 36 and S.W. cor. Sec. 35 in
line with Sec line f.c.N. Set C.M. stamped
3536 buried 12" deep

- 29.1' S. of X SPKS. in Cor. post of f.c.N.
39.4' W. N.W. " " " " " " " S.
46.9' S.W. " " " " " " " P.W. Pole
318.0' E. of N.E. cor. of Truss Bridge
30.1' W. of N.E. cor. Sec. 2-77-4W
71.4' S.S.W. of Blazed 14" Burr Oak

See also
BK 46 p 70

10-29-40

R.K.W. - C of P



S.E. Cor. Sec. 36-78-4W


In E. & W. Twp. rd. in line with W. R.O.W. fcs. of Hiway #76, dug hole 6' x 5' x 7' deep. No evidence found. Corner restored from location plats of Hiway #76. It is apparent that the W. R.O.W. fc. is the N. & S. Twp. line. Using this evidence and the E. & W. twp. line, set C.M. stamped $\frac{36}{16}$ buried 12" deep

- 132.3' W.S.W. of X spks in Pwr. Pole
- 96.7' W.N.W. " " " " Tel. "
- 42.3' N.N.W. of I.G.S. P.M. # 20-46
- 32.0' S. of X spks in cor. post
- 29.0' S.S.W. of cross in Hd. wall of Conc. Culv.
- 66.5' N. of X spks in cor. post

Same as in
BK H6 p 11


10-24-40

R.K.W. - C. of P.



S. 1/4 cor. Sec. 35-78-41W

See also Bk
46-113.
Same description

10-24-40
R.K.W. - C. of R.


N. 1/4 con Sec. 5-78-4W

In E. of E. & W. Mus-Cedar co. line
road in line with 1/4 sec. line so
dug hole 5' x 5' x 3' deep. No evidence
found. Corner restored at intersection
of E. of road in line with f. so. Set
S.C.M. stamped $\frac{1}{2}$ set 12" under
surface of road

- 20.9' N. of x spks in Corn post
- 75.9' N. " " " " 16" Double Elm
- 130.8' W. N.W. of " " " 18" Wild Cherry
- 71.2' E. N.E. " " " " 14" Elm

4-23-91

R. G. W. - C. of P.



N.E. Cor. Sec. 5 - 78-4W

At intersection of E's of Musc.-Cedar
County line road W. and road So.
dug hole 4' x 3' x 2' dp. Found White
Limestone 20" x 8" x 5" point up
and buried 8" deep. Lowered same
& placed S.C.M. above stamped
 $\frac{5}{4}$ and buried 6" deep.

10.7' W of Blazed 30" Twin Wild Cherry


27.3' N.W. of X spks. in Tel. pole

41.5' E.N.E. " " " " " "

32.2' N.E. " " " " Cor. post. of fo. W. S. side

4-23-91

R.K.W. - C. of F.



N. 1/4 Cor. Sec. 6-78-411


In E. & W. Mus-Cedar County
line fc. at proportionate
distance between known sec.
corns. E. & W. dug hole 10' x 3' x 2' dp.
No evidence found. Corner Restored
Set S.C.M. stamped $\frac{1}{2}$ at surface
level.

314.2' W. of X spks. in Cornpost of fc. S.

No other ties available

4-23-41

P.K.W. - C. of F.



27.

S.E. Cor. Sec. 6-T78N-R49W.

MONUMENT Set in Cultivated
Field 473.1' E.S.E. of E of head
wall in Culvert.544.4' N.E. of IRON PIN [HUB WEST]
524.4' S.E. " HUB. (HUB AT E. side of Road)

DATA for IRON PIN (HUB WEST),

IRON pin sets in N+S. ROAD

25.5' E.S.E. of ASPKS in CEDAR post.

24.0' W. " " " " Triple Wild Cherry

548.1' N.N.E. " HEAD WALL of Culvert

DATA for HUB.

HUB Set on E. side of N+S

ROAD in f.c. cor.


169.9' N.N.E. of HEAD WALL in Culvert

718.0' N.N.E. " IRON PIN

4-24-41

R.K.W. C. & P.D.

65
78



N.E. Cor of Sec. 3 T48N R41W.

Found sand stone 20x11x6
AND COVERED THE SAME AND
SET S.C.M. AT SURFACE LEVEL

1.0' N. of E. & W. fence line
94.9' E. of X spks in 8" Hackberry
169.5' W. of Cedar County S.C.M.
9.0' E. of X spks in fence post
2.5' W. " " " " " "


STAMPED



Information pertaining to Cedar
County S.C.M. Found No. 8 evidence
1" x 12" x 3" STONE.

91.1' S.W. of X spks in hedge trees
82.6' W. " " " " Corn post
10.8' W. " " " " fence post
4.7' E. " " " " " "

Y



North East Cor SEC 16-78-4.


Stone Found.

Monument Set By J.J. Ryan

Stamped → $\frac{9}{16} \frac{10}{15}$

- 51.5 South East of XSPK17 TEL Pole
 43.7 North East of XSPK17 PWR Pole
 40.0 South West of XSPK17 HEDGE Post

May 10-41



31

North $\frac{1}{4}$ COR SEC 15-78-4

STAMPED

10
|
15

MONUMENT SET ON TRUE NORTH
LINE OF SEC. 15 IN LINE WITH
 $\frac{1}{4}$ FENCE LINE NORTH

STONE SET 18" DEEP

64.2' north of XSPK 177 FENCE POST
81.0' north E. of XSPK 177 " " " "
79.3' north W. of " " " " " "

JULY 11-41

SEC. 10-78-4



CREEK

Section Line



SEC. 15-78-4

Local Rd

North $\frac{1}{4}$ Cor of SEC 14-78-4

Found old Hub on N. & S. Fence Line
 Set monument on Tree North
 of South Fence Line


Stamped $\rightarrow \frac{11}{14}$

Stone Set 3" Above Surf

00.7

0+0.7 So of XSPKS in Oak F. Post
 136.8" W of XSPKS in 40" Twist Elm Tree
 128.9" N. N. E. of XSPKS 30" Twist Limb
 45.2" E of XSPKS in 4" Mulberry Tree
 14.9" N. of XSPKS in F Post

JULIE 12-41



EAST $\frac{1}{4}$ COR. SEC. 9-78-4W

No. STONE or orig. evidence found.
 SET Moner-strait. line between
 SECTION CORNERS ON EAST + WEST fence
 line. location marked by owner as point where
 Stone once stood.

MON. STAMPED 9+10


34.1 NE. of x spk. in fence post

31.6 NO. " " " "

169.1 SE of NE. COR. of CONC. HDW.

226.2 W. of 18" Box Elder

216.0 NW of NW. COR. of BARN



TIES for No. 7 Sec. Cor. 7-78-4W

No. orig. Evid found
 Mon. set on No. Sec. Line of
 Proportionate dist between corners
 MON. STAMPED 

29.3' NW of Iron fence post on E. Lane fence

54.1' N of xspk. in Hedge fence post

357.1' S of xspk. in Hedge fence post

