

32 SOIL AND CORNER TIES

MUSCATINE COUNTY

**DIETZGEN**

78-4W

**FIELD BOOK**

Book 4

**No. 403P**

T 28 N R 4 W

WARREN TOWNSHIP

TWP. 78N R 4W

INDEX

Book #4

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

→ US 46

MR


Original Check  
E.W. 9-15-42  
all information  
copied

E 1/4 COR. 4-78-4W

No. Stone or orig. Evidence found  
MON. SET ON E+W fence line  
on true E side of sec. 4  
MON. MARKED 4+3

TIES

20.1' SW of Brace post on its fence line  
16.6' W of CORNER POST (x.spts)



NE COR. of 9-78-4W


STONE found by Highway Com.  
Survey - Set Brass cap in slab.  
Location determined from  
road plans. STA. 171+70.8

TIES

40.4' SE of PIN. in CONC. MON.  
28.8' S.W. of ASPK. in 36" OAK  
25.2' SW of SW COR. of HOUSE

F.E.G.

2



N.  $\frac{1}{4}$  COR. SEC. 3-78-4W

✓ Dug for old stone no evidence found.

Set Mon. on true line E + W at midpoint

Mon. stamped  $\frac{1}{3}$

Set Mon. 12" below surface

### TIES


385.8' East of xspks in cluster of willows

691.0' North of xspks in cor. post so. side of road fence line south

Extended 10.4' so. to 6" Elm - from corner post

7-6-71  
F.E.G. C.P.

3



NE COR. SEC. 11-78-4W

From road plans, -orig station was found. - Brass cap set in pavement from ties on plans.

Cap. stamped.  $\frac{2}{11.12}$



TIES

57.5' SW. of Tel. Pole (xspk)

44.1' SE of Highline pole "

80.0' NE of " " "

25.8' NW of N.W. cor. of Tavern.



C1 N 1/4 6 1/2 T 1 N 4 W

52+39.8 C.M. NW COR. 2-78-4W


50+70 C.M.

5239.8  
2619.9  
2619.9

26+13.9 cen pry sect  
set 1/17

0400 NE COR. SEC. 2-78-4W S.C.M.

LEG. COPY 0




N  $\frac{1}{4}$  COR. SEC. 2-78-4W

No. original evidence found.  
Set MON. on straight line between  
section corners at proportional  
distance

91.4' SE of x spks. in Tel. Pole  
1182' NE of NE COR. of Brick House  
64.1' SW of x spks. in Tel. Pole  
22.3' NW of x spks. in Highline Pole  
MON. Stamped  $\frac{1}{2}$

FEB.

6






NW COR. SEC. 6-78-4W

Found no orig. Evidence - located  
 Corner by Producing line thru the  
 E<sup>1</sup> cor. sec. 36-79-5 + an old stone  
 600' N of the inc. on line of fence E.  
 Also, by producing a line from the  
 SE cor. sec. 6-78-4W thru old stone  
 N. of Highway #6, which is recorded  
 as being on the county line  
 Set Mon. in line with fence East  
 which is on section according to  
 chaining notes - Mon. stamped  $\frac{26}{16}$

Ties

- 21.6' NW. of spk in 6" walnut
- 34.6' W of spk. in cor post of fence E.
- 58.9' NE of spk. in power pole
- 75.0' S 60° E of spk in 18" walnut
- 25.6' E of tie mon. W-side of W Row pole
- 57.2' W of tie mon. S-side of fence E.
- 36.4' S-60° W of spk in NE post of cor post




W $\frac{1}{4}$  Cor. 6-78-4W

Found no Evidence SET SCRM  
on straight line from SEC COR  
SEC 1-78-5. & a stone on THE  
N Side of US Highway # 6 Paying  
Recorded in Muscatine Co  
Engr Office and in Section 2  
way 55 to balance the two  $\frac{1}{4}$  miles  
on each side of the  $\frac{1}{4}$  cor This is  
nearly on a straight line  
Produced thro the center of  
SEC 1-78-5 Ties

- 58.0 S. 58° of SPK in TEL Pole
- 20.5 East of CETH TRAYK
- 31.0 NW of SPK in COR Post
- 29.2 S. 60° W of SPK in Walnut
- 91.5 SW of SW COR of HOUSE

8-6-41




W 1/4 COR SEC 11-78-4-W

NO EVIDENCE FOUND Sct SCM  
OR TRUE LINE North & South ON  
FENCE LINE East & West 5.5'  
WEST OF COR POST

10 | 11


32.7' East of XSPKS IN 30" PIG WOOD TREE  
71.6' North of XSPKS IN 24" ASH TREE  
5.5' W. of COR Post

8-6-41



RE TIE of SE COR. 25-75-4W  
MON. ORIG. SET by JJ RYAN  
whose notes shown FROM PIN found  
(orig. TIES LOST)

82.5' NE of Conc. Road marker  
82.7' SE of Power Pole  
84.9' NE of Power Brace Pole





N $\frac{1}{4}$  COR. 24-78-4W


No. original Evidence found  
MON SET. on line between section  
corners at mid point, which point  
is in line with  $\frac{1}{4}$  sec. line for South  
Produced MON STAMPED  $\frac{13}{24}$

279.0' SW of spt in cor. Post

524.3' N. of " in cor. Post on  $\frac{1}{4}$  sec. line

244.8' W of 12" Cedar Post on N $\frac{1}{4}$ S fc. line

3-12-42 (13)



N<sup>1</sup>/<sub>4</sub> COR. 25-78-4W

Dug at point indicated  
by Transit line but found  
no Evidence

Set Mon. at fc. intersection


Mon. stamped 26 + 25

41.4' So. of 12" Mulberry on N45 fc.



36.2' E of 6" Crab Tr. on fc West

10.8' NE of Twin Locas Tr.

3-28-42  
J.E.H.



NE Cor. Sec. 31 - 78.31X.



BK 73 P 180 .

" " P 221

Com at W<sup>1</sup>/<sub>4</sub> cor sec 29 -

1<sup>st</sup> Course 115.9 to point of beg -

Last Course -

South along sec line 83.1 to point  
of beg.



171.42  
 169.94  
 1.48

3

P.I. STONE  
 171+70.8

42.5  
 28.7

17268.5  
 171.70.8  
 92.7

70.8  
 42.5  
 28.3

9

SEC.  
 ZINE

10

