

48 Corner. TIES

Muscatine Co.

**DIETZGEN**

Miscellaneous  
Corners

**FIELD BOOK**

77-2W

77-3W

No. ~~403P~~ 4W

77-1E

Misc. 77-1W

48

77-1W

77-2W

77-3W

77-4W

48

County closed

July 1, 1942

5 6 7 8 9 10 E.V. 12

14 17 18 19 21 23

24 25 26 27 28 29

Index

77-2W Pages 1 to 4

27 26 25

77-3W 11 5 to 7

77-4W Page 8.

77-3W Pages 9 to 13

77-2W Pages 14 to 16

77-3W Pages 17 to 23.

77-1E Page 24

77-3W Pages 25 & 26

77-1W Pages 27 & 28.

NE. CORNER Sec-32-T77N-R-2-W  
 MONUMENT- PREVIOUSLY SET BY  
 T. F. PHEN- WHOSE NOTES SHOW  
 AN IRON PIN WAS FOUND.  
 MONUMENT IS SET IN P. OF  
 E. ROAD AND IN LINE WITH W. W.  
 NTS, FENCE LINES.

33.7' E. OF XSPKS-IN-CORNER POST  
 27.7' S. OF XSPKS-IN-CORNER POST  
 28.3' N. OF XSPKS-IN-POWER POLE  
 184.6' NE. OF XSPKS-IN-2" OAK TREE  
 27.7' S. OF XSPKS-IN-TEL. POLE  
 247.3' NE. OF NE. COR. OF CONCRETE Hog House  
 338.8' N. OF NW. COR. H. M. NEYENS-RES.


MONUMENT BURIED-12" DEEP

27 28

STAMPED - 32 33

See also Bk 37 p 3


3-28-39 1



N $\frac{1}{4}$  CORNER Sec-33-T-77N-R-1-W  
 MONUMENT. PREVIOUSLY SET BY  
 F. F. RYAN WHOSES NOTES SHOW  
 A STONE WAS FOUND. MONUMENT  
 IS SET S. OF  $\frac{1}{4}$  OF E+W ROAD  
 IN LINE WITH N.T.S. FENCE  
 LINES

- 177.0' SE. OF NE COR. OF T.O. FRIZZELL - P.S.
- 21.2' S. OF X.S.P.K. IN ANCHOR POWER PILE
- 30.8' N. OF X.S.P.K. IN P.E. #125 POWER PILE
- 30.1' N. OF X.S.P.K. - NE CORNER POST
- 141.5' SW. OF X.S.P.K. - IN 30" OAK TREE
- 68.4' SE. OF X.S.P.K. - IN POWER PILE

MONUMENT - BURIED - 12" DEEP  
 28  
 |  
 33  
 STAMPED -



NE CORNER - Sec. 33 - T. 77N. - R. 2-W

DUG AT INTERSECTION OF

HOUSE - STREET - ROAD - E. W. - AND

COUNTY - ROAD "H" N.T.S. FOUND A

WIDE - STONE - 10" X 10" X 8" POINT - UP

ALSO - FOUND - A - 2' IRON - ROD.

LOWE - RED - BOTH - THE - ABOVE -

AND - PLACED - CEMENT - MONUMENT

ABOVE - CORNER - STONE - IDENTIFIED

AS - CORNER - BY - MR. BREI - A - FARMER

LIVING - ON - FARM - NW. OF - CORNER.

46.6' NE. OF IRON CORNER POST

56.2' SW. OF XSPKS - IN. CORNER POST

55.3' NW. OF XSPKS - IN. Teh. Pole

43.2' SE. OF XSPKS - IN. 14" ELM TREE

46.9' E. SE. OF XSPKS - IN. 20" ELM TREE

213.6' SE. OF S.E. COR. OF - BREI - RES.

60.4' SW. OF XSPKS - IN. POWER POLE


67.5' NE. OF XSPKS - IN. POWER POLE

MONUMENT - BURIED - 12" DEEP

28 27

55 34

STAMPED -




N $\frac{1}{4}$  CORNER Sec. 30-T77N-R-2-W  
 DUG-11. 2 OF NTS, ROAD-AND  
 IN-LINE WITH E+W-FENCE-  
 LINES FOUND-A BLUE-FLINT-  
 STONE-4" X 11" X 12" POINT-UP.  
 LOWER-2 SEME AND-PLACED  
 CEMENT-MONUMENT-ABOVE

25.7' S. OF IRON-CORNER POST  
 90.7' SE. OF SE-COR. OF E. FINGERER RES.  
 210' E. OF XSPKS-IN-TEL. POLE.  
 48.4' E. OF XSPKS-IN-26" BOX ELDER.  
 36.3' N.W. OF XSPKS-IN-POWER POLE  
 125.8' N.W. OF XSPKS-IN-TEL. POLE

MONUMENT BURIED-12" DEEP

19  
 STAMPED 70

4  
 3-29-39



Same as in BK 48  
 p 4

NE CORNER - Sec - 19 - T77N - R - 3 - W  
 DUG - IN - N. ROAD - AND - IN - LINE  
 FTW - FENCE - LINES - AND - FOUND  
 ON - E. SIDE - OF - ROAD - A - LIME  
 STONE - 10" x 8" x 6" - NO - OTHER  
 ORIGINAL - EVIDENCE - LOCATED  
 SAME - AND - PLACED - IN - CEMENT  
 MONUMENT ABOVE.

- 164.7' S. SE. OF XSPKS - IN - 40" LIM - TREE
- 129.1' SE. OF XSPKS - IN - 24" BURR OAK
- 141.7' E. SE. OF XSPKS - IN - N. TRUNK - 18" HICKORY
- 34.0' E. SE. OF XSPKS - IN - 30" BIRCH - TREE
- 89.2' S. SW. OF XSPKS - IN - 30" OAK - TREE
- 99.3' SW. OF XSPKS - IN - 30" OAK - TREE
- 71.0' W. SW. OF XSPKS - IN - 18" BIRCH.
- 31.0' W. OF XSPKS - IN - CORNER POST


MONUMENT - BURIED - 12" DEEP

15 17

19 30

STAMPED -

8-15-39



Same as Bk 41 p 9

E.V.

NE CORNER - Sec - 18 - T77N - R-3 - W  
 MONUMENT - PREVIOUSLY - SET BY J. T.  
 RYAN - WHOSE - NOTES - SHOW - A - SPARK - PIN  
 WAS - FOUND - MON. SET IN. E. OF  
 HIGHWAY # 22. E+W - AND - ROAD  
 N. ALSO - IN - LINE - WITH - FENCE  
 LINE, SOUTH.

33.7' N. OF XSPKS - IN - CORNER POST  
 62.8' SW. OF XSPKS - IN - N. CORNER POST  
 53.5' SW. OF XSPKS - IN - CORNER POST  
 207.7' NW. OF NW. COR. OF N. NYENHAUS - RES.  
 162.0' NW. OF XSPKS - IN - 10" CEDAR TREE  
 226.8' S. SE. OF XSPKS - IN - 36" ELM TREE  
 40.4' SE. OF XSPKS - IN - CORNER POST  
 38.5' SE. OF XSPKS - IN - TEL. POLE  
 581.0' NE. OF NE. COR. OF FARM BARN


MONUMENT - BURIED - 12" DEEP

78

1817

STAMPED -

8-15-39



BEAN  
 Same as Book 41 p 10

E.V.




NE CORNER - Sec - 13-T-77N-R-4-W  
 MONUMENT - PREVIOUSLY SET BY  
 J. J. RYAN - WHOSES - NOTES - SHOW A  
 STONE - WAS FOUND - MONUMENT -  
 SET IN E. OF E + W ROAD - IN LINE  
 WITH S. AND W. RAIL FENCE - ROAD  
 N.

- 182.8' SW. OF SW. CORNER ADAMS - HI - SCHOOL - HOUSE
- 43.8' SW. OF 1 SPKS - IN - 16" CATALPA - TREE
- 107.6' W. OF 1 SPKS - IN - TEL. POLE
- 28.5' N. NW. OF 1 SPKS - IN - TEL. POLE
- 30.6' N. OF 1 SPKS - IN - CORNER POST
- 133.1' E. NE. OF 1 SPKS - IN - TEL. POLE
- 28.3' S. OF 1 SPKS - IN - CORNER POST

MONUMENT - BURIED - 12" DEEP

12 7  
 STAMPED - 13 18

8-15-39 8



VOID  
 See BK 46 pl 6

E.W.


N $\frac{1}{4}$  CORNER R-30C-18-T77-N-R-3-W  
 MONUMENT- PREVIOUSLY SET BY  
 T-T RYAN- WHOSES- NOTES- SHOW  
 A- STONE- WAS- FOUND- MONUMENT  
 MONUMENT- SET- IN- P.O.F. E. W. ROAD.

40.0' NW. OF XSPKS- IN- TEL. POLE  
 70.9' SW. OF XSPKS- IN- TEL. POLE  
 209.5' SW. OF XSPKS- IN- 36" MAPLE TREE  
 185.9' S. OF XSPKS- IN- CORNER POST  
 344.6' NE. OF NE. COR. OF FARM- RES.  
 349.9' NE. OF NE. CORNER OF- BARN

MONUMENT- BURIED- 12" DEEP

STAMPED - 7  
18

8-15-39 9



also lies in  
 BK 41 p 7

NE CORNER - Sec 26 - T77N - R-3-W  
 MONUMENT PREVIOUSLY SET BY  
 J. J. RYAN. WHOSES NOTES SHOW  
 A STONE WAS FOUND MONUMENT  
 SET AT FENCE INTERSECTION.

- 0.6 N. OF XSPKS - IN. CORNER POST
- 7.0' S. OF XSPKS - IN. FENCE POST
- 8.0' N. OF XSPKS - IN. BRACE POST
- 10.0' E. OF XSPKS - IN. BRACE POST


MONUMENT SURFACE - LEVEL.

23 24

26 25

STAMPED

8-16-39



Same as BK 41 p 13

W $\frac{1}{4}$  CORNER - Sec - 25 - T77N - R - 3 - W  
 MONUMENT PREVIOUSLY SET  
 BY J. J. RYAN. WHOSES NOTES SHOW  
 A WOODEN HUB WAS FOUND - NO  
 OTHER ORIGINAL EVIDENCE.  
 MONUMENT SET 1.0' N. OF & OF  
 HIGHWAY # 22 AND IN LINE WITH  
 N + S FENCE LINE.

29.9' S OF X SPKS - IN CORNER POST  
 30.9' N OF X SPKS - IN CORNER POST  
 150.2' NW OF X SPKS - IN POWER POLE  
 147.3' SW OF X SPKS - IN TEL. POLE  
 241.8' SE OF E. END OF N. HEADWALK OF CULV.  
 243.5' NE OF E. END OF S. HEADWALK OF CULV.


MONUMENT BURIED - 12" DEEP

16-25

STAMPED -

8-16-39

11



VOID See BR 41 P 14

N<sup>1</sup>/<sub>4</sub> CORNER - Sec. 27. T. 77. N. R. 3. W.  
 MONUMENT PREVIOUSLY SET BY  
 H. F. PLEN - WHOSES NOTES SHOW  
 IT - STONE WAS FOUND - MONUMENT  
 SET IN LINE WITH E & W FENCE  
 LINE - AND N & S FENCE LINE.

71.2' W. OF X SPKS - IN - 18" ASH TREE  
 14.5' S. OF X SPKS - IN - N. GATE POST  
 300.5' E. OF X SPKS - IN - 24" WILD CHERRY


MONUMENT SURFACE LEVEL

22

STAMPED - 27

12

8-16-39



Same as  
 Blk 41 p. 2 ✓


W<sup>1</sup>/<sub>4</sub> CORNER - Sec - 26 - T77N - R - 3 - W  
 MONUMENT PREVIOUSLY SET BY  
 J. F. RYAN - WHOSES NOTES SHOW A  
 STONE WAS FOUND. MONUMENT  
 SET IN -  $\frac{1}{4}$  OF HWM # 22 AND IN  
 LINE WITH S. FENCE LINE.

- 46.8' SE OF XSPKS - IN - TEL. POLE
- 113.5' SW OF XSPKS - IN - TEL. POLE
- 36.1' NE OF XSPKS - IN - W. GATE POST
- 142.2' NW OF NW COR. OF FARM RES.
- 44.5' N. OF XSPKS - IN - 24" CATALPHA TREE

MONUMENT BURIED - 12" DEEP

27-26

STAMPED -



*Retired see  
 Bk 41 p 21*


N $\frac{1}{4}$  CORNER - Sec. 32 - T77N - R. 2 - W  
 MONUMENT - PREVIOUSLY SET BY  
 H. H. PLAN - WHOSES - NOTES - SHOW  
 A - STAKE - WAS - FOUND - MONUMENT -  
 SET - ON - N. SIDE - OF - A - FENCE - AND  
 IN - LINE - WITH - N. FENCE

73.0' E. OF XSPK5 SW CORNER POST  
 39.7' N. OF XSPK5 - IN - 20" APPLE  
 62.0' NE. OF XSPK5 - IN - 18" APPLE  
 2.0' W. OF XSPK5 - IN - TEL. POLE  
 348.2' S.W. OF S.E. COR. OF G. C. HAYES - RES.

MONUMENT - SURFACE - LEVEL

STAMPED

8-16-39



W $\frac{1}{4}$  CORNER - SEC - 29 - T77N - R2 - W  
 MONUMENT PREVIOUSLY SET BY  
 A. F. RYAN - WHOSES NOTES SHOW  
 A STONE - INSET - FOUND - MONUMENT  
 SET IN LINE WITH N.E.S. FENCE  
 LINE.

545.5' W.N.W. OF XSPKS - IN - 30" OAK  
 465.6' S.W. OF XSPKS - IN - CORNER POST  
 419.5' N. OF XSPKS - IN - CORNER POST  
 838.9' N. OF  $\frac{1}{2}$  OF H.W.#22  
 3.7' S. OF XSPKS - IN - FENCE POST

MONUMENT SURFACE - LEVEL


30 - 29

STAMPED -

Same as BR 37 p61

15

8-16-39




8-16-39

NE CORNER - Sec - 31 - T-77-N-R-2-W  
 MONUMENT - PREVIOUSLY SET BY  
 F. T. REAN - WHOSE NOTES SHOW A  
 WOODEN STAKE - WAS FOUND -  
 MONUMENT - SET ON - N. FENCE  
 LINE - OF E. ROAD - AND IN S. OF S. ROAD

- 20.3' E. OF X-SPKS - IN - TEL. POLE
  - 32.9' NE. OF X-SPKS - IN - BRACE POST
  - 40.3' NE. OF X-SPKS - IN - TEL. POLE
  - 79.1' NNE. OF NW CORNER OF RES.
  - 315.4' N. OF E. END - OF 14" CULVERT PIPE
  - 54.3' NW. OF X-SPKS - IN - CORNER POST
- MONUMENT - BURIED - 6" DEEP

30 29  
 STAMPED - 31 52

Same as BK 37 p 60




N<sup>1</sup>/<sub>4</sub> CORNER - Sec - 26 - T. 77 - N. - R. 5 - W.  
 MONUMENT PREVIOUSLY SET BY THE  
 RYAN - WHOSES NOTES SHOW A  
 STONE WAS FOUND MONUMENT  
 SET IN LINE WITH E+W FENCE  
 LINE END - S. OF N. FENCE LINE

.6 S. OF XSPKS - IN - CORNER POST.  
 71.0' W. OF XSPKS - IN - CORNER POST  
 1.8' SW. OF XSPKS - IN - 16" WILD CHERRY  
 156.2' SW. OF XSPKS - IN - 6" CEDAR  
 36.8' SE. OF XSPKS - IN - 4" WILD CHERRY  
 73.7' NW. OF XSPKS - IN - CORNER POST

MONUMENT SURFACE LEVEL

	23
STAMPED	26

8-16-39



Same as Br 41 10/12

NE CORNER - Sec - 27 - T 7 N - R - 3 - W  
MONUMENT - PREVIOUSLY SET BY  
J. F. HAN - WHOSES - NOTES - SHOW -  
A STONE WAS FOUND - MONUMENT -  
SET IN LINE WITH N. FENCE -  
LINE - AND IN LINE WITH E & W  
FENCE LINE

2.2' W. OF XSPAS - IN - 10" HEDGE

MONUMENT - SURFACE - LEVEL

22 23

27 26

STAMPED

8-16-39 18

7.2' 10" HEDGE TREE

Same as Br 41 p 73

NE CORNER - Sec. 25 - T79N - R-3-W

MONUMENT - PREVIOUSLY - SET BY

J-F. RYAN - WHOSES NOTES - SHOW

NO ORIGINAL EVIDENCE FOUND

MONUMENT - SET ON E-ROW

FENCE-LINE-IN-LINE-WITH-ETW

FENCE-LINES.

30.9' E. OF X-SPKS-IN-POWER POLE

32.7' E. OF X-SPKS-IN-CORNER POST

54.0' S. OF X-SPKS-IN-TEL. POLE

16.4' N. OF X-SPKS-IN-GATE POST

1.7' SE. OF X-SPKS-IN-TEL. POLE

17.0' W. OF X-SPKS-IN-E. GATE POST

55.6' NE. OF X-SPKS-IN-5" HEDGE


MONUMENT - BURIED - 12" DEEP

24 19

25 30

STAMPED -

8-16-39



Same as Book 41 p 29

F 1/4 CORNER - SEC 25 - T 77 N - R 3 W  
 MONUMENT - PREVIOUSLY SET BY THE  
 PLAN - WHOSES - NOTES - SHOW - A - WOODEN  
 HUB - WAS - FOUND - MONUMENT - SET  
 1.0' S. OF E. OF HIGHWAY # 22 AND -  
 IN - LINE - WITH - E. ROW - FENCE - OF  
 LANE - N.


8270' E. OF CENTER OF TUBVERT  
 45.1' SE. OF XSPKS - IN - CORNER POST  
 87.8' SE. OF XSPKS - IN - 48" MAPLE  
 31.1' S. OF STEEL CORNER POST  
 38.9' SW. OF XSPKS - IN - 12" PINE  
 142.4' W. SW. OF W. END OF N. HEAD-WALL CORR  
 137.7' W. NW. OF W. END OF S. HEAD-WALL CORR  
 30.1' N. OF XSPKS - IN - CORNER POST  
 30.0' N. OF XSPKS - IN - POWER POLE

MONUMENT BURIED - 12" DEEP

25 - 30

STAMPED

8-16-39 20



Same as Book 41 p 78


N $\frac{1}{2}$  CORNER - Sec - 25 - T-77-N. R-3-W  
 MONUMENT - PREVIOUSLY - SET BY  
 J-F BURN - WHOSES - NOTES - SHOW  
 A - STONE - WAS - FOUND - MONUMENT  
 SET - W. OF N. FENCE LINE - END  
 E. OF S. FENCE LINE - AND - IN -  
 LINE - WITH E & W FENCES.

.8 W. OF XSPKS - IN - CORNER POST  
 16.1' E. OF XSPKS - IN - CORNER POST  
 22.1' S. OF XSPKS - IN - FENCE POST  
 97.1' W. OF XSPKS - IN - 6" HEDGE  
 34.4' N.N.E. OF XSPKS - IN - CORNER POST

MONUMENT BURIED - 12" D - C.P.

24  
 STAMPED - 35

8-16-59




Same as Book 41 p 30

8-21-39

N $\frac{1}{4}$  CORNER. Sec. 20. T.77.N. R.3.W.  
 DUG-AT-FENCE-INTER-SECTION  
 E+W+S. AND-FOUND-A-WHITE  
 SAND-STONE-10"X7"X5" AT-  
 SURFACE-LEVEL-LOWERED.  
 SAME-PAID-PLACED-CEMENT  
 MONUMENT-ABOVE.

- .6 W. OF XSPKS-IN-CORNER POST
- 24.1' S. OF XSPKS-IN-CORNER POST
- 74.8' N. OF XSPKS-IN-36" FHM
- 414.3' NW. OF XSPKS-IN-40" FHM
- 200.2' E. SE. OF XSPKS-IN-30" QSH
- 117.0' SE. OF XSPKS-IN-30" PECAN-TREE
- 32.6' E. NE. OF XSPKS-IN-6" OAK
- 1224.9' SW. OF NW. CORNER OF BARN

MONUMENT-4" ABOVE-SURFACE  
 19  
 STAMPED- 20



Same as Blk 41 p 33

W. 1/4 con. Sec. 17-77-3

At intersection of fcs. N, S. + E.  
found 1/2" Iron pin 35" long. Pin set  
by G. R. Elliot, R. L. S. # 1841 for In. Hiway  
Comm. No other evidence found. Lower  
same + placed G.M. above stamped

18-17


143.7'	S. of	Blazed	26"	Elm
132.1'	E.S. E. of	"	24"	"
83.7'	N. E. "	"	8"	"
181.3'	N. N. E. "	"	26"	Oak
88.0'	N. W. "	"	16"	Bull Oak
20.2'	W. "	"	26"	Asi

23

Blazed  
26" Elm

10-10-39

R. K. W. C. S. F.





N.E. cor. Sec. 28-77-3 W.


Found 36" Iron rod in E. bare fence,  
Corner previously established by  
G.R. Elliot - P.B.S. # 1841 for Ta. Hiway  
Corner located same + placed C.M.  
above stamped 2/122  
28/27

28.8' E. of Stone in W. bare fence

47.8' N.N.W. of X spks in post. Pole

1/32.0' S. of S.E. cor. of Dwight Pruitt Res

111.7' E.S.E. of Blazed 24" Cottonwood



See also BK 42 p 15

N. 1/4 cor. Sec 28-77-3

In N. + S. 1/4 sec line fc. found Limestone  
8" x 8" x 18" buried 10" deep. Under  
stone found Iron Pin 2.5" long. N. + S.  
both the above + placed C.M. above.  
Stamped  $\frac{31}{28}$


316.0' S. of S. R.M. fc. of Hwy #22  
103.0' E. S. E. of Blazed 50' Elm  
140.5' W. N. W. of " 30" Red Oak  
86.9' N. of " 30" Ash  
81.6' N. of X spks. 12" cor. post

26

10-10-39

R.K. Wi. - C. of P.

Hwy. #22



Same as BK 4r p 19

E 1/4 COR. 12-77-1 W

Run Transit line between  
Section corners which have previously  
been set. Set MON on line  
between corners at old fence line  
East which fence falls at approx.  
1/2 of section

MON stamped 11+12

159.9' SE of 48" Elm (xspk)


97.9' W of 18" oak "

76.1' NW of 18" " "

21.0' SW of HEDGE COR. POST

This cannot be  
the corner called for. 11-13-41 27  
F.E.G. C.J.P.

x-spk in 48" Elm



S  $\frac{1}{2}$  COR. SEC. 22-77-1W

SET MON on true line between  
section corners at N+S feline  
which fence chains out as  $\frac{1}{2}$  line

MON. Stamped  $\frac{22}{27}$

TIES


22.9' SE of 12" white oak (sp.)

47.9' NE of 12" black oak

28.3' N of 30" oak on feline

N. "T.M. C.P." 28

SEC. 22-77-1W



SEC. 27-77-1W