

INDEX


T77N R1E 5# PM

IOWA

	5	5	5	4	4	4						
3	6	15	5	13	4	11	3	9	2	7	1	5
	15		15		13		11		9		7	
3	7	15	8	13	9	11	10	9	11	8	12	5
	16		16		14		12		10		8	
3	18	16	17	14	16	12	15	10	14	8	13	6
	17		16		14		12		10		8	
3	19	17	20	14	21	12	22	10	23	9	24	6
	18		17									
	30	18	29		28		27		26		25	
	18											
	31		32		33		34		35		36	

Meanders of Mississippi River
on pages 18, 19 & 20

STATE OF IOWA
 MUSCATINE COUNTY
 TOWN OF 5th PM



Surveyed by
 W.A. Burt D.S.
 1837.

Copied from plat attached
 to Original field notes. as

T. N. N. I. W. with principal characteristics

South on east boundary of sec 11

Set quarter section post
Bur Oak 15 E 12 1/2 W 1.7
Hickory 14 N 35 1/2 W 1.92

60.00 Set post corner section 1.15
Y Oak 26 S. 32 1/2 W 2.62
" " 22 N 4 W 52

Land 2nd rate rolling and very thin timbered principally with a young growth of oak and hickory.
Under 21 lowland hazel

South on east boundary of sec 11

40.50 Set quarter section post
Bur Oak 17 N 45 1/2 W 1.19
" " 20 S 6 1/2 W 57

64.80 Pine run 14 East

80.00 Set post corner section 12.13

Bearings Y Oak 5 N 20 1/2 W 23
" " 5 S 6 1/2 W 63
Bur Oak 8 N 25 1/2 W 1.09
" " 5 S 6 1/2 W 63

Land, uneven 2nd rate timber scattering oak's & hickory's principally of a young growth

South on east boundary sec 12

40.00 Set quarter section post
Y Oak 9 N 23 1/2 W 61
" " 6 S 45 1/2 W 1.17

48.00 Enter small prairie

62.50 Open road E & W.

68.00 Opposite improved field to the E

73.00 To N. E. corner of an improved field

81.00 Set post in prairie corner section 13.14 where raised a mound the centre of which bears N. dist 5 lks. Land here except prairie.

South on east boundary sec 14

55.00 Leave prairie

40.00 Set quarter section post
Y Oak 21 E 50 1/2 W 2.22
Bur Oak 3 S 34 W 1.34

52.00 Run 3 S. E.

62.50 Run 7 S. E.

64.71 Triple W. Oak 12 in.

80.00 Set post corner section 14.25

W. Oak 13 N. 60 1/2 W 2.57
Continued 13 E 32 1/2 W 1.94

Land 1st 1/2 principally rich prairie. Last hill and broken Bur. O. & B. Oak, Hickory, cotton, elm, etc.

South on east boundary sec 15

1.70 Run 4 S. E.

5.40 Same 3 S. E.

1.50 Same 5 S. E.

11.50 Same 6 S.

13.70 Stream 2 west (another stream)

24.65 W. Oak 22

40.00 Set quarter section

T 77 N. R 1 W.

W. Oak 24 N. 40 W 72½
 " " 16 S. 44 W 30

47.52 N. Oak 15 in.
 59.54 " " 10 in.
 76.00 Sled or sagon road N. E.
 77.78 Set meander post on the right bank of Mississippi river.
 Feb. 20 Cottonwood 10 corner tree from which a hickory 16 N. 11 W 43
 Elm 18 87½

Note Land near with or ken hills except near river. Course of river S. 69 W. adjoining and extending below is the town of Salem.

T 78 N R 1 E 5th Principle Meridian

East On south boundary of Township 78 north of Range 1 East.
 6-00.00 Int. 6-01.20 south of correction. line.
 Established township corner
 Bearing { Bur Oak 15 W. 62 W 3.71
 { Triple Bur Oak 28N. 88 E. 7.39
 { Oak 20 S. 39½ W. 7.30
 Marked { Bur Oak 15 N. 62 W 3.71
 { Triple Bur Oak 28 N 88 E 7.33

N.B. Near this town cor. is a dwelling house Bearing S. S. E.
 dist about 20 ch's.

West Corrected W. on south By Sec 26

40.00 Set quarter section post
 Hickory 8 N. 77 E. 40
 " 8 N. 61½ W 54½

80.00 Set post corner sections 35.36
 Bur Oak 14 N. 83 W 1.10
 " " 6 N. 54 E 97
 Land Uneven 2n rate with very little timber and principally of a young growth

West Corrected W. on South By Sec 25

12.30 Stream 60 W. S. W.
 40.00 Set quarter section post
 Bur Oak 28 N. 39 E 56
 " " 17 N. 71. W 1.16

66.98 Hickory 17 in. dia.
 80.00 Set post corner sections 34.35
 W. Oak 14 N. 28½ E. 1.14
 " " 18 N. 31. W. 2.50
 Land uneven 2nd rate. Timber same as last mile.

West On south boundary of sec. 34

37.30 Run 5 S. E.
 40.00 Set quarter sections post
 Bur Oak 8 N. 82 E. 5.25
 " " 12 N. 48½ W. 2.42

67.00 Run 4 S. E.
 80.00 Set post corner sections 33.34
 Bur Oak 10 N. 80½ E. 1.61
 " " 20 N. 87 W. 3.73

T 78 N. R 1 E. 5th Principle Meridian.

Land and timber same as last mile.
 West On south boundary of sec 33.
 9.60 Run 2 S. W.
 15.70 Run 3 S. E.
 40.00 Set quarter section post
 Y. Oak 15 N. 70½ E. 3.42
 Hickory 8 N. 41 W. 2.12
 Bur Oak 14 in.
 80.00 Set post cor. sections. 32.33
 Hickory 6 N. 52 E. 1.54
 Bur Oak 12 N. 40½ W. 2.30

Land and timber same.
 West On south boundary of Sec. 32
 40.00 Run 3 S. E.
 40.00 Set quarter section post.
 Hickory 10 N. 76½ E. 4.21
 " 8 N. 58 W. 1.74
 75.00 Enter prairie
 80.00 Set corner post sections. 31.32
 Bur Oak 16 N. 28 E. 6.08
 " " 10 N. 79½ W. 4.63

Land uneven 2n rate. Timber scatterry and mostly of a young growth.

West On south boundary sec. 31.
 40.00 Set quarter section post
 Y. Oak 9 N. 73½ E. 4.22
 No other tree

80.0 Township corner
 Land principally prairie with a few scattering trees and a young growth of timber.

T 77 N R1 E

South On east boundary of section 1.
 27.21 Bur oak 12 in.
 35.70 Run 3 S. S. W.
 40.00 Set quarter section post
 Hickory 8 N. 51½ W. 51½
 " 9 S. 71 W 41½
 80.00 Set post corner sections 1.12
 Bur Oak N. 12 W. 38
 " " S. 49½ W. 1.06

Land 1st ½ mile gently rolling. Last ½ uneven 2n rate. Timber Bur W. & B. Oak & Hickory.

Var. 7-55'

South On east boundary section 12
 23.25 Run 3 S. W.
 40.00 Set quarter section post.
 Y. Oak 20 N. 12 W 43
 " " 22 S. 36 W 68

44.27 W. Oak 20 in.
 62.70 Double hickory 16
 74.00 Run 7 S. W.
 80.00 Set post corner sections 12.13
 S. Oak 24. N. 52 W. 71
 Y. Oak 9 S. 10 W. 1.97

Land uneven 2n rate soil thinly timbered with oak and hickory.

T 77 N R 1 E.

South Between sections 1 & 2.

- 10.60 Hickory 10 in. dia.
- 40.00 Set gr. section post.
 - B. Oak 32 S. 3 W. 167.
 - Br. Oak 12 N. 56 E. 142.
- 80.00 Set post cor. of sections 1, 2, 11, 12.
 - Br. Oak 6 N. 62 E. 16
 - " " 7 S. 77 W. 44
- Land rolling 2d rate.
- Br. B. & W. Oak, Hickory.

East Random between sections 1 & 12.

- 25.00 House 15.00 N. of line.
- 35.00 Descend hill.
- 43.00 Foot of hill.
- 45.25 Stream 3 L. C. S.
- 45.00 Ascend hill.
- 52.00 Top of hill.
- 59.00 Descend hill.
- 66.00 Foot of hill.
- 69.00 Stream 3 C. S.
- 70.00 Ascend hill.

continued next page

T 77 N. R 1 E. 5th Principle Meridian.

75.00 Top of hill.
80.10 Intersected 4 L. N. of corner.
West Corrected between 1 & 12.
17.20 W. Oak 10 in. dia.
40.05 Set gr. section post.
B. Oak 13 N. 12 E. 72
W. Oak 16 S. 59 W. 44

46.08 W Oak 10
66.08 B. Oak 10
80.10 Sect. cor.
South Between sections 11 & 12.
40.00 Set gr. section post.
Hickory 8 S. 51 1/2 W. 114
" 6 N. 84 1/2 E. 293

68.26 Stream 2 L. C. S. W.
80.00 Set post cor. of sections 11, 12, 13, 14.
B. Oak 12 S. 85 W. 203
" " 6 N. 1 1/2 E. 31 Bearings
Land rolling 2d rate.
W. B. & Br. Oak, Hickory.

East Random between sects. 12 & 13.
37.70 Stream 3 L. C. S. S. W.
58.50 Descend hill.
66.00 Foot of hill.
68.80 Stream 6 L. C. S. S. W.
72.50 Ascend hill.
78.00 Top of hill.
79.99 Intersected 4 L. S. of cor. Land hilly 2d rate.
B. W. & Br. Oak, Hickory.

West Corrected between sects. 12 & 13.
39.99 1/2 Set gr. section post.
Hickory 6 S. 83 1/2 E. 288
" 8 N. 55 E. 266

79.99 Section cor.
South Between sections 13 & 14.
40.00 Set gr. section post.
B. Oak 10 N. 52 W. 7 Bearings
" " 18 N. 63 E. 28

67.50 Descend hill
76.00 Foot of hill.
80.00 Set post cor. of sections 13, 14, 23, 24.
Br. Oak 14 S. 78 W. 97
W. Oak 14 S. 7 E. 170
Land rolling 2d rate.
Br. W. & B. Oak, Hickory.

East Random between sects. 13 & 24.
4.30 Stream 4 L. C. S. W.
4.75 Ascend hill.
12.00 Top of hill.
38.50 Descend hill.
46.50 Foot of hill.
48.40 Stream 8 L. C. S. S. W.
49.25 Ascend hill.
80.12 Intersect 18 L. S. of cor.
Land hilly 2d rate.
Timber same as before.

* 53.00

Top of hill

T 77 R 1 E. 5th Meridian

West Corrected between sections 13 & 24.
 14.05 W. Oak 14 in. dia.
 30.20 W. Oak 18 in. dia.
 40.06 Set qr. section post.
 B. Oak 5 N. 23 1/2 E. 59 } Bearings.
 " " 14 S. 13 W. 44 }
 51.14 Br. Oak 14 in. dia.
 80.12 Section cor.
 South Between sections 23 & 24.
 0.04 Stream 4 L. C. S. E.
 0.75 Ascend hill
 11.00 Top of hill
 14.00 Descend hill
 30.00 Enter Bottom
 40.00 Set qr. section post.
 Hickory 14 S. 60 1/2 W. 59
 B. Oak 18 N. 23 1/2 W. 3.67
 41.00 Road C. W.
 42.80 House in line.
 46.28 Intersected Mississippi River and set post.
 Cottonwood 12 N. 84 1/2 W. 133
 Land past bottom good.
 2d rate timber same.

November 15, 1837 Clear.

South Between Sections 2 & 3.

 Hickory 12 S. 63 E. 47 } Bearings
 " " 10 S. 65 E. 135 }
 8.26 B. Oak 6 in. dia.
 10.00 Descend hill.
 18.00 Foot of hill.
 24.02 Stream 6 L. C. S. W.
 28.70 Ascend hill.
 40.00 Top of hill and set qr. sect. post.
 B. Oak 22 N. 46 1/2 E. 4 } Bearings.
 " " 18 S. 46 1/2 W. 50 }
 60.00 Road C. N. W.
 80.00 Set post cor. of sects. 2, 3, 10, 11.
 Br. Oak 10 N. 86 W. 41 } Bearings
 " " 11 N. 49 E. 19 }
 Land rolling 2d rate.
 W. Oak B. Oak Br. Oak Hickory.

West Random between section 2 & 11.

9.0 Road C. N. W.
 79.90 Intersect 22 L. N. of Cor.
 Land same as before.
 West Corrected between sects. 2 & 11.
 12.61 B. Oak 5 in. dia.
 20.66 Br. Oak 7 in. dia.
 33.95 Set qr. section post.
 Bur Oak 6 S. 42 E. 28 } Bearings.
 B. Oak 20 N. 45 1/2 W. 515 }
 79.90 Section corner.
 South Between sections 10 & 11.
 28.10 Stream 4 L. C. W.

T 77 N R 1 E. 5th Principle Meridian

40.00 Set qr. section post.
 B. Oak 18 N. 23½ W. 177
 Br. Oak 5 S. 12½ E. 122

60.75 Enter field C. E. & W.
 68.20 Leave field C. E. & W.
 71.76 B. Oak 18 in. dia.
 80.00 Set post corner sections 10, 11, 14, 15.
 W. Oak 12 S. 66 E. 101
 B. Oak 20 N. 41½ W.
 Land rolling 2d rate W. & B. Oak etc.

East Random between sections 11 & 14.

19.00 Enter field C. N. & S.
 34.50 Leave field C. N. & S.
 34.75 House 2.00 S. of line.
 35.00 Road C. N.
 37.50 House 3.50 S. of line.
 49.50 Stream 2 L. C. S. S. W.
 74.25 Stream 3 L. C. S.
 79.87 Intersect 14 L. N. of cor. Land same as before.

West Corrected between sects. 11 & 14.

25.33 B. Oak 18 in. dia.
 31.05 W. Oak 15 in. dia.
 39.23½ Set qr. section post.
 W. Oak 18 N. 18 E. 86
 B. Oak 16 S. 52½ W. 51

79.87 Section cor.

South Between section 14 & 15.

8.00 House 1.50 L. E. of line.
 22.47 Bur Oak 8 in. dia.
 28.40 Stream 2 L. C. S. E.
 30.64 W. Oak 24 in. dia.
 40.00 Set qr. section post.
 W. Oak 16 S. 75½ W. 49 } Bearings
 " " 18 N. 53½ E. 62 }

40.16 B. Oak 16 in. dia.
 43.45 W. Oak 26 in. dia.
 58.74 B. Oak 16 in. dia.
 80.00 Set post corner of sections 14, 15, 22, 23.
 W. Oak 12 N. 83½ E. 15
 W. Oak 10 S. 83½ W. 21

Land same.

East Random between sects. 14 & 23.

19.50 Stream 4 L. C. South.
 58.50 Road C. N.
 *79.75 Intersect 3 L. S. of corner. Land same.

West Corrected between sects. 14 & 23.

39.87½ Set qr. section post.
 W. Oak 18 S. 5½ W. 63 } Bearings
 B. Oak 12 N. 4½ E. 493 }

69.54 Br. Oak 15 in. dia.
 79.75 Section Cor.
 *79.60 Stream 6 L. C. S. E.

South Between sections 22 & 23.

2.00 Descend B. of River.
 14.40 Enter field C. E. & W.
 *40.00 Set qr. section post.
 E. Oak 10 S. 73½ E. 57 } Bearings
 " " 10 S. 74 W. 13 }

T 77 N R 1 E.

43.00 Road C. W.
 47.50 Intersect Mississippi and set post.
 Sycamore 10 S. 49½ W. 27 } Bearings
 Cottonwood 8 S. 70 E. 268 }
 Land some rolling good 2d rate.
 *at 23.50 Leave field E. & W.

November 16 1837 Clear.

South Between sections 3 & 4

 Br. Oak 12 S. 37 E. 205 } Bearings
 W. Oak 28 S. 62½ W. 395 }
 15.00 Descend hill
 40.00 Set qr. section post.
 Br. Oak 6 S. 59 W. 135 } Bearings
 " " 6 N. 60½ W. 252 }
 43.00 Foot of hill.
 46.00 Stream 8 L. C. S. W.
 51.50 Ascend hill.
 58.29 W. Oak 17 in. dia.
 62.00 Top of hill.
 75.00 Descend hill.
 80.00 Set post cor. of sections 3, 4, 9, 10.
 B. Oak 15 N. 29½ W. 308
 Hickory 7 S. 38 E. 16½
 Land some hilly and 2d rate.
 W. B. & Br. Oak.

East Random between sections 3 & 10.

25.00 Top of hill.
 33.50 Stream 8 L. C. S.
 79.76 Intersect 30 L. N. of Cor.
 Land rolling 2d rate.
 Br. Oak, B. Oak, Hickory.
 West Corrected between sects. 3 & 10.

4.12 W. Oak 6 in. dia.
 39.88 Set qr. section post.
 Br. Oak 6 N. 3 E. 135 } Bearings.
 B. Oak 14 S. 3½ W. 326 }

79.76 Section Cor.

South Between sections 9 & 10

4.50 Foot of hill.
 6.90 Stream 6 L. C. W.
 7.50 Ascend hill.
 20.00 Top of hill.
 40.00 Set qr. section post.
 Hickory 6 S. 1½ E. 118 } Bearings
 B. Oak 22 N. 12 W. 60 }
 65.50 Road C. N. W.
 73.00 W. Oak 10 in. dia.
 80.00 Set post cor. of sections 9, 10, 15, 16.
 Br. Oak 26 N. 40½ E. 223 } Bearings
 " " 22 S. 32½ W. 260 }
 Land rolling 2d rate.
 B. Br. & W. Oak Hickory.

T 77 N R 1 E.

East Random between sect. 10 & 15.

5.00 Road C. W.
35.00 House 10.00 N. of line.
62.00 House 10.00 N. of line.
79.90 Intersect 7 L. S. of Cor.
Land same.

West Corrected between sections 10 & 15.

8.80 B. Oak 20 in. dia.
25.16 W. Oak 10 in. dia.
39.90 Set qr. section post.
W. Oak 34 N. 9 E. 81
" " 14 S. 9 1/2 E. 84

46.66 W. Oak 10 in. dia.
55.52 B. Oak 16 in. dia.
79.80 Section cor.

South Between sections 15 & 16.

22.00 House 9 ch. E. of line.
33.41 Hickory 12 in. dia.
40.00 Set qr. section post.
W. Oak 18 N. 62 E. 46 } Bearings
" " 16 N. 69 E. 38 }
63.01 W. Oak 10 in. dia.
71.84 Br. Oak 18 in. dia.
90.00 Set post cor. of sections 15, 16, 21, 22.
W. Oak 10 S. 75 E. 48 } Bearings.
Hickory 8 S. 64 W. 50 1/2 }

Land rolling 2d rate.
B. W. & Br. Oak, Hickory.

East Random between sects. 15 & 22.

11.00 Descend hill.
18.00 Foot of hill.
18.60 Stream 3 L. C. S.
20.00 Ascend hill.
29.00 Top of hill.
30.00 Road C. S.
79.88 Intersect 12 L. N. of cor. Land some hilly, 2d rate.
W. B. & Br. Oak Hickory.

West Corrected between sects. 15, & 22.

39.94 Set qr. section post.
B. Oak 30 S. 71 E. 179. } Bearings.
W. Oak 18 N. 68 W. 156. }

74.42 W. Oak 18 in. dia.
79.88 Section cor.

South Between sections 21 & 22

10.44 W. Oak 8 in. dia.
30.00 Descend hill.
36.00 Foot of hill.
40.00 Set qr. section post.
Elm 20 S. 38 E. 104 } Bearings
Hickory 10 S. 34 W. 160 }

*42.02 Intersected Mississippi River and set post.
B. Oak 18 North 45 } Bearing.

Land mostly rolling.
2d rate W. B. & Br. Oak.

November 17, 1887 Some cloudy.

*at 41.50 Road C. W.

T 77 N R 1 E.

South Between sections 4 & 5.
 B. Oak 18 S. 31 $\frac{1}{2}$ W. 2.78 } Bearings.
 Hickory 6 S. 12 E. 1.98 }
 10.06 Stream 2 C. S. S. E.
 26.47 Br. Oak 8 in. dia.
 40.00 Set qr. section post.
 Hickory 10 S. 65 $\frac{1}{2}$ E. 40 } Bearings
 " 12 N. 51 $\frac{1}{2}$ W. 196 }
 62.64 Hickory 12 in. dia.
 63.00 Descend hill.
 74.86 Stream 2 L. C. S. E.
 75.00 Ascend hill.
 80.00 Set post cor. of sections 4, 5, 8, 9.
 W. Oak 14 S. 65 W. 133 } Bearings
 " 14 S. 39 E. 133 }

Land broken and 2d rate.
 W. B. & Br. Oak, Hickory.
East Random between sections 4 & 9.
 1.50 Foot of hill.
 4.78 Stream 2 L. C. S. E.
 17.75 Stream 3 L. C. S. W.
 18.00 Ascend hill.
 26.00 Top of hill.
 28.00 Descend hill.
 34.00 Foot of hill.
 56.05 Stream 8 L. C. W. S. W.
 59.00 Ascend hill.
 65.50 Top of hill.
 70.00 Descend hill.
 79.72 Intersect 10 L. N. of Cor.
 Land same.
 West Corrected between sects 4 & 9.
 59.86 Set qr. section post.
 B. Oak 12 N. 68 E. 298.
 Hickory 10 N. 244.

79.72 Sec. Cor.
South Between sects. 8 & 9.
 12.00 Top of hill.
 12.80 Hickory 10 in. dia.
 16.00 Descend hill.
 22.00 Foot of hill.
 35.50 Stream 15 L. C. S. W.
 39.70 Stream 15 E. C. S. E.
 40.00 Set qr. section post.
 W. Oak 14 S. 38 E. 131 Bearing, no other near.
 41.75 Stream 15 L. C. S. W.
 42.50 Ascend hill.
 50.00 House 13.00 S. of line*
 66.00 Top of hill.
 80.00 Set post cor. of sects. 8, 9, 16, 17.
 Br. Oak 6 N. 34 E. 228 } Bearings
 Hickory 10 S. 38 W. 310 }

Land hilly 2d rate timber land.
 *Near house on stream a mill is a w building by Mayo Collin.

T 77 N R 1 E.

East Random between sects. 9 & 16.
44.00 House 12.00 N. of line.
79.78 Intersect 42 L. N. of Cor.
 Land rolling 2d rate.
 B. Br. & W. Oak, Hickory.
West Corrected between sects 9 & 16.
39.88 Set qr. section post.
 Hickory 6 S. 33 E. 164 } Bearings
 B. Oak 24 N. 44 W. 136½ }
79.78 Section Cor.
South Between sections 16 & 17.
00.00 Descend hill.
6.00 Foot of hill.
8.25 Stream 4 L. C. W.
10.00 Ascend hill.
19.00 Top of hill.
32.53 Br. Oak 18 in. dia.
40.00 Set qr. section post.
 W. Oak 28 S. 45½ W. 55 } Bearings
 B. Oak 6 N. 39 E. 50 }
43.33 W. Oak 10 in. dia.
63.50 Road C. W.
70.00 Descend hill.
80.00 Set post cor. of sects. 16, 17, 20, 21.
 Hickory 12 S. 72 E. 39 } Bearings
 B. Oak 12 N. 40 W. 141 }
 Land same as before.
East Random between sect. 16 & 21.
18.00 Top of hill.
79.82 Intersected 25 L. N. of Cor.
 Land hilly 2d rate. Timber same.
West Corrected between sects. 16 & 21.
4.69 W. Oak 18 in. dia.
8.05 W. Oak 12 in. dia.
22.50 W. Oak 10 in. dia.
39.91 Set qr. section post.
 W. Oak 16 N. 2½ E. 59 } Bearings
 Hickory 6 S. 15 W. 78 }
51.56 W. Oak 15 in. dia.
67.97 W. Oak 10 in. dia.
79.82 Section cor.
South between sections 20 & 21.
5.00 Foot of hill.
17.00 Road C. N. W.
25.00 Set post on Left Bank of Pine River.
 Birch 32 S. 75 W. 17.
26.00 Set post on Right Bank of Pine River.
 B. Oak 7 N. 38½ E. 60 } Bearings
 Ironwood 7 S. 25 W. 47 }
26.25 Ascend Bank.
27.50 Top of Bank.
40.00 Set qr. section post.
 Br. Oak 12 S. 63½ E. 180 } Bearings
 B. Oak 12 S. 14½ W. 302 }
70.00 Intersected Mississippi River & set post.
 Cottonwood 18 S. 48 W. 6.97.

November 13, 1837 Cloudy.

T 77 N R 1 E 5th Principle Meridian.

South Between sections 5 & 6.
 E. Oak 14 S. 79½ W. 368
 No other tree near.
 40.00 Set qr. section post.
 W. Oak 20 S. 42½ E. 161. } Bearings
 W. Oak 20 N. 64½ W. 182. }
 50.00 Set post cor. of sections 5, 6, 7, 8.
 Br. Oak 6 N. 37½ W. 101
 Br. Oak 6 S. 85½ E. 492
 Land rolling 2d rate.
 Br. B. & W. Oak.

East Random between sections 5 & 8.
 3.10 Stream 2 L. C. S. S. E.
 80.00 Intersect 3 L. S. of Cor.
 Land same.

West Corrected between sects 5 & 8.
 36.68 W. Oak 12 in. dia.
 40.00 Set qr. section post.
 B. Oak 28 N. 75 E. 1.11. } Bearings
 Hickory 10 S. 54 E. 1.13. }
 43.58 W. Oak 16 in dia.
 74.18 Br. Oak 6 in dia.
 80.00 Section corner.

West True line between sects 6 & 7.
 25.70 Stream 4 L. C. S. E.
 29.20 W. Oak 18 in. dia.
 *78.52 Int. West Boundary. 12.10 N. of Cor. and set post
 cor. of sects. 6 & 7.
 Hickory 6 N. 22½ E. 187
 E. Oak 12 S. 32½ E. 316
 *40.00 Set qr. section post.
 B. Oak 26 S. 82 W. 1.18
 B. Oak 30 East 1.08
 50.65 W. Oak 10 in. dia.
 Land rolling 2d rate.
 B. W. & Br. Oak, Hickory.
 Soil, Sandy Loam.

South Between sections 7 & 8.
 14.15 Stream 2 L. C. S. E.
 30.95 Stream 3 L. C. S. E.
 32.85 Br. Oak 16 in. dia.
 32.85 Ascend hill.
 40.00 Set qr. section post.
 Hickory 7 N. 43½ W. 36 } Bearings
 B. Oak 8 N. 86½ E. 96 }
 42.85 Br. Oak 6.
 43.00 Top of hill.
 78.00 Descend hill.
 80.00 Set post cor. of sects. 7, 8, 17, 18.
 Hickory 16 N. 52½ E. 161.
 Br. Oak 6 S. 36 W. 80.
 Land some hilly, 2d rate.
 B. Br. & W. Oak, Hickory.

T 77 N R 1 E. 5th Principle Meridian

East Random between sections 8 & 17.
 10.00 Top of hill.
 29.50 Descend hill.
 35.00 Foot of hill.
 40.45 Stream 8 L. C. S. E.
 56.30 Stream 18 L. C. S. E.
 57.60 Stream 18 L. C. N. W.
 60.50 Stream 18 L. C. S. W.
 64.00 Ascend hill.
 80.05 Intersect at cor.

Land same as before.
 West True line between sects 8 & 17.
 40.02 1/2 Set qr. section post.

W. Oak 10 S. 85 1/2 W. 172 } Bearings
 W. Oak 12 S. 13 1/2 W. 185 }

80.05 Section Cor.
 West True line between sects 7 & 18.

25.40 Stream 16 L. C. S. E.
 at 23.60 W. Oak 18 in. dia.
 40.00 Set qr. section post.

Br. Oak 16 S. 89 W. 6.67 } Bearings
 Br. Oak 14 N. 45 1/2 W. 4.50 }

*57.30 E. Oak 6 in. dia.
 77.97 Intersect W. Boundary 11.82 N. of cor. and set post cor.
 of sects. 7 & 18.

B. Oak 7 S. 25 E. 4.55
 Br. Oak 16 N. 82 1/2 W. 218

Land rolling 2d rate.
 B. Br. & W. Oak, Hickory.
 *at 44.00 Stream 3 L. C. N. E.

South Between sections 17 & 18.

15.00 Foot of hill
 20.90 Stream 16 L. C. S. E.
 31.50 Stream 3 L. C. East.
 35.00 Ascend hill.
 40.0 Set qr. section post.

B. Oak 8 N. 86 W. 43 } Bearings
 B. Oak 8 S. 20 E. 10 }

55.00 Top of hill.
 68.32 A precipice.
 71.70 A precipice.
 80.00 Set post cor. of sections 17, 18, 19, 20.

W. Oak 11 N. 43 1/2 E. 16
 W. Oak 12 S. 43 1/2 W. 22

Land some broken, 2d rate.
 B. W. & Br. Oak & Pine at the precipice.

East Random between sects. 17, & 20.

50.00 Descend hill.
 60.00 House 8.00 N. of line.
 60.00 Road C. S.
 61.30 Stream 35 L. C. S. E.
 63.00 B. Neys Saw Mill 10.00 N. of line.
 69.00 Road C. N. N. W.
 80.08 Intersect 44 L. N. of Cor.
 Land rolling good, 2d rate.
 W. E. & Br. Oak.

80.08
 61.90
 72.66
 10908
 10908
 119988

T 77 N R 1 E.

40.04 Set qr. section post.
 W. Oak 23 N. 36 W. 33 } Bearings
 W. Oak 26 S. 3 1/2 E. 61 }
 48.64 W. Oak 19 in. dia.
 80.08 Section cor.

November 19, 1837 Cloudy and some rain.

West True line between sects. 18 & 19.

12.00 Enter field C. S. E.
 17.50 Leave field C. S. W.
 20.60 Br. Oak 10 in. dia.
 26.70 W. Oak 24 in. dia.
 40.00 Set qr. section post.
 Br. Oak 14 S. 13 1/4 E. 90
 Br. Oak 16 N. 22 W. 132
 48.00 Enter prairie C. N. N. W.
 58.00 Enter field C. S. E.
 77.82 Intersect West Boundary 11.80, N. of Corner and set
 post, and made mound cor. of sections 18, & 19.
 Land some rolling good, 2d rate.

South Between sections 19 & 20.

3.32 W. Oak 18 in. dia.
 38.75 Stream 3 L. C. S. E.
 40.00 Set qr. section post.
 W. Oak 11 S. 37 1/2 W. 26.
 W. Oak 13 S. 1 1/2 W. 36 1/2.
 46.00 Stream 3 L. C. S. W.
 52.25 W. Oak 10 in. dia.
 62.10 W. Oak 14 in dia.
 72.40 Stream 6 in. dia. S. E.
 80.00 Set post cor. of sections 19, 20, 29, 30.
 W. Oak 28 N. 63 1/2 W. 75.
 W. Oak 12 S. 85 1/2 W. 39.
 Land rolling, 2d rate.
 B. & W. Oak.

East Between sections 20 & 29.

6.25 Stream 6 L. C. S. E.
 9.07 B. Oak 14 in. dia.
 24.00 Descend Bank of River.
 31.50 Road C. W.
 32.00 Enter field C. N. E.
 32.45 Br. Oak 38.
 35.00 Foot of hill & Ent. Bottom.
 40.00 Set qr. section post.
 Br. Oak 18 S. 23 1/2 W. 430
 Br. Oak 38 W. 7.52
 67.50 Leave field C. W. S. W.
 68.67 Intersect Mississippi River & set post.
 Cottonwood 18 N. 50 1/2 E. 779 } Bearing
 Land first 32 ch 2d rate.
 Rest first rate.
 W. B. & Br. Oak

T 77 N R 1 E.West Between sections 19 & 30.

25.50 W. Oak 10 in. dia.
 34.10 W. Oak 26 in. dia.
 37.00 House 1.50 N. of line.
 40.00 Set qr. section post.
 W. Oak 26 S. 45 E. 90
 W. Oak 22 N. 11 $\frac{1}{2}$ E. 204
 77.70 Intersect W. boundary 11.54 N. of cor. and set
 post cor. of sections 19 & 30.
 B. Oak 8 S. 25 E. 19
 B. Oak 6 N. 27 E. 27 Bearings
 Land rolling 2d rate.
 W. B. & Br. Oak.
 Soil sandy loam.

South Between sections 29 & 30.

9.10 Stream 3 L. C. S. E.
 15.31 Bur Oak 11 in. dia.
 20.50 Enter field.
 21.50 Descend bank of river.
 32.00 Feet of bank and enter bottom.
 34.00 Bottom.
 40.00 Set qr. section post.
 B. Oak 16 N. 19 $\frac{1}{2}$ E. 465.
 No other.
 45.50 Intersect Mississippi River and set post.
 Cottonwood 10 S. 23 $\frac{1}{2}$ W. 49
 " 12 S. 22 $\frac{1}{2}$ E. 74 Bearing
 First 34 ch rolling 2d rate, rest level first rate.
 W. B. & Br. Oak.

East From corner of sections 30 & 31 commencing 9.34 ch
N. of Meander post on River.*

 W. Oak 16 S. 25 E. 32 $\frac{1}{2}$ Bearings
 W. Oak 10 N. 6 $\frac{1}{2}$ E. 151
 8.40 Elm 12 in. dia.
 8.90 Enter field C. N. E.
 12.40 Leave field C. S. E.
 16.66 Elm 14 in. dia.
 23.28 Intersect Mississippi River.
 Lynn 8 meander post.
 B. Oak 12 N. 69 W. 36.
 Land level good 2d rate bottom.

November 20, 1887, Cloudy.

*In W. Boundary.

Meanders of the Right Bank of the Mississippi River in T 77 N R 1 E
5th Mer. commencing at post in West boundary, thence up stream.

In section 31

	Object over river bears S. 47 $\frac{1}{2}$ E.	
N. 74 $\frac{1}{2}$ E.	17.50	Foot of island bears S. 25 E. Head of island bears S. 30 E.
N. 55 E.	8.00*	Same objects over river bears S. 29 $\frac{1}{2}$ E
	25.50	To post in line bet.* sects 30 & 31.

T 77 N. R 1 E. 5th Mer.

Meanders continued, In sect 30.

N. 62½ E.	26.50	At 4.00 foot of island bears S. 13 E. Head of island bears S. 14½ E. At 15.67 Stream 10 L.
N. 51½ E.	26.50	At 26.50 object on Large Island S. 56½ E.
N. 56½ E.	4.50	At 2 B. house 15.00 fr. R.
N. 64½ E.	<u>7.19</u>	To post in line between sects 29 & 30.
	64.69	Same object on large island S. 1° 10' E. 64.69.
N. 64 E.	32.50	At 7.00 stream 8 L. <u>In section 29.</u>
N. 55½ E.	12.00	
N. 50½ E.	20.00	
N. 49½ E.	18.42	To post in line between sections 20, 23.
N. 50½ E.	7.81	<u>In sect. 20.</u>
N. 48 E.	<u>6.87</u>	To post in line between sections 20 & 21.
	97.69	97.69
N. 68 E.	5.86*	<u>In section 21.</u> *Over Pine River.
N. 82½ E.	5.00	
N. 75 E.	13.50	Object on long Island bears S. 19½ E.
N. 82½ E.	13.00	Same object on Long Island S. 7½ E.
N. 56½ E.	13.50	At 8.00 House 2.00 N.
N. 81½ E.	17.00	
N. 74 E.	10.50	At 2.00 house 1.50 N.
N. 66½ E.	<u>7.60</u>	To post in line.
	85.96	Between sects. 21 & 22. 85.96.

In section 22

N. 88 E.	9.50	At post head of Island S. 32½ E.
S. 82 E.	23.50	Head of island S. 9½ E. At 4.00 stream 40 L. At 8.50 foot of island bears S. 5½ E. Foot of island S. 41 E. At 23.50 feet of island bears S. 34½ W. Head of island S. 12½ E. Object long island bears S. 30½ E. Same object on Long Island bears S. 17½ E.
East	9.73	
N. 84 E.	12.64	
N. 87½ E.	11.50	House 100 from R.
S. 70½ E.	<u>14.00</u>	To post in line between sections 22 & 23.
	80.87	80.87.

In section 23

S. 76½ E.	6.50	
N. 85 E.	15.00	
N. 82½ E.	8.50	At 5.00 house 5.00 E. N. At 8.00 stream 10 L.
N. 86½ E.	20.00	
S. 84 E.	20.00	At 5.50 house 100 L. N.
N. 85 E.	10.60	To post in line between sections 23 & 24.

T 77 N R 1 E. 5th Meridian.

In section 24

N. 86 E.	10.84	At 2.22 house 300 L. N. At 9 stream 10 L.
N. 77½ E.	9.00	At 10.84 cb. over River S. 40 E. Object over River bears S. 26 E.
East	13.00	House 50 L. North.
S. 78 E.	11.00	9.30 stream 12 L.
N. 59½ E.	3.50	Stream 14 L.
S. 73½ E.	20.00	
S. 77½ E.	14.60	To post in Range Line.
	<u>152.54</u>	152.54

Meanders of Pine River T 77 N R 1 E 5th Mer. commencing at Post on Right Bank of the Mississippi River, in line between sections 20 & 21, thence up stream on Right Bank of Pine River.

N. 16 E.	6.50	In Section 21
N. 22½ E.	4.63	
N. 13½ E.	11.00	
N. 82½ E.	7.00	
N. 73½ E.	5.00	
N. 88½ E.	1.70	
N. 33½ E.	1.30	
N. 18 W.	2.50	
N. 40 W.	6.00	
N. 16½ W.	9.60	
N. 52½ W.	3.23	
N. 64½ W.	4.00	Indian ford.
S. 65 W.	1.20	
S. 35½ W.	6.75	To post in line between sections 20 & 21, and Mill Site.
	<u>71.43</u>	70.33

Meanders of the Left Bank of Pine River T 77 N R 1 E 5th Principal Meridian commencing at post in line between sections 21 & 20 on Left Bank, thence down stream.

In section 21

N. 35½ E.	6.70	
N. 83½ E.	1.61	At 1.50 stream 4 L.
S. 65 E.	7.00	
S. 19 E.	7.50	
S. 40 E.	7.00	
S. 25 E.	3.50	
S. 4 W.	3.50	
S. 65 W.	3.00	
S. 35 W.	2.50	
S. 53 W.	3.00	
S. 26 W.	3.00	
S. 13 W.	12.50	
S. 11 W.	9.00	To meander line on Right Bank of The Mississippi River.
	<u>69.81</u>	69.81 Entered on plat.