

STATE OF IOWA

MUSCATINE COUNTY

T7BNRIW 5th P.M.

No Plat Shown with
Original field notes.

T 78 N, R 1 W. 5th Principle Meridian.

South On East boundary section 1.
 8.20 Stream 40 West.
 #51.82 Set qr. section post in prairie where made mound of
 earth & sod.
 Pit 3 Links East.
 91.82 Set post in prairie corner sections 1.12 where made
 mound of earth and sod.
 Pit 3 links south.
 Land 1st rate rolling prairie.
 Undth prairie grass.
 Var 3°00'
 #Corresponding with the W. E. Sec. 6.

South On east by section 12.
 40.00 Set quarter section post on the E. side of the point
 of timber.
 Bur Oak 16 N. 66 W. 3.14
 " " 24 S. 41 W. 2.45
 43.00 Leave prairie and enter narrow skirt of timber.
 75.00 Enter prairie.
 80.00 Set post corner sect. 12, 13.
 Bur Oak 20 N. 3 W. 6.11
 No other tree.
 Land 1st rate and rolling.

South On East by section 13
 40.00 Set qr. sect. post in prairie where made mound of earth
 and sod.
 Pit 3 links east.
 90.00 Set post corner sections 13.24 in prairie where made
 mound of earth and sod.
 Pit 3 links south.
 Land quite rolling and rich.
 Undth prairie grass.

South On east boundary of sect. 24.
 40.00 Set qr. sect post in prairie where made mound of earth
 and sod.
 Pit 3 links east.
 78.80 Stream 10 West.
 80.00 Set post corner sections 24.25 at the E. end of a small
 grove.
 Hickory 12 S. 19½ W. 77
 Aspen 5 N. 15 W. 83.
 Land same as last mile.

South On east boundary section 25.
 40.00 Set qr. sect. post and made mound of earth and sod.
 Pit 3 links East.
 80.00 Set post in prairie corner sections 25, 26, where
 made mound of earth and sod. Pit 3 lks South
 Land same.

South On East boundary section 26.
 40.00 Set quarter section post in prairie where made mound,
 of earth and sod.
 Pit 3 links east.
 75.00 Leave prairie and enter thinly timbered land.
 80.00 Set post corner towns 77.78 N. R. 1. W.

T. 78 N. R 1 W. 5th Principle Meridian.

Bearing Bur Oak 5 S. 21 W. 17½
 Y. Oak 6 N. 6½ W. 89
 Marked Bur Oak 14 S. 87 W. 1.45
 Bur Oak 8 N. 26 W. 1.44
 Land same as last mile.

South boundary of T. 78 N. R. 1 E.

East On south side of sect. 31 Var. 8° 3' E.
 42.00 Set qr section post and made mound.
 32.00 Set post cor. of sect. 31 and 32 and made mound.
 Land rolling good 2d rate prairie.
East On south side of sect. 32. Var. 8° 5' E.
 25.40 Creek 20 L. C. S. W.
 40.00 Set qr. section post and made mound.
 30.00 Set post corner of sections 32 & 33 and made mound.
 Land same.
East East on south side of section 33.
 2.50 Stream 10 L. C. N. W.
 40.00 Set qr. section post and made mound.
 47.50 Trail C. S. E.
 30.00 Set post cor. of sects. 33 & 34.
 Land rolling good 2d rate prairie.
East On south side of section 34. Var 8° 10' E.
 29.00 Road C. N.
 40.00 Set quarter section post and made mound.
 79.00 Road C. N. W.
 30.00 Set posts cor. of sects. 34 & 35 and made mound.
 Land same.
East on south side of sect. 35 Var. 8° 10' E.
 40.00 Set qr. section post and made mound.
 53.00 Trail C. N.
 30.00 Set post cor. of sects. 35 & 36 and made mound.
 Land W. ½ level and wet.
 E. ½ rolling 2d rate.
 Soil--loam.
East On south side of section 36 Var 8° 10' E.
 40.00 Set qr. section post and made mound.
 30.00 Set post cor. of T's 78, & 79 N. Range 1 East, and
 made mound.*
 Land same.

*Two pits one N. & one S. of cor.

T 78 N. R 1 E.

North On east boundary of section 36.
 32.35 Run 2 W. N. W.
 40.00 Set quarter section post.
 Hickory 4 S. 35½ W. 65½
 Bur Oak 14 N. 54 W. 4.45
 66.00 Enter prairie.
 30.00 Set post in prairie cor. sections 25.36, where made
 mound of earth and sod.
 Pit 3 links south.

T 78 N R 1 E.

Land 2d rate, rolling and thinly timbered.
Bur, W. & B. Oak, Hickory.
Undth hazel.

North On east boundary of section 25.

40.00 Set quarter section post in prairie, where made mound of earth and sod.

Pit 3 links east.

80.00 Set post in prairie corner sections 24,25, where made mound of earth and sod.

Pit 3 links south.

Land 1st rate rolling prairie.
Undth Prairie grass and hazel.

North On east boundary of section 24.

40.00 Set quarter section post in prairie where made mound of earth and sod.

Pit 3 links east.

80.00 Set post corner sections 13,24 in prairie, where made mound of earth and sod.

Land rich and level prairie.

North On east boundary of sec. 13.

40.00 Set quarter section post in prairie where was not able to raise mound on account of water.

80.00 Set post in prairie corner of section 13,12, where made mound of earth and sod.

Pit 3 links south.

Land gently rolling and rich prairie.

North On east boundary of sec. 12.

40.00 Set quarter section post in prairie where made mound of earth and sod.

Pit 3 links east.

80.00 Set post corner sections 1,12 in prairie where made mound of earth and sod.

Pit 3 links south.

Land same as last mile.

North On east boundary of sec. 1.

40.00 Set quarter section post in prairie, where made mound of earth and sod.

Intersect Pit 3 links east.

80.00 Introduced 1st correction line 2.43 west of mound, on said line Pit 3 links south. where made mound.

Land same as last.

T 78 N. R. 2 W.

North On east boundary sec. 36.

27.00 Indian path N. & W.

40.00 Set quarter section post in prairie.

80.00 Set post corner sections 25,36, in prairie, where made mound of earth and sod.

Pit 3 links east.

Land 1st rate rolling prairie.

Note: The mound at the 1/4 sec. corner was not made as the post was actually removed and the true point could not be ascertained short of a re-survey.

Var 7° 55'

T 78 N. R 2 W.

North On east boundary sec. 25.
 00.50 Stream 30 W. N. W. (no timber)
 40.00 Set quarter section post in prairie where made mound
 of earth and sod.
 Pit 3 links east.
 80.00 Set post corner sections 25.24 in prairie where made
 mound of earth and sod.
 Pit 3 links S.
 Land the same.

North On east boundary sec. 24.
 40.00 Set quarter section post in prairie, no mound raised
 on account of water.
 80.00 Set post corner sections 13.24 in prairie where made
 mound of earth and sod.
 Pit 3 links south.
 Land same.

North On east boundary of sec. 13.
 40.00 Set quarter section post in prairie where made mound
 of earth and sod.
 Pit 3 links east.
 80.00 Set post corner sections 13.13 in prairie where made
 mound of earth and sod.
 Pit 3 links south
 Land same.

North On east boundary of sec. 12.
 17.75 Bend of stream from N. W. to S. W.
 18.25 Stream 6 S. W.
 40.00 Set quarter section post in prairie where made mound.
 Pit 3 links east.
 53.00 Leave prairie.
 59.90 Creek 40 W.
 63.50 Bend of same from N. E. to S. E.
 66.20 Creek 50 E.
 70.35 Elm 14.
 73.50 Creek 55 West.
 74.00 Enter prairie.
 80.00 Set post corners sec. 1 & 12 in prairie, where made
 mound.
 Pit 3 links south.
 Land quite rolling prairie S. of Creek and well timbered
 on creek, Oak, hickory, elm, Lynn.
 Under hazel.

North On east boundary sec. 1.
 40.00 Set quarter section post in prairie. The -----*
 removed (as supposed) was not able to raise mound.
 91.82 Intersected 1st correction line 9.14 west of mound, made
 mound of earth and sod.
 Pit 3 links south.
 Land rolling rich prairie.

*Undetermined word.

South Boundary of T. 79 N. R 1 W.

East On south side of sect. 31 Var 8°5' E.
 42.00 Set qr. section post and made mound.
 62.00 Set post cor. of sects. 31 & 32 and made mound.
 Land rolling good 2d rate.

East On south side of sect. 32.
 40.00 Set qr. sect. post and made mound.
 77.00 Enter grove.
 80.00 Set post cor. of sects. 32 & 33.
 W. Oak 13 West 13
 W. Oak 12 N. 34 E. 14 Bearings
 Land same.

East On south side of sect. 33 Var. 8°5' E.
 25.50 Creek 20 L. C. S. W.
 31.75 Hickory 12.
 40.00 Set qr. sect. post.
 Bur Oak 18 S. 40 W. 94.
 Bur Oak 20 S. 10 W. 112.
 67.00 Enter prairie.
 80.00 Set post cor. of sects. 33 & 34 and made mound.
 Land rolling good 2d rate.
 Bur Oak, Red Elm, Hazel.

November 6, 1856 Some Cloudy.

East On south side of sect. 34.
 21.00 Run 10 L. C. S.
 40.00 Set qr. sect. post and made mound.
 45.50 Enter timber.
 47.83 Lynn 12.
 49.70 Stream 18 C. S.
 52.50 Creek 25 L. C. S. W.
 54.00 Leave timber.
 80.00 Set post cor. of sects. 34 & 35 and made mound.
 Land rolling good 2d rate. W. Oak Lynn, Elm.
 Soil, sandy loam.

East On south side of sect. 35.
 40.00 Set qr. sect. post and made mound.
 51.50 Creek 20 L. C. N. E.
 80.00 Set post cor. of sects. 35 & 36 and made mound.
 Land 1st half level and wet. Rest rolling good
 2d rate.
 Soil loam.

East On south side of sect. 36 Var 0°5' E.
 40.00 Set qr. section post and made mound.
 80.00 Set post in 5th Principle Meridian at intersection
 of the 1st correction line cor. of T's 78 & 79 N.
 and made mound with two pits one N. and one S. of
 cor.
 Land rolling good 2d rate
 Soil sandy loam.

N.B. for the purpose of distinguishing town cor. from
 others in case of the removal of posts two pits will
 hereafter be made one N. & one S. of township corners.

T 78 N. R 1 W.

East Random on south boundary of town 78 North of Range 1 W.
6-11.60 Intersected 1.44 south of a point making a parallel
line with the 1st correction or Bar line.

West Corrected W. on South by sec. 36.

40.00 Set quarter section post.
Hickory 14 N. 47 E. 88
Hickory 14 N. 76 W. 3.11

80.00 Set post corner section 35.36.
Bur Oak 14 N. 68 W. 2.69
Bur Oak 6 N. 14 E. 3.53

Land rather uneven 2d rate with scattering Oaks and
hickory and also a young growth of same.

Undth same.

Var. 7° 55'

West Corrected W. on south side by sec. 35.

17.10 Run 5 S. E.

40.00 Set quarter section post.
Hickory 13 N. 74 W. 1.37.
Hickory 16 S. 87 E. 2.11.

80.00 Set post corner sections 34.35 in southerly point of
prairie where made mound of earth and sod.

Pit 3 links south.

Land the same as last mile.

West Corrected W. on south by sec. 34.

4.75 Stream 25 S. E.

29.10 Run 3 S. E.

40.00 Set quarter section post in prairie, where made
mound of earth and sod.
Pit 3 links east.

56.10 Run 6 S. E.

80.00 Set post corner sections 33.34 in prairie where
made mound of earth and sod.
Pit 3 links south.

Land uneven rich prairie.

Undth Prairie grass hazel and rose willow.

West Corrected W. on south by Sec. 33.

40.00 Set quarter section post in prairie where made mound
of earth and sod.

Pit 3 links east.

80.00 Set post corner sections 32.33 in prairie, where made
mound of earth and sod.

Pit 3 links south.

Land same as last mile.

West Corrected W. on south by sec. 32.

40.00 Set quarter section post in prairie, where made mound

T 78 * R 1 W 5th Mer.

North Between Sec. 35 & 36. Var. 8° E.
 25.84 Brook 5 L. S. E.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 25, 26, 35, 36.
 High rolling prairie.
 No dist of pit from post given.
 No quality of soil.

East Random By Sec. 35 & 36.
 79.84 Intersect 5th Mer. .40 S. of Post.
West Corrected by Sec. 35 & 36.
 9.82 Set gr. Sec. post in mound.
 79.84 Section corner.
 Land not described.

North Between Sec. 25 & 26.
 8.00 Enter grove.
 38.40 Br. Oak 6 in. dia.
 40.00 Set gr. sect. post.
 Br. Oak 6 in. bears N. 45 W. .41
 " " " " " S. 40° E. .74
 45.45 Brook 10 links S.
 45.42 Enter prairie.
 80.00 Set post in mound corner to sections 25, 26, 35, 36.
 No quality land etc.

East Random between sec. 24 & 25.
 9.25 Brook 3 links S. E.
 41.57 " 5 links S. W.
 44.45 Creek 6 links W.
 79.90 Intersect 5th Mer. 16 N. of post.
West Corrected between Sec. 24 & 25.
 39.95 Set gr. Sec. Post in mound.
 79.90 Section corner.
 No quality land.
 June 29th 1887

North Between sections 23 & 24.
 7.35 Road N. & W.
 23.00 Brook 3 links S. E.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 13, 14, 23, 24.
 High rolling prairie. quality?

East Random between 13 & 24.
 47.50 Brook 5 links S.
 79.84 Intersect 5th Mer. .9 N. of post.
West Corrected between Sec. 13 & 24.
 39.95 Set gr. sec. post in mound.
 79.84 Section corner.

North Between Section 12 & 14.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 11, 12, 13, 14.
 High Rolling prairie land 3d rate.

East Random between sec. 12, 13.
 43.30 Brook 7 links N.
 79.00 Intersect 5th Mer. 22 S. of post.
 Grove to North 6.11.

T 78 N. R 1 W. 5th Mer.

West Corrected between Sec. 12 & 13.
 29.50 Set qr. sec. post in mound.
 79.00 Section corner.
 North Between Sec. 11 & 12.
 .50 Trail to Rock Island E. W.
 9.50 Brook 2 links N. W.
 20.00 Brook 2 " N. W.
 40.00 Set qr. section post in mound.
 80.00 Set post in mound corner to sections 1, 2, 11, & 12.
 High rolling prairie.
 East Random between sec. 1 & 12.
 81.00 Brook 2 links N.
 79.72 Intersect 5th P. M. 14 N. of Post.
 West Corrected between sec. 1 & 12.
 39.86 Set qr. sec. post in mound.
 79.72 Section corner.
 North Between Sec. 1 & 2.
 40.00 Set qr. sec. post in mound.
 55.00 Descend to base of hill.
 62.50 Creek .44 links West.
 78.00 Leave creek bottom.
 80.67 Intersect North Boundary 26 links West of Post.
 Set post in mound corner to sections 1 & 2.

June 23, 1837.

North Between sections 24 & 25.
 27.25 Enter grove of hickory.
 31.50 Hickory 12 in. dia.
 40.00 Set qr. sec. post.
 Hickory, 10 in. bearings N. 250W. 70 links.
 Hickory, 12 in. " S. 80° E. 59 links.
 56.20 Creek 20 links S.
 60.00 Set post in mound, corner of sections 26, 27, 34, 35.
 East Random between sec. 26, 35.
 .20 Enter grove.
 51.00 Leave grove.
 73.32 Intersect .12 N. of post.
 Land good timbered with Hickory and White Oak.
 West Corrected between sec. 26 & 35.
 59.76 Set qr. sec. post.
 W. O. 12 in. bearings S 30° W. 31.
 W. O. 14 in. " N 5 " 1.56.
 73.52 Section corner.
 North Between sections 26, 27.
 1.50 Creek 20 links S. W.
 3.50 Fall into bed of creek.
 15.00 Leave creek.
 23.00 Leave creek bottom.
 30.72 Brook 5 links S. E.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner to sections 26, 27, 34, 35.

T 78 N R 1 W. 5th Principle Meridian

<u>East</u>	<u>Random between sec. 25 & 26.</u>
5.75	Brook 5 links S.
79.90	Intersect .28 N. of post. Broken Prairie.
<u>West</u>	<u>Corrected between sec. 23 & 26.</u>
39.95	Set gr. sec. post in mound.
79.90	Section corner.
<u>North</u>	<u>Between sections 22 & 23.</u>
40.00	Set gr. sec. post in mound.
40.53	Trail E & W.
80.00	Set post in mound corner to sections 14, 15, 22, 23.
<u>East</u>	<u>Random between sec. 14 & 22.</u>
79.90	Intersect .10 N. of post. High level prairie.
<u>West</u>	<u>Corrected between Sec. 14, 23.</u>
39.95	Set gr. sec. post in mound.
79.90	Section corner.
<u>North</u>	<u>Between sec. 14 & 15.</u>
1.00	Trail E. & W.
40.00	Set gr. sec. post in mound.
80.00	Set post in mound corner to sections 10, 11, 14, 15. High prairie.
<u>East</u>	<u>Random between sec. 11, 14.</u>
80.54	Intersect .9 N. of Post.
<u>West</u>	<u>Corrected between sec. 11, 14.</u>
40.27	Set gr. sec. post in mound.
80.54	Section corner.
<u>North</u>	<u>Between sec. 10 & 11.</u>
1.75	Trail E & W.
40.00	Set gr. sec. post in mound.
50.00	Enter Marsh 4.00 wide.
80.00	Set post in mound corner to sections 2, 3, 10, 11.
<u>East</u>	<u>Random between sec. 2, 11.</u>
79.04	Intersect .44 N. of post.
<u>West</u>	<u>Corrected between sec. 2, 11.</u>
39.52	Set gr. sec. post in mound.
79.04	Section corner.
<u>North</u>	<u>Between sections 2 & 3.</u>
40.00	Set gr. sec. post in mound.
89.71	Intersect North Boundary 1.47 East of post. Set post in mound corner to sections 2 & 3.

June 30, 1837.

<u>North</u>	<u>Between sections 33 & 34.</u>
29.00	Brook 4 links S. E.
40.00	Set gr. sec. post in mound.
80.00	Set post in mound corner to sections 27, 28, 33, 34. Level prairie N. of Brook.
<u>East</u>	<u>Random between sec. 27 & 34.</u>
59.95	Brook 4 links S. E.
77.50	Descend steep hill.
79.30	Creek .20 South.
79.73	Intersect .22 S. of post. Rolling prairie.

T 78 N. R 1 W. 5th Principle Meridian.

West Corrected between sec. 27 & 34.
 39.88 Set qr. sec. post in mound.
 79.73 Section corner.
 North Between sec. 27 & 28.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner to sections 21, 22, 27, 28.
 High level prairie.
 East Random between sec. 22, 27.
 26.00 Brook 2 links S. E.
 34.83 " 4 links S.
 79.64 Intersect 7 S. of post.
 High rolling prairie.
 West Corrected between sec. 22, & 27.
 39.82 Set qr. sec. post in mound.
 79.64 Section corner.
 North Between sec. 21 & 22.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner, to sections 15, 16, 21, 22.
 High level prairie.
 East Random between Sec. 15, 22.
 78.96 Intersected .7 S. of post.
 West Corrected Between sec. 15, 22.
 39.48 Set qr. sec. post in mound.
 78.96 Section corner.
 North Between sec. 15, 16.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner to sec. 9, 10, 15, 16.
 East Random between Sec. 10, 15.
 55.12 Brook 7 links N. W.
 80.10 Intersect 7 S. of post.
 West Corrected between Sec. 10, 15.
 40.05 Set qr. sec. post in mound.
 80.10 Section corner.
 North Between sections 9 & 10.
 40.00 Set qr. sec. post in mound.
 80.00 Section corner post in mound. Sec. 3, 4, 9, 10.
 East Random between Sec. 3 & 10.
 65.40 Brook 5 links N. W.
 80.32 Intersect 3 links S. of post.
 West Corrected between Sec. 3 & 10.
 40.16 Set qr. sec. post in mound.
 80.32 Section corner.
 North Between sections 3 & 4.
 40.00 Set qr. sec. post in mound.
 58.00 Creek 45 links W., enter bottom.
 71.00 Leave bottom.
 90.00 Intersect North Boundary .77 West of post.
 Set post in mound corner to sections 3 & 4.

July 1, 1837

T 78 N. R 1 W. 5th Principle Meridian.

North Between sec. 32, 33.
 10.30 Road from Iowa to Moscow N. W. S. E.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 28, 29, 32, 33.
East Random between sec. 28, 33.
 73.53 Intersect 2 links S. of post.
 High Rolling prairie.
 West Corrected between Sec. 28, 33.
 39.66 Set gr. sec. post in mound.
 73.33 Section corner.
North Between Sec. 28, 29.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 20, 21, 28, 29.
 High Rolling Prairie.
East Random between sec. 21, 28.
 73.24 Intersect .5 S. of post.
 West Corrected between sec. 21, 28.
 39.62 Set gr. sec. post in mound.
 73.24 Section corner.
North Between sec. 20 & 21.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to section 16, 17, 20, 21.
 High level prairie.
East Random between Sec. 16, 21.
 79.50 Intersect .11 N. of post.
 West Corrected Between Sec. 16, 21.
 39.75 Set gr. sec. post in mound.
 79.50 Section corner.
North Between sections 16, 17.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner of sections 8, 9, 16, 17.
East Random between sec. 9 & 16.
 78.30 Intersect 9 links N. of post.
 High rolling prairie.
 West Corrected between Sec. 9, 16.
 39.15 Set gr. sec. post in mound.
 78.30 Section corner.
North Between sec. 8 & 9.
 40.00 Set gr. sec. post in mound.
 77.50 Enter pond.
 80.00 Set post in pond 2 1/2 ft. water. Corner to sec. 4, 5, 8, 9.
 No mound made.
East Random between Sec. 4, 9.
 79.18 Intersect at post.
 Rolling prairie.
 West Corrected between sec. 4 & 9.
 39.58 Set gr. sec. post in mound.
 79.18 Section corner.
North Between sections 4 & 5.
 3.50 Leave pond.
 35.00 Enter grove, descend hill.
 37.50 Creek, .45 links S. W.
 40.00 Set gr. sec. post on bank of slough.

T 78 N. R 1 W 5th Principal Meridian.

B. Walnut 30 in. bearings S. 45° E. 1.81
 Elm 10 in. S. 39° E. 46.
 42.00 Leave grove.
 53.75 Leave creek bottom.
 67.00 Enter grove. B. O. and Hickory.
 89.46 Intersect N. Boundary 30 links E. of post. Set post
 corner to sections 4 & 5.
 Br. O. 10 in. bearings S. 53° E. .47
 B. O. 14 in. " S. 56° W. 1.32

July 3d, 1837

North Between sections 31 & 32.
 40.00 Set qr. sec. post in mound.
 59.40 Road S. & W.
 80.00 Set post in mound corner to sections 29, 30, 31, 32.
East Random between 29, 31.
 79.33 Intersect .24 S. of post.
 Rolling prairie.
 West Corrected between Sec. 29, 31.
 33.66 Set qr. sec. post in mound.
 79.33 Section corner.
West Random between Sec. 30, 31.
 90.50 Intersected range line, found no post--started at
 qr. sec. post on range line run 40 ch's and established
 post in mound 1.50 south of intersection.
 East Corrected between Sec. 30 & 31.
 50.50 Set qr. sec. post in mound.
 90.50 Section corner.
North Between sec. 29 & 30.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner to sections 19, 20, 29, 30.
East Random between Sec. 20, 29.
 79.58 Intersect at post.
 Rolling prairie.
 West On same line between 20 & 29.
 39.78 Set qr. sec. post in mound.
 79.58 Section corner.
East Random between Sec. 19 & 20.
 90.33 Intersect .85 N. of post.
 Level prairie.
 East Corrected between Sec. 19 & 20.
 50.28 Set qr. sec. post in mound.
 90.20 Section corner
North Between sections 19 & 20.
 40.00 Set qr. sec. post in mound.
 80.00 Set post in mound corner to sections 17, 18, 19, 20.
East Random between sec. 17, 20.
 79.48 Intersect at post.
 Rolling prairie.
 West On same line between 17, & 20.
 39.74 Set qr. post in mound.
 79.48 Section corner.

T 78 N R 1 W. 5th Principle Meridian.

East Random between sections 15 & 16.
 88.90 Intersect at post on R. line.
 Rolling prairie.
 East On same line between sec. 15 & 16.
 49.30 Set gr. sec. post in mound.
 88.90 Section corner.

4th July 1837

North Between sec. 17 & 18.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 17, 18, 19, 20.
East Random between 8 & 17.
 86.00 Intersect 8 links S. of post.
 Rolling prairie.
 West Corrected between Sec. 8 & 17.
 40.00 Set gr. sec. post in mound.
 80.00 Section corner.

East Random between section 7 & 18.
 80.26 Intersect 1.17 N. of post.
 East Corrected between Sec. 7 & 18.
 80.26 Set gr. sec. post in mound.
 80.26 Section corner.

North Between Sec. 7 and 8.
 18.50 Trail S. & W.
 40.00 Set gr. sec. post in mound.
 80.00 Set post in mound corner to sections 5, 6, 7, 8.

East Random between sec. 5 & 8.
 54.00 Enter marsh.
 60.50 Leave marsh.
 74.50 Enter pond.
 79.88 Intersect .10 links N. of post.
 West Corrected between Sec. 5 & 8.
 39.94 Set gr. sec. post in mound.
 79.88 Section post.

East Random between Sec. 6 & 7.
 48.50 Break 3 links N. W.
 52.00 Creek 45 links offset 1 chn, S.
 60.00 Offset 4 ch's N.
 66.50 Offset 3 ch's S.
 91.00 Intersect R. line .55 S. of post.
 East Corrected between sec. 6 & 7.
 61.00 Set gr. sec. post.
 W. C. 18 in. bearings. S. 42° W. 38.
 " " 20 in. N. 14° W. 1.14.
 91.00 Section corner.

North Between sec. 5 & 6.
 12.00 Enter small grove.
 15.50 Creek 45 links W.
 15.95 Creek bottom leave grove.
 28.50 Leave bottom, gradual rise.
 40.00 Set gr. sec. post in mound.
 88.90 Intersect N. Boundary 62 links East of post.
 Established post in mound corner to Sec. 5 & 6.
 Land north of creek first quality.

July 5, 1837

Handwritten notes:
 91.00
 87.00
 84.00
 81.00
 78.00
 75.00
 72.00
 69.00
 66.00
 63.00
 60.00
 57.00
 54.00
 51.00
 48.00
 45.00
 42.00
 39.00
 36.00
 33.00
 30.00
 27.00
 24.00
 21.00
 18.00
 15.00
 12.00
 9.00
 6.00
 3.00
 0.00

T 77 N R 33

North On east boundary sec. 26.
 *84.00 Set meander post on the right bank of Mississippi River.
 Sycamore 30 N. 43½ E. 1.10
 Hickory 14 S. 50 W. 17
 80.00 Set post corner sections 25.36.
 W. Oak 15 N. 87½ W. 5.32
 W. Oak 4 N. 6½ W. 4.43
 Land wet and dry prairie.
 Var 7° 45.

*This corner was ascertained by offsets from the S. boundary of the town.

North On east boundary sec. 25.
 28.98 W. Oak 20 in.
 40.00 Set quarter section post.
 Y. Oak 28 S. 84½ W. 77
 W. Oak 12 S. 39 W. 1.30
 80.00 Set post corner sections 24.25
 Hickory 9 S. 65 W. 3.53
 B. Oak 22 N. 4½ W. 4.26
 Land 1st ½ hilly and broken, well timbered, Oak and Hickory.
 Last ½ uneven and very thinly timbered with same, Ed rate.

North On east boundary sec. 24.
 10.98 Y. Oak 10 in.
 40.00 Set quarter section post.
 Bur Oak 12 S. 11 W. 4.40
 80.00 Set post corner sections 13.24.
 Y. Oak 9 S. 1½ W. 36
 Y. Oak 7 N. 50½ W. 34.
 Land rolling Ed rate.
 Thinly timbered with young oak and hickory.

North On east boundary sec. 12.
 2.58 Stream 7 west.
 40.00 Set quarter section post.
 Bur Oak 24 S. 88 W. 2.82
 " " 24 N. 72½ W. 2.20
 58.40 Run 7 W.
 75.18 Stream 10 S.
 80.00 Set post corner sections 12.12.
 Bur Oak 10 S 1 W. 4.80
 " " 3 N 30½ W. 64.
 Land and timber same as last mile.

North On east boundary sec. 12.
 1.60 Stream 12 S. E.
 17.50 Bend of same from N. W. to S. W.
 20.50 Break 8 S. W. }
 21.25 Same 3 S. E. } Mad Creek
 21.60 Same 6 S. W. }
 40.00 Set quarter section post.
 W. Oak 10 N. 30 W. 2.74
 Y. " 3 S. 1½ W. 3.65
 48.20 Run 5 S. E.
 57.60 Run 4 S. W.
 80.00 Set post corner sections 1.12
 Hickory 12 N. 36 W. 2.51
 " 16 S. 59 W. 2.33
 Land same as last mile.