


INDEX
T78NR3W of 5th PM
IOWA

	164	164	164	164	164	164						
168	6	174	5	172	4	170	3	169	2	167	1	163-77
	174	174	174	172	172	170	170	168	168	167	167	
168	7	174	8	171	9	170	10	168	11	167	12	163-77
	174	173	173	171	171	170	170	168	168	166	166	
167	18	173	17	171	16	170	15	168	14	166	13	163-77
	173	173	173	171	171	169	169	168	168	166	166	
167	19	173	20	171	21	169	22	168	23	166	24	162-77
	173	172	172	171	171	169	169	168	168	166	166	
167	30	172	29	171	28	169	27	167	26	165	25	162-76
	172	172	172	170	170	169	169	167	167	165	165	
167	31	172	32	170	33	169	34	167	35	165	36	162-76
	161	161	161	161	161	160	160	160	160	160	160	

Remarks on Twp. 175
 Settlers Names & Locations 175
 Meanders of Red Cedar River 176, 177 & 178
 Certificate 179

STATE OF IOWA
 MUSCATINE COUNTY
 T78NR3W of 5#PM.



Surveyed by
 W. R. Thoemaker.

Copied from plat attached
 to Original field notes. 42

1837.

T 78 N R 3 W 5th P M

East On Random South Boundary of Township 78 North of
Range 3 West.
5-79.03 Intersected temporary post corner Towns 77.78
2.95 South.

Bearings { W. Ash 16 S 16½ W 65
W. Oak N 61 E 35¼
Locust 22 S 4½ E 63½
Marked { Double Maple 28 N 71 W 54
W. Ash 16 S 16½ W 65
W. Oak N 61 E 35¼

February 16, 1837

West Corrected W. on South By. Sec. 36.

1.10 Stream or slough 50 N.
1.70 Enter prairie.
5.55 Indian path N. W.
32.50 Leave prairie.
36.10 Slough 25 N. W.
40.00 Set quarter section post.
W. Ash 6 N 48½ E 15-
W. Oak 6 N 31 W 51½
58.50 Enter marsh.
65.00 Leave same.
67.00 Enter small prairie.
80.00 Set post corner sections 35, 36.
B. Oak 20 N 37½ W 2.50
Bur Oak 12 N 4½ W 1.95½
Land level and part rich, part prairie, and
also part very thinly timbered. Bur, W. and
B. Oak, and Hickory.

Var. 7°40"

West Corrected W. on South By. Sec. 35.

1.00 Leave prairie.
39.00 Set meander post on the left bank of Red Cedar
River.
W. Oak 22 N 30½ E 98
Hickory 12 S 31 E 5
40.00 Quarter section cor. in river.
58.83 Set meander post on right bank of river.
Hackberry 16 N 30½ E 1.12
Hickory 8 S 32½ W 78
60.50 Bayou 2.00 S. E. & N. W.
62.00 Enter prairie.
75.00 Pawockique Village and a recently laid out Town
at present bearing the name of Cedar.
80.00 Set post corner sections 34 and 35 in prairie,
where made mound.
Pit 3 links South.
Land level and rich part subject to inundation.
Note: From the corner in the right bank of the
River the lower part of Island bears S 30 E dist 3 ch's.

T 78 N R 3 W 5th P M

West Corrected W on South By. of Sec. 34
 14.44 Indian path E. S. E.
 19.90 Indian path S. E.
 30.00 Enter wet prairie.
 40.00 Set quarter section post in wet prairie, where
 made mound.

Pit 3 links East.
 80.00 Set post in wet prairie cor. secs. 33 and 34
 where made mound.

Pit 3 links south.
 Land first 20 ch's dry and 2d rate prairie,
 remainder wet prairie or marsh extending about
 40 ch's north, and in which heads a stream
 running S. E.

West Corrected W. on South By. Sec. 33.
 31.00 Leave wet prairie and enter dry rolling prairie.
 40.00 Set quarter section post in prairie, where
 made mound.

Pit 3 links east.
 53.30 Indian path E. N. E.
 80.00 Set post in prairie corner sections 32 and 33
 where made mound of earth and sod.

Pit 3 links south.
 Land 2d rate rolling prairie west of marsh.

West Corrected W. on South By. Sec. 32
 9.50 Indian path N & S
 40.00 Set quarter section post in prairie where made
 mound.

Pit 3 links east.
 80.00 Set post corner sections 31 & 32 in prairie,
 where made mound of earth and sod.

Pit 3 links south.
 Land gently rolling, first rate prairie.
 Prairie grass the only undergrowth.

West Corrected W. on South By. Sec. 31
 40.00 Set quarter section post in prairie where made
 mound.

Pit 3 links east.
 79.03 Corner Towns 77 & 78.
 Land etc. same as last mile.

T 78 N R 4 W 5th P M

North On East boundary section 36
40.00 Set quarter section post in prairie, where made mound of earth and sod.
Pit 3 lks East.
69.00 Leave prairie.
80.00 Set post corner sections 25 & 36
Y. Oak 18 S 13 W 1.27
Bur Oak 9 N 8½ W 96
Land first ¾ level prairie first rate.
Remainder 2d rate rolling and thinly timbered.
Oak and Hickory.
Var. 8°32"

North On East boundary section 25
1.00 Enter marsh.
14.50 Leave same.
40.00 Set quarter section post.
Bur Oak 36 S 62 W 4
Hickory 12 N 78 W 8
49.00 Enter prairie.
80.00 Set post corner sections 24 & 25 in prairie, where made mound of earth and sod.
Pit 3 lks South.

Land level and part wet 2d rate. First ½ thinly timbered with Oak and Hickory.

North On East boundary section 24
13.75 Indian path E. & W.
27.50 Indian path N. W.
36.50 Enter thicket of brush and scattering timber.
40.00 Set quarter section post.
Aspin 6 S 88 W 50
Bur Oak 10 N 61 E 51½
61.11 Bur Oak 24 in.
80.00 Set post corner sections 13 & 24.
Lynn 14 S 44 W 41 } Bearings
Hickory 9 N 17½ W 72½ }

W. Oak 30 N 29 W 1.13 } Marked.
Land level and mostly first rate. Last ½ tolerably well timbered with Oak, Hickory, Lynn, etc.

T 78 N R 4 W 5th P M

North On East boundary section 13
 10.06 Elm 14 in.
 23.18 B. Oak 16 in.
 40.00 Set quarter section post.
 B. Oak 16 N 39½ W 32½
 B. Walnut 6 S 39 E 13

52.10 Mouth of stream .40 from S. W.
 53.00 Wapsanoanuck River 60 S. E.
 56.60 Same 60 S. W.
 60.50 Stream 40 W.
 76.50 Stream 40 S. E.
 80.00 Set post corner sections 12 & 13.
 Elm 17 S 65 W 30
 Hackberry 10 N 26 W 67

Land level 1st rate,
 Timber, Oak, Lynn, Elm, Hickory, Hackberry,
 and B. Walnut.

North On East boundary section 12
 5.40 Wapsanoanuck River 40 W.
 15.50 Bend of same from N. W. to S. W.
 19.50 W. River 40 S. E.
 29.80 Same 35 S. W.
 33.80 Same 30 S. E.
 55.00 Same 30 S. W.
 40.00 Set quarter section post.
 Bur Oak 16 N 5 W 41
 W. Oak 16 S 60 W 4.47

64.00 Enter prairie (extends W.)
 65.60 Run 3 S. E.
 79.00 Leave prairie.
 80.00 Set post corner sections 1 & 12
 Bur Oak 17 S 12 W 40
 Bur Oak 17 N 24 W 55

Land first rate, thinly timbered on line,
 a few chains east heavily timbered on stream.
 Oak, Hickory, Lynn, Elm, etc.

North On East boundary section 1
 21.00 Passed Wm. Myers' house 50 lks. West.
 23.64 Lynn 16
 21.30 Stream 50 E.
 40.00 Set quarter section post.
 Walnut 16 N 51 W 57
 W. Ash 8 S 11½ W 1.19

44.50 Enter prairie.
 83.43 Intersected 1st correction line 3.12 West of
 Town corner, where raised a mound, the center
 of which bears North, dist. 5 lks. from a pit.
 Land rolling fir t rate, S. of prairie heavily
 timbered. Oak, Ash, Hickory, Aspin etc.

Finished 26th February 1837

South Boundary of T 79 N R 3 W

East On South Side of Section 31 Var. 90°20"

2.00 Trail E. S. E.
42.00 Set quarter section post and made mound.
82.00 Set post cor. of sects. 31 & 32 and made mound.

Land rolling prairie.

East On South Side of Section 32

16.00 Creek S L. C. S.
19.52 Creek S L. C. N.
23.00 Creek S L. C. S.
40.00 Set post quarter section and made mound.
80.00 Set post corner of sections 32 & 33 and made mound.

Land rolling good 2d rate prairie.

East On South Side of Section 33 V. 90°00" E 10:00 A. M.

40.00 Set quarter section post and made mound.
80.00 Set post cor. of sections 33 & 34 and made mound.

Land rolling good 2d rate.

East On South Side of Section 34 V. 90°20" E. 11:00 A. M.

40.00 Set quarter section post and made mound.
80.00 Set post cor. of sects. 34 & 35 and made mound.

Land level 2d rate prairie.

East On South Side of Section 35

27.00 Trail C. N. & S.
40.00 Set quarter section post in ravine and made mound.
80.00 Set post corner of sections 35 & 36 and made mound.

Land rolling good 2d rate.

East On South Side of Section 36

40.00 Set quarter section post and leave prairie, made mound.

73.80 W. Oak 22 in. dia.

80.00 Set post cor. of T's 78 & 79 N R 3 W

Hickory 16 N 76 1/2 E 35

W. Oak 22 N 27 1/2 W 158

Land broken 2d rate. W. & B. Oak, Hickory.

November 5, 1836 Clear.

T 79 N R 3 W 5th P M

North Between sections 35 & 36 V. 7°55' E.
27.00 Set post on left bank of Red Cedar River.
Ash 4 in. bears S 8½ W 52 links.
No other tree near.
34.14 Over Red Cedar River. Set post on Right Bank
of Red Cedar River.
Hickory 10 in. 53°W. .48 lks.
B. O. 14 in. N 48 E. .54
40.00 Set quarter section post.
Hickory 10 N 23° E. .45
W. O. 16 N 27½ W. 1.39
30.00 Set post corner to sections 25, 26, 25, 26.
Cottonwood 20 in. N 21° E. 3.17
Sycamore 20 in. S 5 W. 1.36
Through Cedar River Bottom. Scattering timber.
Oak, Elm, Cottonwood. Land 2d rate sandy soil.
Timber Elm, Sycamore, Ash, and Br. Oak, Hickory.
East Random between sections 25 & 26
28.80 Bank of Red Cedar River.
33.17 Island over channel.
43.27 Over to Left Bank of River.
Scattering timber.
73.67 Intersect 40 links N. of post.
Through low sandy bottom land 3d rate.
Corrected between sections 25 & 26
West
36.40 Set post on Left Bank of Red Cedar River.
Elm 12 in. bears S 22° E 120
Br. O. 3 in. bears N 75½ E 240
46.20 Set post on Right Bank Red Cedar River.
Ash 10 in. bears S 23°W 14 L.
No other tree.
73.67 Section corner.
North Between Sections 25 & 26
6.55 Cottonwood 12 in.
7.60 Slough 33 links E. & W.
40.00 Set quarter section post.
Red Cedar 16 in. N 21° W 21
" " 16 in. S 61° E 142
56.50 Foot of Bluff (enter prairie)
73.30 Road S. W.
30.00 Set post in round corner to sections 23, 24, 25, 26.
Pit 4 lks. South.
Land low and sandy, 3d rate.
Timber here is Ash, Elm, and Cottonwood with a
few Red Cedars.

T 78 N R 3 W 5th P M

<u>East</u>	<u>Random between Sections 24 & 25</u>
30.00	Enter Hazel thicket and timber.
46.00	Prairie.
52.00	Bank of Red Cedar River. Offset 2 ch's N
	Enter timber.
57.00	Offset 2 ch's S.
76.20	Over river.
79.92	Intersect 47 ch's N. of post.
	Land rolling 2d rate, bottom is low 3d rate.
<u>West</u>	<u>Corrected between sections 24 & 25.</u>
27.92	Set post on Right Bank Red Cedar River.
	Cottonwood 10 in. S 48 E. 69
39.96	Set quarter section post.
	E. O. 8 in. bears S $53\frac{1}{2}^{\circ}$ E 84
	W. O. 6 in. bears N $68\frac{1}{2}^{\circ}$ E 149
79.92	Section post.
	July 19, 1837
<u>North</u>	<u>Between sections 23 & 24</u>
40.00	Set qr. sec. post in mound.
	Pit 4 links East.
80.00	Set post in mound corner to sections 13, 14, 23, 24.
	Pit 4 links South.
	Level prairie, sandy 3d rate.
<u>East</u>	<u>Random between Sections 13 & 24</u>
56.00	Descend to foot of bluff.
59.30	Marsh.
62.02	Leave marsh, enter timber.
80.30	Intersect range line 40 lks N. of post.
	Low wet ground. Land all 3d rate. Timber, Elm,
	Ash, and Br. O.k.
<u>West</u>	<u>Corrected between sections 13 & 24</u>
40.15	Set qr. sec. post in mound.
	Pit 4 lks East.
80.30	Section corner.
<u>North</u>	<u>Between Sections 13 & 14</u>
40.00	Set qr. sec. post in mound.
	Pit 4 lks East
80.00	Set post in mound corner to sections 11, 12, 13,
	14.
	Pit 4 lks South
	High Rolling Prairie, 3d rate, covered with
	short grass.
<u>East</u>	<u>Random between Sections 12 & 13</u>
38.50	Pond
40.00	Leave Pond.
80.54	Intersect 20 links N. of Post.
	Land rolling prairie 3d rate.
<u>West</u>	<u>Corrected between sections 12 & 13</u>
40.27	Set quarter section post in mound.
	Pit 4 lks East
80.54	Section Corner.

T 78 N R 3 W 5th P M

East Random between sections 23 & 26
 79.55 Intersect at post. Section Corner.
 Rolling prairie E. of qr. sec. post.
 Land 3d rate. Grass is sedge--a light growth.

West Corrected Between Sections 23 & 26
 39.77 Set qr. sec. post in mound.
 Pit 4 links East.

79.55 Section Corner.

North Between Sections 22 & 23
 40.00 Set quarter section post in mound.
 Pit 4 links East

80.00 Set post in mound corner to sections 14, 15, 22, 23.
 Pit 4 links South.
 Level prairie, land 3d rate. Grass is sedge--
 a light growth.

East Random between Sections 14 & 23
 79.60 Intersect 34 links N. of post.
 Land sandy 3d rate prairie. Grass is short and
 light.

West Corrected between Sections 14 & 23
 39.80 Set quarter section post in mound.
 Pit 4 links East

79.60 Section corner.

North Between Sections 14 & 15
 40.00 Set quarter section post in mound.
 Pit 4 links East.

80.00 Set post in mound corner to sections 10, 11, 14, 15.
 Pit 4 links South.
 High rolling prairie, land 3d rate. Grass is
 short sedge.

East Random between Sections 11 & 14
 79.40 Intersect at post.
 Level prairie 3d rate, grass is light sedge.

West Corrected between Sections 11 & 14
 39.70 Set quarter section post in mound.
 Pit 4 links East.

79.40 Section corner.

North Between sections 10 & 11
 40.00 Set quarter sec. post in mound.
 Pit 4 links East.

80.00 Set post in mound cor. to sections 2, 3, 10, 11.
 Pit 4 links South.
 High prairie, somewhat broken. Land 3d rate.
 Grass, short.

East Random between Sections 8 & 11
 79.38 Intersect at post.
 Broken prairie, 3d rate. Grass is short light growth.

West Corrected between 8 & 11
 39.68 Set quarter section post in mound.
 Pit 4 links East.

79.38 Section post.

T 78 N R 3 W 5th P M

West 33.72 Corrected between sections 28 & 33
Set quarter section post in mound.
Pit 4 links East.

79.48 Section corner.

North 40.00 Between Sections 28 & 29
Set quarter section post in mound.
Pit 4 links East

80.00 Set post in mound corner to sections 20, 21, 28, 29.*
Flat prairie, land 2d rate. Grass is sedge.

East 79.22 Random between Sections 21 & 22
Intersect 20 links N. of post.
Flat prairie, land 3d rate. Grass short light growth.

West 39.61 Corrected between sections 21 & 28
Set quarter section post in mound.
Pit 4 links East

79.22 Section corner.

North 40.00 Between Sections 20 & 21
Set quarter section post in mound.
Pit 4 links East

80.00 Set post in mound corner to sections 16, 17, 20, 21.
Pit 4 links South
Level prairie, land 2d rate, grass is sedge.

East 79.24 Random between Sections 16 & 21
Intersect 40 links N. of post.
Flat prairie, land 3d rate. Grass is short and light growth.

West 39.82 Corrected between Sections 16 & 21,
Set quarter section post in mound.
Pit 4 links East.

79.24 Section Corner

North 40.00 Between sections 16 & 17
Set quarter section post in mound.
Pit 4 links East.

80.00 Set post in mound corner to sections 8, 9, 16, 17.
Pit 4 links South.
Rolling prairie, land 2d rate. Grass is sedge and Blue Stem.

East 79.20 Random between sections 9 & 16
Intersect at post.
Rolling prairie, land 3d rate. Grass is short.

West 39.10 Corrected between sections 9 & 16
Set quarter section post in mound.
Pit 4 Links East.

79.20 Section post.

North 40.00 Between Sections 8 & 9
Set quarter section post in mound.
Pit 4 links East

80.00 Set post in mound corner to sections 4, 5, 8, 9.
Pit 4 links South
High rolling prairie. Land is 3d rate. Grass is short and light growth of sedge and Blue Stem.

*Pit 4 links South

T 78 N R 3 W 5th P M

East Random between 4 & 9
 78.08 Intersect 6 links S. of post.
 Land 3d rate hilly prairie.
West Corrected between 4 & 9
 39.03 Set quarter section post in mound.
 Pit 4 links East.
 78.08 Section corner.
North Between sections 4 & 5
 40.00 Set quarter section post in mound.
 Pit 4 links East.
 35.08 Intersect N. Boundary 2.26 West of post.
 Set post in mound corner to sections 4 & 5.
 Pit 4 links South.
 High rolling prairie. Land is 3d rate and
 with sedge grass.

July 23, 1827

North Between Sections 31 & 32
 40.00 Set quarter section post in mound.
 Pit 4 links East.
 80.00 Section post in mound corner to 29, 30, 31, 32.
 Pit 4 links South.
 Flat prairie, 2d rate.
East Random between 29 & 32
 80.35 Intersect 18 links S. of post.
 Low wet prairie, 3d rate.
West Corrected between sections 29 & 32
 40.17 Set quarter section post in mound.
 Pit 4 links East.
 80.35 Section corner.
West Random between Sections 30 & 31
 30.00 Enter timber.
 Intersect range line 30 S. of post
 81.67 W. O. 12 in. N 78° E 98 lks
 No other tree
 Land 1st rate. Timber is good W. O. B. Oak, Ash.
East Corrected between sections 30 & 31
 41.67 Set quarter section post.
 Bl. O. 13 in. N 32° W 123
 Bl. O. 30 in. N 20° E 123
 81.67 Section Corner.
North Between Sections 29 & 30
 40.00 Set quarter section post in marsh. No mound
 on account of water.
 80.00 Set post in mound corner to sections 19, 20, 29, 30.
 Pit 4 links South.
 Wet prairie, land 2d rate, heavy crop of grass.
East Random between 20 & 29
 80.76 Intersect at post.
 Land 2d rate.

T 73 N R 3 W 5th PM

West Corrected between 20 & 28
40.38 Set quarter section post.
B. O. 10 in. S 5° W 125
80.76 No other tree.
West Random between 19 & 30
21.85 Intersected 31 links S. of post.
Wet low prairie, land 2d rate.
East Corrected between sections 19 & 30
41.85 Set quarter section post in mound.
Pit 4 links East.
21.85 Section corner.

July 24, 1837

North Between section 19 & 20
40.00 Set quarter section post in mound.
Pit 4 links East.
80.00 Set post in mound corner to sections 17, 18, 19, 20.
Pit 4 links South.
Land is 2d rate. Heavy crop of grass.
East Random between 17 & 20
80.00 Intersect 40 links S. of post.
Level prairie. Land 2d rate.
West Corrected between sections 17 & 20
40.00 Set quarter section post in mound.
Pit 4 links East.
80.00 Section post.
West Random between sections 18 & 19
78.00 Enter timber.
82.15 Intersect 17 links N. of post.
Took bearings.
Elm 12 in. N 41° E 57 links
Land is 2d rate, too level and wet.
The prairie is covered with a very heavy crop of
grass.
East Corrected between sections 18 & 19
48.15 Set quarter section post in mound.
Pit 4 links East.
82.15 Section corner.
North Between sections 17 & 18
40.00 Set quarter section post in mound.
Pit 4 links East.
80.00 Set post in mound corner to sections 7, 8, 17, 18.
Pit 4 links South.
High rolling prairie. Land is 2d rate.
East Random between 8. and 17.
80.02 Intersect 38 lks. S. of post. Land 2d rate.
West Corrected between sections 8 & 17
40.01 Set quarter section post in mound.
Pit 4 links East.
80.02 Section post.

T 78 N R 3 W 5th P M

West Random between sections 7 & 18
 18.00 Enter timber.
 77.00 Creek 20 links S. W.
 81.96 Intersect 47 lks S of post.
 Took bearings.
 Elm 16 in. S 50 $\frac{1}{2}$ $^{\circ}$ E 25
 Hackberry 16 in. S 23 $\frac{1}{2}$ $^{\circ}$ E 68
 Rich good land. Land 1st rate. Timber is Ash,
 Hickory, Lynn, and Walnut.

East Corrected between sections 7 & 18
 41.96 Set quarter section post.
 B. C. 12 in. bears N 22 $^{\circ}$ W 150
 No other tree.

81.96 Section corner.
 North Between sections 7 & 8

40.00 Set quarter section post in mound.
 Pit 4 links East.
 80.00 Set post in mound corner to sections 5, 6, 7, 8.
 High rolling prairie. Land 2d rate.

East Random between sections 5 & 8
 89.00 Intersect at post.

High rolling prairie. Land 2d rate.
 West Corrected between sections 5 & 8
 40.00 Set quarter section post in mound.
 Pit 4 links East.

80.00 Section corner.
 West Random between sections 6 & 7

48.50 Enter timber.
 64.30 Creek 20 links S. W.
 81.55 Intersect 41 lks. N. of post.
 Took bearings.
 W. O. 22 in. S 79 $\frac{1}{2}$ $^{\circ}$ E 68lks
 Br. O. 12 in. N 27 $^{\circ}$ E 131 lks.
 Land is 1st rate bottom. Timber is Walnut,
 Ash, Hickory, Bl. Oak, etc.

East Corrected between sections 6 & 7
 41.55 Set quarter section post in mound.
 Pit 4 links East.

81.55 Section corner.
 North Between sections 5 & 6

40.00 Set quarter section post in mound.
 Pit 4 links East.

64.30 Brook 10 links S. W.
 78.00 Road E. & W.
 85.50 Intersect N. Boundary 3.28 West of post.
 Set post in mound.
 Pit 4 lks South.
 Set post corner to sections 5 & 6
 Land is 1st rate prairie. Heavy crop of Blue
 Stem grass.
 July 25, 1837

Note: The measurements across the Red Cedar here
 all made by trigonometrical process.

T 78 N R 3 E 5th P M

REMARKS ON THE TOWNSHIP

This Township is mostly a high rolling prairie, though the Eastern and Western tiers of sections have some good timber on them, the latter more particularly. The soil on the Eastern tier of sections is a barren sand and the timber is chiefly Bur Oak, and Jack Oak. The prairie is likewise sandy and of little value for any purpose until you reach the Western tier of sections. Here it is a rich loam and the timber is Black Walnut, Hickory, Ash, and Sugar, and different kinds of Oak. The stream in the North-western corner of the Township is a sluggish one. There is no stone to be found on the surface in any part of this Township.

SETTLERS' NAMES AND LOCATIONS

Boggs and Hendrickson

Field on the S. E. qr. sec. 34 and a house (their dwelling) on the N. E. qr. section 35.

Francis Foote house on N. W. qr. sec. 7. Field on the N. E. cr. section 7.

Sylvanus Foote.

Field on S. E. qr. sec. 7.

Cedar Town located on the S. E. quarter section 34 and the S. West fractional quarter of section 35 extending over South Boundary.

MEANDERS OF RED CEDAR RIVER

Commencing at a post in the East Boundary on the Right Bank of Red Cedar, thence downstream.

Courses	C. L.
S 53 W	3.79
S 30 W	6.80
S 37 W	5.00
S 15 W	4.28
S 28 W	5.50
S 18 W	1.15
S 8 W	1.24
S 6 W	3.40
S 4 E	<u>3.50</u>
	71.69

Closes it.

S 3 E	7.84
South	4.50
S 14 W	1.88
S 27 W	4.70
S 10 1/2 W	3.22
S 11 1/2 E	3.47
S 5 E	4.37
S 13 W	4.37
S 2 W	1.18
S 25 1/2 W	3.62
South	5.53
S 4 E	3.08

In Section 25

Inlet of slough 75lks wide.

To line between sections 25 & 36

S 18 1/2 W	2.00
S 2 W	4.34
S 15 E	5.00

In Section 36

S 6 1/2 E 18.64 instead of the two courses included in brackets closes it.

S 38 E	5.00
S 46 1/2 E	<u>5.43</u>
	61.57

S 34 1/2 E	11.65
South	4.00
S 38 1/2 W	10.34
N 78 1/2 W	12.00
N 54 W	7.00
N 51 W	2.84
N 77 1/2 W	3.82
N 87 1/2 W	2.42
N 82 W	2.78
N 86 W	4.44
S 60 W	6.42
S 70 W	4.15

Distance across direct is 7.14 To line between sections 25 & 36

Meanders of Red Cedar River continued.

Courses	C. L.	
S 71 W	3.00	Outlet of slough 150 wide.
S 70 W	7.00	Enter prairie.
S 73½ W	4.23	In Section 35
S 75 W	16.50	
S 63 W	8.80	
S 59 W	8.97	Opposite brushy Island
S 45 W	7.67	Separated from Right Bank
S 31 W	8.54	by a slough 3 chains wide.
S 55 W	8.68	
S 34 W	2.38	
S 30½ W	1.12	To post at South Boundary.
	<u>142.48</u>	

Meanders of Red Cedar River commencing at a post in South Boundary on Left Bank thence up stream in Section 35.

Courses	C. L.	
N 59 E	14.50	
N 53 E	9.40	
N 60 E	3.83	
N 49½ E	9.25	
N 64 E	10.50	To line between sections 35 & 36.
		September 24, 1857
N 79 E	11.00	
S 60 E	18.00	
S 75 E	7.36	
East	4.00	
N 69 E	1.89	
N 71 E	7.00	
N 41 E	4.00	
N 40 E	3.75	
N 27½ E	9.60	
N 9 E	3.76	To mouth of slough 50 links wide.
N 7½ E	3.50	
N 21½ W	9.50	
N 61½ W	10.69	
	<u>141.33</u>	

N 30 W	4.60	
N 17½ E	6.55	
North	5.00	
N 13 W	8.60	To line between sections 25 & 36.
N 21 W	12.25	
N 9 E	10.83	
N 15 E	4.92	
N 23½ E	6.00	
N 10 W	3.83	
N 4 W	8.50	
N 10 E	7.98	
N 13½ E	5.00	

Meanders of the Red Cedar River continued.

Courses	C. L.
N 80 E	9.98
N 88 E	10.50
N 81 $\frac{1}{2}$ E	3.00
S 62 $\frac{1}{2}$ E	9.25
S 68 E	9.30
S 60 $\frac{1}{2}$ E	8.10
	<u>138.13</u>

September 25th 1837

To Township Line East Boundary.

26th September 1837

Meanders entered on plats.

CERTIFICATE

I hereby certify that in pursuance of a contract with Robert T. Lytle Esq. Surveyor General of the United States for the States of Ohio and Indiana and the Territories of Michigan and Wisconsin, bearing date Sixth of May, 1837 and in strict conformity to the laws of the United States and the Instructions of the said Surveyor General, I have surveyed and subdivided into Sections Township No. 78 N. R. 3 W. of the 5th P. M. Wisconsin Territory, and I further certify that the foregoing are the true and original field notes of the said survey and subdivision executed as aforesaid.

Certified this 2d day of October 1837.

W. R. Shoemaker, Dep. Surveyor.

Samuel L. Wilson Chainmen
Aaron Castle

John Scougale, Marker.

